
ccREL: The Creative Commons Rights Expression Language

Hal Abelson, Ben Adida, Mike Linksvayer, Nathan Yergler
[hal,ben,ml,nathan]@creativecommons.org

Version 1.0 – March 3rd, 2008

1 Introduction

This paper introduces the Creative Commons Rights Expression Language (ccREL), the standard recommended by Creative Commons (CC) for machine-readable expression of copyright licensing terms and related information.¹ ccREL and its description in this paper supersede all previous Creative Commons recommendations for expressing licensing metadata. Like CC’s previous recommendation, ccREL is based on the World-Wide Web Consortium’s Resource Description Framework (RDF).² Compared to the previous recommendation, ccREL is intended to be both easier for content creators and publishers to provide, and more convenient for user communities and tool builders to consume, extend, and redistribute.³

Formally, ccREL is specified in an abstract syntax-free way, as an extensible set of properties to be associated with a licensed documents. Publishers have wide discretion in their choice of syntax, so long as the process for extracting the properties is discoverable and tool builders can retrieve the properties of ccREL-compliant Web pages or embedded documents. We also recommend specific concrete “default” syntaxes and embedding schemes for content creators and publishers who want to use CC licenses without needing to be concerned about extraction mechanisms. The default schemes are RDFa for HTML Web pages and resources referenced therein, and XMP for stand-alone media.⁴

An Example. Using this new recommendation, an author can express Creative Commons structured data in an HTML page using the following simple markup:

¹Information about Creative Commons is available on the web at <http://creativecommons.org>. ccREL is a registered trademark of Creative Commons, see <http://creativecommons.org/policies> for details.

²RDF is a language for representing information about resources in the World Wide Web. We provide a short primer in this paper. Also, see the Web Consortium’s RDF Web site at <http://www.w3.org/RDF/>.

³By “publisher” we mean anyone who places CC-licensed material on the Internet. By “tool builders” we mean people who write applications that are aware of the license information. Example tools might be search programs that filter their results based on specific types of licenses, or user interfaces that display license information in particular ways.

⁴RDFa is an emerging collection of attributes and processing rules for extending XHTML to support RDF. See the W3C Working Draft “RDFa in XHTML: Syntax and Processing” at <http://www.w3.org/TR/rdfa-syntax>. The “RDFa Primer: Embedding Structured Data in Web Pages,” may be found at <http://www.w3.org/TR/xhtml1-rdfa-primer>. RDF/XML, described briefly below, is a method for expressing RDF in XML syntax. See “RDF/XML Syntax Specification (Revised),” W3C Recommendation 10 February 2004 at <http://www.w3.org/TR/rdf-syntax-grammar/>. XMP (Extended Metadata Platform) is a labeling technology developed by Adobe, for embedding constrained RDF/XML within documents. See <http://www.adobe.com/products/xmp/>.

This work is licensed under a Creative Commons Attribution License, v3.0. The license is available at <http://creativecommons.org/licenses/by/3.0/>. Please provide attribution to Creative Commons and the URL <http://creativecommons.org/projects/ccREL>.

```
<div about="http://lessig.org/blog/" xmlns:cc="http://creativecommons.org/ns#">
  This page, by
  <a property="cc:attributionName"
    rel="cc:attributionURL" href="http://lessig.org/">
    Lawrence Lessig
  </a>,
  is licensed under a
  <a rel="license" href="http://creativecommons.org/licenses/by/3.0/">
    Creative Commons Attribution License
  </a>.
</div>
```

From this markup, tools can easily and reliably determine that <http://lessig.org/blog/> is licensed under a CC Attribution License, v3.0, where attribution should be given to “Lawrence Lessig” at the URL <http://lessig.org/>.

Structure of this Paper. This paper explains the design rationale for these recommendations and illustrates some specific applications we expect ccREL to support. We begin with a review of the original 2002 recommendation for Creative Commons metadata and we explain why, as Creative Commons has grown, we have come to regard this as inadequate. We then introduce ccREL in the syntax-free model: as a vocabulary of properties. Next, we describe the recommended concrete syntaxes. In addition, we explain how other frameworks, such as microformats, can be made ccREL compliant. Finally, we discuss specific use cases and the types of tools we hope to see built to take advantage of ccREL.

2 Background on Creative Commons recommendations

Creative Commons was publicly launched in December 2002, but its genesis traces to summer 2000 and discussions about how to promote a reasonable and flexible copyright regime for the Internet in an environment where copyright had become unreasonable and inflexible. There was no standard legal means for creators to grant limited rights to the public for online material, and obtaining rights often required difficult searches to identify rights-holders and burdensome transaction costs to negotiate permissions. As digital networks dramatically lowered other costs and engendered new opportunities for producing, consuming, and reusing content, the inflexibility and costs of licensing became comparatively more onerous.

Over the following year, Creative Commons’ founders came to adopt a two-pronged response to this challenge. One prong was legal and social: create widely applicable licenses that permit sharing and reuse with conditions, clearly communicated in human-readable form. The other prong called for leveraging digital networks themselves to make licensed works more reusable and easy to find; that is, to lower search and transaction costs for works whose copyright holders have granted some rights to the public in advance. Core to this technical component is the ability for machines to detect and interpret the licensing terms as automatically as possible. Simple programs should thus be able to answer questions like:

- Under what license has a copyright holder released her work, and what are the associated permissions and restrictions?

- Can I redistribute this work for commercial purposes?
- Can I distribute a modified version of this work?
- How should I assign credit to the original author?

Equally important is constructing a robust user-machine bridge for publishing and detecting structured licensing information on the Web, and stimulating the emergence of tools that lower the barriers to collaboration and remixing. For example, if a Web page contains multiple images, not all licensed identically, can users easily determine which rights are granted on a particular image? Can they easily extract this image, create derivative works, and distribute them while assigning proper credit to the original author? In other words, is there a clear and usable connection between what the user sees and what the machine parses? ccREL aims to be a standard that implementors can follow in creating tools that make these operations simple.

2.1 Creative Commons and RDF

As early as fall 2001, Creative Commons had settled on the approach of creating machine-readable licenses based on the World Wide Web Consortium’s then-emerging Resource Description Framework (RDF), part of the W3C Semantic Web Activity.⁵

The motivation for choosing RDF in 2001, and for continuing to use it now, is strongly connected to the Creative Commons vision: promoting scholarly and cultural progress by making it easy for people to share their creations and to collaborate by building on each other’s work. In order to lower barriers to collaboration, it is important that the machine expression of licensing information and other metadata be *interoperable*. Interoperability here means not only that different programs can read particular metadata properties, but also that vocabularies—sets of related properties—can evolve and be extended. This should be possible in such a way that innovation can proceed in a distributed fashion in different communities—authors, musicians, photographers, cinematographers, biologists, geologists, and so on—so that licensing terms can be devised by local communities for types of works not yet envisioned. It is also important that potential extensions be backward compatible: existing tools should not be disrupted when new properties are added. If possible, existing tools should even be able to handle basic aspects of new properties. This is precisely the kind of “interoperability of meaning” that RDF is designed to support.

2.1.1 RDF triples

RDF is a framework for describing entities on the Web. It provides exceptionally strong support for interoperability and extensibility. All entities in RDF are named using a simple, distributed, globally addressable scheme already well known to Web users: the URL, and its generalization the URI.⁶

For example, Lawrence Lessig’s blog, a document identified by its URL <http://lessig.org/blog/>, is licensed under the Creative Commons Attribution license. That license is also a docu-

⁵The Semantic Web Activity is a large collaborative effort led by the W3C aimed at extending the Web to become a universal medium for data exchange, for programs as well as people. See <http://www.w3.org/2001/sw/>.

⁶The term URI (universal resource identifier) is a generalization of URL (universal resource locator). While a URL refers in principle to a resource on the Web, a URI can designate anything named with this universal hierarchical naming scheme. This generality is used in ccREL for items such as downloaded media files.

ment, identified by its own URL <http://creativecommons.org/licenses/by/3.0/>. The property of “being licensed under”, which we’ll call “license” can *itself* be considered a Web object and identified by a URL. This URL is <http://www.w3.org/1999/xhtml/vocab#license>, which refers to a Web page that contains information describing the “license” property. This particular Web page, maintained by the Web Consortium, is the reference document that describes the vocabulary supported as part of the Web standard XHTML language.⁷

Instantiating properties as URLs enables anyone to use those properties to formulate descriptions, or to discover detailed information about an existing property by consulting the page at the URL, or to make new properties available simply by publishing the URLs that describe those properties.

As a case in point, Creative Commons originally defined its own “license” property, which it published at <http://creativecommons.org/ns#license>,⁸ since no other group had defined in RDF the concept of a copyright license. When the XHTML Working Group introduced its own license property in 2005, we opted to start using their version, rather than maintain our own CC-dependent notion of license. We were then able to declare that <http://creativecommons.org/ns#license> is equivalent to the new property <http://www.w3.org/1999/xhtml/vocab#license>, simply by updating the description at <http://creativecommons.org/ns#license>. Importantly, RDF makes this equivalence interpretable by programs, not just humans, so that “old” RDF license declarations can be automatically interpreted using the new vocabulary.

In general, atomic RDF descriptions are called *triples*. Each triple consists of a *subject*, a *property*, and a *value* for that property of the subject. The triple that describes the license for Lessig’s blog could be represented graphically as shown in figure 1: a point (the subject) labeled with the blog URL, a second point (the value) labeled with the license URL, and an arrow (the property) labeled with the URL that describes the meaning of the term “license”, running from the blog to the license. In general, an RDF model, as a collection of triples, can be visualized as a graph of relations among elements, where the edges and vertices are all labeled using URIs.




Figure 1: An RDF Triple represented as an edge between two nodes of a graph.

⁷ The vocabulary page, <http://www.w3.org/1999/xhtml/vocab#>, is currently a placeholder which the W3C expects to update in early 2008.

⁸The full story is a little more complicated. CC initially used the <http://web.resource.org/cc/> namespace, migrating to <http://creativecommons.org/ns#> for superior human interaction with the vocabulary when it became apparent RDFa would facilitate this. In 2004 the Dublin Core Metadata Initiative approved a “license” refinement of its “rights” term (see <http://dublincore.org/usage/decisions/2004/2004-01.Rights-terms.shtml>). Had <http://purl.org/dc/terms/license> existed in 2002, CC would not have defined <http://web.resource.org/cc/license>. Thanks to the extensibility properties of RDF, <http://creativecommons.org/ns#license> describes its relationship to each of these other properties.

2.1.2 Expressing RDF as text

Abstract RDF graphs can be expressed textually in various ways. One commonly used notation, RDF/XML, uses XML syntax. In RDF/XML the triple describing the licensing of Lessig's blog is denoted:

```
<rdf:RDF xmlns:rdf="http://www.w3.org/1999/02/22-rdf-syntax-ns#"
  xmlns:xhtml="http://www.w3.org/1999/xhtml/vocab#">
  <rdf:Description rdf:about="http://www.lessig.org/blog/">
    <xhtml:license rdf:resource="http://creativecommons.org/licenses/by/3.0/" />
  </rdf:Description>
</rdf:RDF>
```

One desirable feature of RDF/XML notation is that it is completely self-contained: all identifiers are fully qualified URLs. On the other hand, RDF/XML notation is extremely verbose, making it cumbersome for people to read and write, especially if no shorthand conventions are used. Even this simple example (verbose as it is) uses a shorthand mechanism: the second line of the description beginning `xmlns:xhtml` defines “`xhtml:`” to be an abbreviation for `http://www.w3.org/1999/xhtml/vocab#`, thus expressing the `license` property in its shorter form, `xhtml:license`, on the fourth line.

Since the introduction of RDF, the Web Consortium has developed more compact alternative syntaxes for RDF graphs. For example the N3 syntax would denote the above triple more concisely:⁹

```
<http://lessig.org/blog/>
  <http://www.w3.org/1999/xhtml#license>
  <http://creativecommons.org/licenses/by/3.0/> .
```

We could also rewrite this using a shorthand as in the RDF/XHTML example above, defining: `xhtml:` as an abbreviation for `http://www.w3.org/1999/xhtml/vocab#`:

```
@prefix xhtml: <http://www.w3.org/1999/xhtml/vocab#>
<http://lessig.org/blog/>
  xhtml:license
  <http://creativecommons.org/licenses/by/3.0/> .
```

The shorthand does not provide improved compactness or readability if a prefix is only used once as above, of course. In N3, prefixes are typically defined only when they are used more than once, for example to express multiple properties taken from the same vocabulary. In RDF/XML, because of the stricter parsing rules of XML, there is a bit less flexibility: predicates can only be expressed using the shorthand, while subjects can only be expressed using the full URI.

2.2 CC's Previous Recommendation: RDF/XML in HTML Comments

With its first unveiling of machine-readable licenses in 2002, Creative Commons recommended that publishers use the RDF/XML syntax to express license properties. The CC web site included a

⁹N3 (Notation 3) was designed to be a compact and more readable alternative to RDF/XML. See <http://www.w3.org/DesignIssues/Notation3.html>.

Web-based license generator, where publishers could answer a questionnaire to indicate what kind of license they wished, and the generator then provided RDF/XML text for them to include on their Web pages, inside HTML comments: `<!-- [RDF/XML HERE] -->`.

We knew at the time that this was a cumbersome design, but there was little alternative. RDF/XML, despite its verbosity, was the only standard syntax for expressing RDF. Worse, the Web Consortium's Semantic Web Activity was focused on providing organizations with ways to annotate databases for integration into the Web, and it paid scant attention to the issues of intermixing semantic information with visible Web elements. A task force had been formed to address these issues, but there was no W3C standard for including RDF in HTML pages.

One consequence of CC's limited initial design is that, although millions of Web pages now include Creative Commons licenses and metadata, there is no uniform, extensible way for tool developers to access this metadata, and the tools that do exist rely on ad-hoc techniques for extracting metadata.

Since 2004, Creative Commons has been working with the Web Consortium to create more straightforward and less limited methods of embedding RDF in HTML documents. These new methods are now making their way through the W3C standards process. Accordingly,

Creative Commons no longer recommends using RDF/XML in HTML comments for specifying licensing information. This paper supersedes that recommendation.

We hope that the new ccREL standard presented in this paper will result in a more consistent and stable platform for publishers and tool builders to build upon Creative Commons licenses.

3 The ccREL Abstract Model

This section describes ccREL, Creative Commons' new recommendation for machine-readable licensing information, in its abstract form, i.e., independent of any concrete syntax. As an abstract specification, ccREL consists of a small but extensible set of RDF properties that should be provided with each licensed object. This abstract specification has evolved since the original introduction of CC properties in 2002, but it is worth noting that all first-generation licenses are still correctly interpretable against the new specification, thanks in large part to the extensibility properties of RDF itself.

The abstract model for ccREL distinguishes two classes of properties:

1. *Work properties* describe aspects of specific works, including under which license a Work is distributed.
2. *License properties* describe aspects of licenses.

Publishers will normally be concerned only with Work properties: this is the only information publishers provide to describe a Work's licensing terms. License properties are used by Creative Commons itself to define the authoritative specifications of the licenses we offer. Other organizations are free to use these components for describing their own licenses. Such licenses, although related to Creative Commons licenses, would not themselves be Creative Commons licenses nor would they be endorsed necessarily by Creative Commons.

3.1 Work Properties

A publisher who wishes to license a Work under a Creative Commons license must, at a minimum, provide one RDF triple that specifies the value of the Work's `license` property (i.e., the license that governs the Work), for example

```
<http://lessig.org/blog/>
  xhtml:license
  <http://creativecommons.org/licenses/by/3.0/> .
```

Although this is the minimum amount of information, Creative Commons also encourages publishers to include additional triples giving information about licensed works: the title, the name and URL for assigning attribution, and the document type. An example might be

```
<http://lessig.org/blog/> dc:title "The Lessig Blog" .
<http://lessig.org/blog/> cc:attributionName "Larry Lessig" .
<http://lessig.org/blog/> cc:attributionURL <http://lessig.org/> .
<http://lessig.org/blog/> dc:type dcmitype:Text .
```

The specific work properties illustrated here are

- `dc:title` – the document's title. Here `dc:` is shorthand for the Dublin Core vocabulary defined at <http://purl.org/dc/elements/1.1/> and maintained by the Dublin Core Metadata Initiative.¹⁰
- `cc:attributionName` – the name to cite when giving attribution when the work is modified or redistributed under the terms of the associated Creative Commons license.¹¹ The prefix `cc:`, as mentioned above, is an abbreviation for <http://creativecommons.org/ns#>.
- `cc:attributionURL` – the URL to link to when providing attribution.
- `dc:type` – the type of the licensed document. In this example, the associated value is `dcmitype:Text`, which indicates text. Lessig's blog sometimes includes video, in which case the type would be `dcmitype:MovingImage`. Recommended use of `dc:type` is explained at <http://dublincore.org/documents/dces/>. Individual types like `dcmitype:Text` and `dcmitype:MovingImage` are part of the DCMI Vocabulary.

Incidentally, the above list of four triples could be alternately expressed using the N3 semicolon convention, which indicates a list of triples that all have the same subject:

¹⁰The Dublin Core Metadata Initiative (DCMI) promotes the widespread adoption of interoperable metadata standards, and maintains a vocabulary of DCMI Metadata Terms. See <http://dublincore.org/>.

¹¹All current Creative Commons licenses require attribution, and give the publisher the option of specifying a URL with attribution information. The `cc:attributionURL` property is the preferred way to provide this URL in machine-readable form.

```
@prefix dc: <http://purl.org/dc/elements/1.1/>
@prefix cc: <http://creativecommons.org/ns#>
@prefix dcmitype: <http://purl.org/dc/dcmitype/>

<http://lessig.org/blog/>
  dc:title "The Lessig Blog" ;
  cc:attributionName "Larry Lessig" ;
  cc:attributionURL <http://lessig.org/> ;
  dc:type dcmitype:Text .
```

There are two more Work properties available to publishers of CC material:

- **dc:source**—indicates the original source of modified work, specified as a URI, for example

```
<http://randomblog.org/modified_lessig_presentation> dc:source <http://lessig.org/> .
```

- **cc:morePermissions**—indicates a URL that gives information on additional permissions beyond those specified in the CC license. For example, a document with a CC license that requires attribution, might, under certain circumstances, be usable without attribution. Or a document restricted for noncommercial use could be available for commercial use under certain conditions.

A typical use would then be:

```
<http://randomblog.org/insightful_posting>
  cc:morePermissions <http://randomblog.org/attribution_free_licensing> .
```

The information at the designated URL is completely up to the publisher, as are the terms of the associated additional permissions, with one proviso: The additional permissions must be *additional* permissions, i.e., they cannot restrict the rights granted by the Creative Commons license. Said another way, any use of the work that is valid without taking the `morePermissions` property into account, must remain valid after taking `morePermissions` into account.

This is the current set of ccREL Work properties. New properties may be added over time, defined by Creative Commons or by others. Observe that ccREL inherits the underlying extensibility of RDF—all that is required to create new properties is to include additional triples that use these. For example, a community of photography publishers could agree to use an additional `photoResolution` property, and this would not disrupt the operation of pre-existing tools, so long as the old properties remain available. We'll see below that the concrete syntax (RDFa) recommended by Creative Commons for ccREL enjoys this same extensibility property.

Distributed creation of new properties notwithstanding, only Creative Commons can include new elements in the `cc:` namespace, because Creative Commons controls the defining document at `http://creativecommons.org/ns#`. This ability to retain this kind of control, without loss of extensibility, is a direct consequence of using RDF.

3.2 License Properties

We now consider properties used for describing Licenses. With ccREL, Creative Commons does not expect publishers to use these license properties directly, or even to deal with them at all.

In contrast, Creative Commons’ original metadata recommendation encouraged publishers to provide the license properties with every licensed work. This design was awkward, because once a publisher has already indicated which license governs the Work, specifying the license properties in addition is redundant and thus error prone. The ccREL recommendation does away with this duplication and leaves it to Creative Commons to provide the license properties.

Tool builders, on the other hand, should take these License properties into account so that they can interpret the particulars of each Creative Commons license. The License properties governing a Work will typically be found by URL-based discovery. A tool examining a Work notices the `xhtml:license` property and follows the indicated link to a page for the designated license. Those license description pages—the “Creative Commons Deeds”—are maintained by Creative Commons, and include the license properties in the CC recommended concrete syntax (RDFa), as described in section 7.2:

Here are the License properties defined as part of ccREL:

- `cc:permits` – permits a particular use of the Work above and beyond what default copyright law allows.
- `cc:prohibits` – prohibits a particular use of the Work, specifically affecting the scope of the permissions provided by `cc:permits` (but not reducing rights granted under copyright).
- `cc:requires` – requires certain actions of the user when enjoying the permissions given by `cc:permits`.
- `cc:jurisdiction` – associates the license with a particular legal jurisdiction.
- `cc:deprecatedOn` – indicates that the license has been deprecated on the given date.
- `cc:legalCode` – references the corresponding legal text of the license.

Importantly, Creative Commons does not allow third parties to modify these properties for existing Creative Commons licenses. That said, publishers may certainly use these properties to create new licenses of their own, which they should host on their own servers, and not represent as being Creative Commons licenses.

The possible values for `cc:permits`, i.e., the possible permissions granted by a CC License are:

- `cc:Reproduction` – copying the work in various forms.
- `cc:Distribution` – redistributing the work.
- `cc:DerivativeWorks` – preparing derivatives of the work.

The possible values for `cc:prohibits`, i.e., possible prohibitions that modulate permissions (but do not affect permissions granted by copyright law, such as fair use) are:

- `cc:CommercialUse` – using the Work for commercial purposes.

The possible values for `cc:requires` are:

- `cc:Notice` – providing an indication of the license that governs the work.
- `cc:Attribution` – giving credit to the appropriate creator.
- `cc:ShareAlike` – when redistributing derivative works of this work, using the same license.
- `cc:SourceCode` – when redistributing this work (which is expected to be software when this requirement is used), source code must be provided.

For example, the Attribution Share-Alike v3.0 Creative Commons license is described as:¹²

```
@prefix cc http://creativecommons.org/ns#
<http://creativecommons.org/licenses/by-sa/3.0/>
  cc:permits cc:Reproduction ;
  cc:permits cc:Distribution ;
  cc:permits cc:DerivativeWorks ;
  cc:requires cc:Attribution ;
  cc:requires cc:ShareAlike ;
  cc:requires cc:Notice .
```

As new copyright licenses are introduced, Creative Commons expects to add new permissions, requirements, and prohibitions. However, it is unlikely that Creative Commons will introduce new license property types beyond **permits**, **requires**, and **prohibits**. As a result, tools built to understand these three property types will be able to interpret future licenses, at least by listing the license’s permissions, requirements, and prohibitions: thanks to the underlying RDF framework of designating properties by URLs, these tools can easily discover human-readable descriptions of these as-yet-undefined property values.

4 Desiderata for concrete ccREL syntaxes

While the previous examples illustrate ccREL using the RDF/XML and N3 notations, ccREL is meant to be independent of any particular syntax for expressing RDF triples. To create compliant ccREL implementations, publishers need only arrange that tool builders can extract RDF triples for the relevant ccREL properties—typically only the Work properties, since Creative Commons provides the License properties—through a discoverable process. We expect that different publishers will do this in different ways, using syntaxes of their choice that take into account the kinds of environments they would like to provide for their users. In each case, however, it is the publisher’s responsibility to associate their pages with appropriate extraction mechanisms and to arrange for these mechanisms to be discoverable by tool builders.

Creative Commons also recommends concrete ccREL syntaxes that tool builders should recognize by default, so that publishers who do not want to be explicitly concerned with extraction mechanisms have a clear implementation path. These recommended syntaxes—RDFa for HTML Web pages, and XMP for free-floating content—are described in the following sections. This section presents the principles underlying our recommendations.

¹²*Caveat:* The text descriptions of these property values are indicative only. The precise legal interpretations of the properties can be subtle and even jurisdiction dependent. Consult the full Creative Commons licenses (“legal code”) for the actual legal definitions.

4.1 Principles for HTML

Licensing information for a Web document will be expressed in some form of HTML. What properties would an ideal HTML syntax for expressing Creative Commons terms exhibit? Given the use cases we've observed over the past several years, we can call out the following desiderata:

- **Independence and Extensibility:** We cannot know in advance what new kinds of data we will want to integrate with Creative Commons licensing data. Currently, we already need to combine Creative Commons properties with simple media files (sound, images, videos) and there's a growing interest in providing markup for complex scientific data (biomedical records, experimental results). Therefore, the means of expressing the licensing information in HTML should be extensible: it should enable the reuse of existing data models and the addition of new properties, both by Creative Commons and by others. Adding new properties should not require extensive coordination across communities or approval from a central authority. Tools should not suddenly become obsolete when new properties are added, or when existing properties are applied to new kinds of data sets.
- **DRY (Don't Repeat Yourself):** An HTML document often already displays the name of the author and a clickable link to a Creative Commons license. Providing machine-readable structure should not require duplicating this data in a separate format. Notably, if the human-clickable link to the license is changed, e.g. from v2.5 to v3.0, a machine processing the page should automatically note this change without the publisher having to update another part of the HTML file to keep it "in sync" with the human-readable portion.
- **Visual Locality:** An HTML page may contain multiple items, for example a dozen photos, each with its own structured data, for example a different license. It should be easy for tools to associate the appropriate structured data with their corresponding visual display.
- **Remix Friendliness:** It should be easy to copy an item from one document and paste it into a new document with all appropriate structured data included. In a world where we constantly remix old content to create new content, copy-and-paste, widgets, and sidebars are crucial elements of the remixable Web. As much as possible, ccREL should allow for easy copy-and-paste of data to carry along the appropriate licensing information.

4.2 Desiderata for Free-Floating Content

Some important works are not typically conveyed via HTML. Examples are MP3s, MPEGs, and other media files. The technique for embedding licensing data into these files should achieve the following design principles:

- **Consistency:** There are many different possible file types. The mechanism for embedding licensing information should be reasonably generic, so that a single tool can read and write the licensing information without requiring awareness of all file types.
- **Publisher Accountability:** It can be difficult to provide for accountability of licensing metadata when files are shared in peer-to-peer systems, rather than distributed from a central location. The method for expressing metadata should facilitate providing publisher accountability at least as strong as the accountability of a Web page with a well-defined host and owner.

- **Simplicity:** The process of embedding licensing information should require little more than a simple and free program. In particular, though complex publisher accountability approaches involving digital signatures and certificates can be used, they should not be required for the basic use case.

5 Including ccREL information in Web Pages

Consider the abstract model for ccREL. Here, again, are the triples from the Lessig blog example, expressed in N3.¹³

```
@prefix xhtml: <http://www.w3.org/1999/xhtml#> .
@prefix cc: <http://creativecommons.org/ns#> .

<http://lessig.org/blog/> xhtml:license <http://creativecommons.org/licenses/by/3.0/> .
<http://lessig.org/blog/> cc:attributionName "Lawrence Lessig" .
<http://lessig.org/blog/> cc:attributionURL <http://lessig.org/> .
```

The Web page to which this information refers typically already contains some HTML that describes this same information (redundantly), in human-readable form, for example:

```
<div>
  This page, by
  <a href="http://lessig.org/">
    Lawrence Lessig
  </a>,
  is licensed under a
  <a href="http://creativecommons.org/licenses/by/3.0/">
    Creative Commons Attribution License
  </a>.
</div>
```

What we would like is a way to quickly augment this HTML with just enough structure to enable the extraction of the RDF triples, using the principles articulated above, including, notably, Don't Repeat Yourself: the existing markup and links should be used both for human and machine readability.

5.1 RDFa and concrete syntax for Work properties

RDFa was designed by the W3C with Creative Commons' input. The design was motivated in part by the principles noted above. Using existing HTML properties and a handful of new ones, RDFa enables a chunk of HTML to express RDF triples, reusing the content wherever possible. For example, the HTML above would be extended by including additional attributes within the HTML anchor tags as follows:

¹³ It is worth noting that, while the `xhtml:license` property has long been a part of the CC specification, the `cc:attributionName` and `cc:attributionURL` properties are new with ccREL. Under the *independence and extensibility principle*, the solution we select for embedding ccREL in HTML should allow for such extensions without breaking tools that already know about `xhtml:license`.

```

<div about="" xmlns:cc="http://creativecommons.org/ns#">
  This page, by
  <a property="cc:attributionName"
    rel="cc:attributionURL" href="http://lessig.org/">
    Lawrence Lessig
  </a>,
  is licensed under a
  <a rel="license" href="http://creativecommons.org/licenses/by/3.0/">
    Creative Commons Attribution License
  </a>.
</div>

```

The rules for understanding the meaning of the above markup are as follows:

- `about` defines the subject of all triples within the `<div>`. Here we have `about=""`, which defines the subject to be the URL of the current document.
- `xmlns:cc` associates, throughout the `<div>`, the prefix `cc` with the URL `http://creativecommons.org/ns#`, much as N3 does with `@prefix`.
- `property` generates a new triple with predicate `cc:attributionName`, and the text content of the element, in this case “Lawrence Lessig,” as the object.
- `rel="cc:attributionURL"` generates a new triple with predicate `cc:attributionURL`, and the URL in the `href` as the object.
- `rel="license"` generates a new triple with predicate `xhtml:license`, as `xhtml` is the default prefix for reserved XHTML values like `license`. The object is given by the `href`.

The fragment of HTML (within the `div`) is entirely self-contained (and thus remix-friendly). Its meaning would be preserved if it were copied and pasted into another Web page. The data’s structure is local to the data itself: a human looking at the page could easily identify the structured data by pointing to the rendered page and finding the enclosing chunk of HTML. In addition, the clickable links and rendered author names gain semantic meaning without repeating the core data. Finally, as this is embedded RDF, the extensibility and independence properties of RDF vocabularies are automatically inherited: anyone can create a new vocabulary or reuse portions of existing vocabularies.

Of course, one can continue to add additional data, both visible and structured. Figure 2 shows a more complex example that includes all Work properties currently supported by Creative Commons, including how this HTML+RDFa would be rendered on a Web page. Notice how properties can be associated with HTML spans as well as anchors, or in fact with any HTML elements—see the RDFa specification for details.

The examples in this section illustrate how publishers can specify Work properties. One can also use RDFa to express License properties. This is what Creative Commons does with the license description pages on its own site, as described below in section 7.2.

```

<div about="" instanceof="cc:Work"
  xmlns:cc="http://creativecommons.org/ns#"
  xmlns:dc="http://purl.org/dc/elements/1.1/"
  align="center">

  
  </a><br />

  <span property="dc:title">The Lessig Blog</span>,
  a
  <span rel="dc:type" href="http://purl.org/dc/dcmitype/Text">
    collection of texts
  </span>
  by
  <a property="cc:attributionName"
    rel="cc:attributionURL" href="http://lessig.org/">
    Lawrence Lessig
  </a>,<br />
  is licensed under a
  <a rel="license" href="http://creativecommons.org/licenses/by/3.0/">
    Creative Commons Attribution License
  </a>.<br />

  There are
  <a rel="cc:morePermissions"
    href="http://lessig.org/blog/other-license">
    alternative licensing options
  </a>.
</div>

```



Figure 2: RDFa markup of a Creative Commons license notice, illustrating all the current CC Work properties, including the rendering of this markup in a Web browser.

5.2 Microformats

Microformats are a set of simple, open data formats “designed for humans first and machines second.” They provide domain-specific syntaxes for annotating data in HTML. At the moment, the two widely deployed “compound” microformats annotate contact information (hCard) and calendar events (hCal). Of the “elemental” microformats, those meant to annotate a single data point, the most popular is `rel-tag`, used to denote a “tag” on an item, e.g. a blog post. Another elemental microformat is `rel-license`, which is meant to indicate the current page’s license and which, conveniently, uses a syntax which overlaps with RDFa: `rel="license"`. Other microformats may, over time, integrate Creative Commons properties, for example when licensing images, videos, and other multimedia content.¹⁴

Microformat designers have focused on simplicity and readability, and Creative Commons encourages publishers who use microformats to make it easy for tool builders to extract the relevant ccREL triples. Nonetheless, microformats’ syntactic simplicity comes at the cost of *independence and extensibility*, which makes them limited from the Creative Commons perspective.

For example, every time a Creative Commons license needs to be expressed in a new context—e.g. videos instead of still images—a new microformat and syntax must be designed, and all parsers must then, somehow, become aware of the change. It is also not obvious how one might combine different microformats on a single Web page, given that the syntax rules may differ and even conflict from one microformat to the next.¹⁵ Finally, when it comes time to express complex data sets with ever expanding sets of properties, e.g., scientific data, microformats do not appear to scale appropriately, given their lack of vocabulary scoping and general inability to mix vocabularies from independently developed sources—the kind of mixing that is enabled by RDF’s use of namespaces.

Thus, Creative Commons does not recommend any particular microformat syntax for ccREL, but we do recommend a method for ensuring that, when publishers use microformats, tool builders can extract the corresponding ccREL properties: use an appropriate profile URL in the header of the HTML document.¹⁶ This profile URL significantly improves the independence and extensibility of microformats by ensuring that the tools can find the appropriate parser code for extracting the ccREL abstract model from the microformat, without having to know about all microformats in advance. One downside is that the microformat syntax then becomes less remix-friendly, with two disparate fragments: one in the head to declare the profile, and one in the body to express the data. Even so, the profile approach is likely good enough for simple data. It is worth noting that this use of a profile URL is already recommended as part of microformats’ best practices, though it is unfortunately rarely implemented today in deployed applications.

5.3 GRDDL for XML Documents

Not all documents on the web are HTML: one popular syntax for representing structured data in XML. Given that XML is a machine-readable syntax, often with a strict schema depending on the type of data expressed, not all of the principles we outlined are useful here. In particular, *visual*

¹⁴See <http://microformats.org/>.

¹⁵See <http://microformats.org/wiki/grouping-brainstorming> for one discussion.

¹⁶Profile URLs indicate that the HTML file can be interpreted according to the rules of that profile. This property has been used by some microformat specifications to indicate, e.g., “this page contains the hCard microformat”. The property is also used by GRDDL for generic HTML transformations to RDF/XML, though this approach to RDF extraction from HTML is not fully compliant with the principles laid out in this paper: it is difficult to tell which image on a page is CC-licensed when the RDF extraction is achieved via GRDDL.

locality is not relevant when the reader is a machine rather than a human, and *remix-friendliness* doesn't really apply when XML fragments are rarely remixable in the first place, given schema validation. Thus, we focus on *independence and extensibility*, as well as *DRY*.

When publishing Creative Commons licensing information inside an XML document, Creative Commons recommends exposing a mechanism to extract the ccREL abstract model from the XML, so that Creative Commons tools need not know about every possible XML schema ahead of time. The W3C's GRDDL recommendation performs exactly this task by letting publishers specify, either in each XML document or once in an XML schema, an XSL Transformation that extracts RDF/XML from XML.¹⁷ Consider, for example, a small extension of the Atom XML publishing schema for news feeds:¹⁸

```
<entry>
  <title>Lessig 2.0 -- the site</title>
  <link rel="alternate" type="text/html"
    href="http://lessig.org/blog/2007/06/lessig_20_the_site.html" />
  <id>tag:lessig.org,2007:/blog//1.3401</id>
  <published>2007-06-25T19:44:48Z</published>
  <link rel="license" type="text/html"
    href="http://creativecommons.org/licenses/by/3.0/us/" />
</entry>
```

An appropriate XSL Transform can easily process this data to extract the ccREL property that specifies the license:

```
<rdf:RDF about="http://lessig.org/blog/2007/06/lessig_20_the_site.html"
  xmlns:cc="http://creativecommons.org/ns#">
  <cc:license resource="http://creativecommons.org/licenses/by/3.0/us/" />
</rdf:RDF>
```

Similarly, the Open Archives Initiative, defines a complex XML schema for library resources.¹⁹ These resources may include megabytes of data, including sometimes the entire resource in full text. Using XSLT, one can extract the relevant ccREL information, exactly as above. Using GRDDL, the Open Archives Initiative can specify the XSLT in its XML schema file, so that all OAI documents are automatically transformable to RDF/XML, which immediately conveys ccREL.

Direct RDF/XML embedding in XML. Interestingly, because RDF can be expressed using the RDF/XML syntax, one might be tempted to use RDF/XML directly inside an XML document with an appropriate schema definition that enables such direct embedding. This very approach is taken by SVG,²⁰ and there are cases of SVG graphics that include licensing information using directly embedded RDF/XML.

This approach can be made ccREL compliant with very little work—a simple GRDDL transform, declared in the XML schema definition, that extracts the RDF/XML and expresses it on its

¹⁷Gleaning Resource Descriptions from Dialects of Languages (GRDDL) (<http://www.w3.org/TR/grddl/>) is a W3C recommendation for linking Web documents to algorithms that extract RDF data from the document.

¹⁸Atom License Extension. See <http://tools.ietf.org/html/rfc4946>.

¹⁹<http://www.openarchives.org/>

²⁰Scalable Vector Graphics, <http://www.w3.org/Graphics/SVG/>, a W3C Recommendation for vector graphics expressed using XML.

own. Note that, for ccREL compliance, this transform, although simple, is necessary. The reason for its necessity goes to the crux of the ccREL principles: without such a transform provided by each XML schema designer, tools would have to be aware of all the various XML schemas that include RDF/XML in this way. For extensibility and future-proofing, ccREL asks that publishers of the schema make the effort to provide the extraction mechanism. With explicit extraction mechanisms, publishers have a little bit more work to do, while tool builders are immediately empowered to create generic programs that can process data they have never seen before.

6 Embedding ccREL in Free-Floating Files

We turn to the precise Creative Commons recommendation for embedding ccREL metadata inside MP3s, Word documents, and other “free-floating” content that is often passed around in a peer-to-peer fashion, via email or P2P networks. We note that there are two distinct issues to resolve:

- *Expression*: expressing the abstract model using a specific syntax and embedding, and
- *Accountability*: providing minimal accountability for the expressed ccREL data.

We handle accountability for free-floating content by connecting any free-floating document to a Web page, and placing the ccREL information on that Web page. Thus, publishers of free-floating content are just as accountable as publishers of Web-based content: rights are always expressed on a Web page. The connection between the Web page and the binary file it describes is achieved using a cryptographic hash, i.e. a fingerprint, of the file. For example, the PDF file of Lawrence Lessig’s “Code v2” will contain a reference to <http://codev2.cc/download+remix>, which itself will contain a reference to the SHA1 hash of the PDF file. The owner of the URL <http://codev2.cc/download+remix> is thus taking responsibility for the ccREL statements it makes about the file.

For expression, we recommend XMP. XMP has the broadest support of any embedded metadata format (perhaps it is the only such format with anything approaching broad support) across many different media formats. With the exception of media formats where a workable embedded metadata format is already ubiquitous (e.g. MP3), Creative Commons recommends adopting XMP as an embedded metadata standard and using the following two fields in particular:

- Web reference: value of `xapRights:WebStatement`
- License: value of `cc:license`

Consider our example of Lessig’s “Code v2”, a Creative Commons licensed, community-edited second version of his original “Code and Other Laws of Cyberspace.” The PDF of this book, available at <http://pdf.codev2.cc/Lessig-Codev2.pdf>, contains XMP metadata as follows:

```

<?xpacket begin="" id=""?>
<x:xmpmeta xmlns:x="adobe:ns:meta/">
<rdf:RDF xmlns:rdf="http://www.w3.org/1999/02/22-rdf-syntax-ns#">

  <rdf:Description rdf:about=""
    xmlns:xapRights="http://ns.adobe.com/xap/1.0/rights/">
    <xapRights:Marked>True</xapRights:Marked>
    <xapRights:WebStatement rdf:resource="http://codev2.cc/download+remix/" />
  </rdf:Description>
  ...
  <rdf:Description rdf:about=""
    xmlns:cc="http://creativecommons.org/ns#">
    <cc:license rdf:resource="http://creativecommons.org/licenses/by-sa/2.5/" />
  </rdf:Description>

</rdf:RDF>
</x:xmpmeta>

```

Notice how this is RDF/XML, including a `xapRights:WebStatement` pointer to the web page `http://codev2.cc/download+remix/`, which itself contains RDFa:

```

Any derivative must be licensed under a
<a about="urn:sha1:W4XGZGCD4D6TVXJSCIG3BJFLJNWFATTE"
  rel="license"
  href="http://creativecommons.org/licenses/by-sa/2.5/">
  Creative Commons Attribution-ShareAlike 2.5 License
</a>.

```

This RDFa references the PDF using its SHA1 hash—a secure fingerprint of the file that matches only the given PDF file—and declares its Creative Commons license. Thus, anyone that finds the “Code v2” PDF can find its `WebStatement` pointer, look up that URL, verify that it properly references the file via its SHA1 hash, and confirm the file’s Creative Commons license on the web-based deed.

7 Examples and Use Cases

This section describes several examples, first by publishers of Creative Commons licensed works, then by tool builders who wish to consume the licensing information. Some of these examples include existing, real implementations of ccREL, while others are potential implementations and applications we believe would significantly benefit from ccREL.

7.1 How Publishers Can Use ccREL

Publishers can mix ccREL with other markup with great flexibility. Thanks to ccREL’s *independence and extensibility* principle, publishers can use ccREL descriptions in combination with additional attributes taken from other publishers, or with entirely new attributes they define for their own purposes. Thanks to ccREL’s *DRY* principle, even small publishers get the benefit of updating data in one location and automatically keeping the human- and machine-readable in sync.

```

<div class="mediaDetails haudio"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:dc="http://purl.org/dc/elements/1.1/"
  xmlns:commerce="http://purl.org/commerce/elements/1.0/"
  xmlns:hmedia="http://purl.org/hmedia/elements/1.0/"
  about="#album-6579151">
...
  <a id="mediaImageLink" rel="hmedia:depiction"
    href="http://www.bitmunk.com/view/image/6579151">
...
  <h1 property="dc:title" class="mediaTitle album fn">Lifeseeker</h1>
...
  <span property="dc:creator" class="fn">Lifeseeker</span>
...
  <span property="dc:contributor" class="fn">(P) 2005 One In A Million Records</span>
...
  <span property="dc:date" class="published" title="2007-11-18T11:23:07-05:00"
    content="2007-11-18T11:23:07-05:00" datatype="xsd:date">
    2002-07-23
  </span>
...
  <a href="/browse/genre/audio_album/59"
    property="dc:type" class="category">Hip Hop and Rap</a>

  <span class="detailLabel">Tracks:</span>
  16 (<abbr property="hmedia:duration" class="duration"
    title="PT1H13M37S" content="PT1H13M37S"
    datatype="xsd:duration">1:13:37</span>)
...
  <span class="detailLabel">Licenses:</span>
  
...
</div>

```

Figure 3: Markup for a Bitmunk Song: this is a real excerpt of the actual HTML markup used on the bitmunk.com web site, slightly simplified and indented for readability.

Mixing Content with Different Licenses

A common use case for Web publishers working in a mashup-friendly world is the issue of mixing content with different licenses. Consider, for example, what happens if Larry Lessig’s blog reuses an image published by another author and licensed for non-commercial use. Recall that Lessig’s Blog is licensed to permit commercial use.

The HTML markup in this case is straightforward:

```
<div about="" xmlns:cc="http://creativecommons.org/ns#">
  This page, by
  <a property="cc:attributionName"
    rel="cc:attributionURL" href="http://lessig.org/">
    Lawrence Lessig
  </a>,
  is licensed under a
  <a rel="license" href="http://creativecommons.org/licenses/by/3.0/">
    Creative Commons Attribution License
  </a>.

  <div about="/photos/constitution.jpg">
    The photo of the constitution used in this post was originally published by
    <a rel="dc:source" href="http://example.org/">Joe Example</a>, and is licensed under a
    <a rel="license" href="http://creativecommons.org/licenses/by-nc/3.0/">
      Creative Commons Attribution-NonCommercial License
    </a>.
  </div>
</div>
```

The inner `<div>` uses the `about` attribute to indicate that its statements concern the photo in question. A link to the original source is provided using the `dc:source` property, and a different license pointer is given for this photo using the normal anchor with a `rel="license"` attribute.

hAudio

Bitmunk is a service that supports artists with a legal, copyright-aware, content distribution service. The service needed a mechanism for embedding structured data about songs and albums directly into their web pages, including licensing information, so that browser add-ons might provide additional functionality around the music, e.g. comparing the price of a particular song at various online stores. Bitmunk first created a microformat called hAudio. They soon realized, however, that they would be duplicating fields when it came time to define hVideo, and that these duplicated fields would no longer be compatible with those of hAudio. More immediately problematic, hAudio’s basic fields, e.g. `title`, would not be compatible with other “title” fields of other microformats.

Thus, Bitmunk created the hAudio RDFa vocabulary. The design process for this vocabulary immediately revealed separate, logical components: Dublin Core for basic properties e.g. `title`, Creative Commons for licensing, a new vocabulary called “hMedia” for media-specific properties e.g. `duration`, and a new vocabulary called “hCommerce” for transaction-specific properties e.g. `price`. Bitmunk was thus able to reuse two existing vocabularies and add features. It was also able to clearly delineate logical components to make it particularly easy for other vocabulary developers to reuse only certain components of the hAudio vocabulary, e.g. hCommerce. Meanwhile, all Creative Commons licensing information is still expressible without alteration.

Figure 3 shows an excerpt of the markup available from Bitmunk at <http://bitmunk.com/view/media/6579151>. Note that this particular sample is not CC-licensed: it uses standard copyright. A CC-licensed album would be marked up in the same way, with a different `license` value: Bitmunk was able to develop its vocabulary independent of ccREL, and can now integrate with ccREL simply by adding the appropriate attributes.

Flickr

Flickr hosts approximately 50 million CC-licensed images (as of October 2007). Currently Flickr denotes a license on each image's page with a link to the relevant license qualified by `rel="license"`. This ad-hoc convention, encouraged by the microformats effort, was “grandfathered” into RDFa thanks to the reserved HTML keyword `license`. Unfortunately, it works only for simple use cases, with a single image on a single page. This approach breaks down when multiple images are viewed on a single page, or when further information, such as the photographer's name, is required.

Flickr could significantly benefit from the ccREL recommendations, by providing, in addition to simple license linking:

- License assertions scoped to the image being licensed.
- Attribution details.
- A `cc:additionalPermissions` reference to commercial licensing brokers and a `dc:source` reference to parent works.
- XMP embedding in images themselves.

In addition, Flickr recently deployed “machine tags,” where photographers can add metadata about their images using custom properties. Flickr's machine tags are, in fact, a subset of RDF, which can be represented easily using RDFa. Thus, Creative Commons licensing can be easily expressed alongside Flickr's machine tags using the same technology, without interfering.

Figure 4 shows how the CC-licensed photo at <http://www.flickr.com/photos/laughingsquid/2034629532/> would be marked up using ccREL, including the machine tag `upcoming:event` that associates the photo with an event at <http://upcoming.org>.

Nature Precedings

Nature, one of the world's top scientific journals, recently launched a web-only “precedings” site, where early results can be announced rapidly in advance of full-blown peer review. Papers on *Nature Precedings* are distributed under a Creative Commons license. Like Flickr, *Nature Precedings* currently uses CC's prior metadata recommendation: RDF/XML included in an HTML comment. Nature could significantly benefit from the ccREL recommendation, which would let them publish structured Creative Commons licensing information in a more robust, more extensible, and more human-readable way.

Consider, for example, the Nature Preceding paper at <http://precedings.nature.com/documents/1290/version/1>. Figure 5 shows how the markup at that page can be extended with simple RDFa

```

<div xmlns:dc="http://purl.org/dc/elements/1.1/"
      xmlns:cc="http://creativecommons.org/ns#"
      xmlns:flickr="http://flickr.com/ns#"
      about="http://www.flickr.com/photos/laughingsquid/2034629532/">
...
  <h1 property="dc:title">NewTeeVee Live Game Show</h1>
...
  
...
  <div property="dc:description">
    See the blog post for more info:
    <a href="http://laughingsquid.com/a-few-random-newteevee-live-photos/">
      A Few Random NewTeeVee Live Photos
    </a>
  </div>
...

  This photo is licensed under a
  <a rel="license" href="http://creativecommons.org/licenses/by-nc-nd/2.0/">
    Creative Commons license
  </a>.

  If you use this photo within the terms of the license or make
  special arrangements to use the photo, please list the photo credit as

  <span property="cc:attributionName">Scott Beale / Laughing Squid</span>

  and link the credit to

  <a rel="cc:attributionURL" href="http://laughingsquid.com">
    laughingsquid.com
  </a>.

...

  Uploaded on
  <span property="flickr:uploaded" content="2007-11-15">
    November 15, 2007
  </span>
...

  <h4>Tags</h4>
  <a rel="flickr:tag" href="/photos/laughingsquid/tags/newteevee/">NewTeeVee</a>
  <a rel="flickr:tag" href="/photos/laughingsquid/tags/gigaom/">GigaOm</a>
...

  <a rel="upcoming:event" href="http://upcoming.org/event/286436">upcoming:event=286436</a>
...
</div>

```

Figure 4: A Flickr Photo Page with RDFa: this is an excerpt from a Flickr photo page with small amounts of additional markup to show how one would integrate RDFa. The rendering of the HTML is identical with the added RDFa properties. Note the Flickr machine tag `upcoming:event`, which references an event at `upcoming.org`. This machine tag is, in fact, an RDF triple, easily expressed in RDFa alongside existing Flickr information and CC licensing.

```

<div xmlns:dc="http://purl.org/dc/elements/1.1/" xmlns:cc="http://creativecommons.org/ns#"
  xmlns:prism="http://prismstandard.org/namespaces/1.2/basic/"
  xmlns:foaf="http://xmlns.com/foaf/0.1/" about="/documents/1290/version/1">

  <h2 property="dc:title">An Olfactory Receptor Pseudogene whose Function emerged in Humans</h2>
  ...
  <span rel="dc:creator"><span property="foaf:name">Peter Lai</span></span> <sup>1</sup>,

  <a rel="dc:creator" href="http://precedings.nature.com/account/show/1068">
    <span property="foaf:name">Gautam Bahl</span>
  </a><sup>2</sup>,
  ...
  <dt class="doctype">Document Type:</dt><dd property="dc:type">Manuscript</dd>

  Received <span property="dc:date">02 November 2007 21:20 UTC</span>;
  Posted <span property="prism:publicationDate">05 November 2007</span>
  ...
  <a rel="prism:category" href="http://precedings.nature.com/subjects/biotechnology">
    Biotechnology
  </a>,
  ...
  <ul id="revision-1321-tags" class="taglist">
    <li> <a rel="nature:tag" href="http://precedings.nature.com/tags/olfactory+receptors">
      olfactory receptors
    </a>
    </li>
    ...
  </ul>
  ...
  This document is licensed to the public under the
  <a rel="license" href="http://creativecommons.org/licenses/by/2.5/">
    Creative Commons Attribution 2.5 License
  </a>
  ...
  <!-- Citation -->
  <dt class="abstract">How to cite this document:</dt>
  <dd>
    <p> <span property="cc:attributionName">
      Lai, Peter, Bahl, Gautam, Gremigni, Maryse, Matarazzo, Valery ,
      Clot-Faybesse, Olivier, Ronin, Catherine, and Crasto, Chiquito.
      An Olfactory Receptor Pseudogene whose Function emerged in Humans.
    </span>
    Available from Nature Precedings &#060;
    <a rel="cc:attributionURL" href="http://dx.doi.org/10.1038/npre.2007.1290.1">
      http://dx.doi.org/10.1038/npre.2007.1290.1
    </a>&#062; (2007)
    </p>
  </dd>
  ...
</div>

```

Figure 5: Markup for a Nature Precedings article, including how RDFa might be integrated seamlessly into the existing markup. The property `nature:tag` is used to indicate a Nature-defined way of tagging content, though another vocabulary could easily be used here.




Figure 6: Portions of a Nature Precedings paper, marked up with RDFa. An RDFa-aware browser (in this case any normal browser using the RDFa Bookmarklets) detects the markup, highlighting the title and Creative Commons license, and revealing the corresponding RDF triples.

attributes, using the Dublin Core, Creative Commons, FOAF, and PRISM publication vocabularies.²¹ Notice how any HTML element, including the existing H1 used for the title, can be used to carry RDFa attributes. Figure 6 shows how this page could appear in an RDFa-aware browser.

Scientific Data

Open publication of scientific data on the Internet has begun, with the Nature Publishing Group recently announcing the release of genomic data sets under a Creative Commons license.²² Beyond simple licensing, thousands of new metadata vocabularies and properties are being developed to express research results. Creative Commons, through its Science Commons subsidiary,²³ is playing an active role here, working to remove barriers to scientific cooperation and sharing. Science

²¹The Publishing Requirements for Industry Standard Metadata (PRISM) provides a vocabulary for publishing and aggregating content from books, magazines, and journals. See <http://www.prismstandard.org/>.

²²See http://www.nature.com/authors/editorial_policies/license.html for details.

²³See <http://sciencecommons.org>

Commons is specifically encouraging the creation of RDF-based vocabularies for describing scientific information and is stimulating collaboration among research communities with tools that build on RDF's extensibility and interoperability.



Figure 7: A simple rendering of a bibliographic entry with extra scientific data.

As these vocabularies become more widespread, it's easy to envision uses of ccREL and RDFa that extend the bibliographic and licensing markup to include these new scientific data tags. Tools may then emerge to take advantage of this additional markup, enabling dynamic, distributed scientific collaboration through interoperable referencing of scientific concepts.

Imagine, for example, an excerpt from a (hypothetical) Web-based newsletter about genomics research, which references an (actual) article from *BioMed Central Neurosciences*, as it might be rendered by a browser (Figure 7). The words “recent study on rat brains”, and “CEBP-beta” are clickable links, leading respectively, to a Web page for the paper, and a Web page that describes the protein CEBP- β in the Uniprot protein database.

The RDFa generating this excerpt could be

```
<div
  xmlns:OBO_REL="http://www.obofoundry.org/ro/ro.owl#"
  xmlns:UNIPROT="http://purl.uniprot.org/uniprot/"

  A <a href="http://www.biomedcentral.com/1471-2202/6/69">
    recent study on rat brains
  </a>
  by von Gertten et al. reports that

  <div about="http://purl.org/obo/owl/GO#GO_0050729">
    <span property="rdfs:label">inflammatory stimuli</span>

    upregulate expression of

    <a rel="OBO_REL:precedes"
      href="http://purl.uniprot.org/uniprot/P17676">
      <span property="rdfs:label">CEPB-beta</span>
    </a>
  </div>
</div>
```

This RDFa not only links to the paper in the usual way, but it also provides machine-readable information that this is a statement about inflammatory stimuli (as defined by the Open Biomedical Ontologies initiative) activating expression of the CEPB protein (as specified in the UniProt database of proteins). Since the URI of the protein is visually meaningful, it can be marked up with a clickable link that also provides the object of a triple.

Additional Permissions

A CC license grants certain permissions to the public; others may be available privately. A coarse-grained “more permissions” link indicates this availability. Creative Commons has branded this scheme **CC+**. Also, since CC licenses are non-exclusive, other options for a work may be offered in addition to a CC license. Here is an example from <http://magnatune.com>, showing the use of RDFa to annotate the standard CC license image and also the Magnatune logo:

```
<a href="http://creativecommons.org/licenses/by-nc-sa/1.0/" rel="license">
  
</a>

<a href="https://magnatune.com/artists/license/?artist=Anup&album=Embrace&genre=World"
  xmlns:cc="http://creativecommons.org/ns#" rel="cc:morePermissions">
  
</a>
```

This snippet contains two statements: the public CC license and the availability of more permissions. Sophisticated users of this protocol will one day publish company, media, or genre-specific descriptions of the permissions available privately at the target URL. Tools built to recognize a Creative Commons license will still be able to detect the Creative Commons license after the addition of the `morePermissions` property, which is exactly the desired behavior. More sophisticated versions of the tools could inform the user that “more permissions” may be granted by following the indicated link.

7.2 Publishing license properties

As mentioned above, Creative Commons doesn’t expect content publishers to deal with license properties. However, others may find themselves publishing licenses using ccREL’s license properties. Here, too, RDFa is available as a framework for creating license descriptions that are human-readable, from which automated tools can also extract the required properties.

One example of this is Creative Commons itself, and the publication of the “Commons Deeds”. Figure 8 shows the HTML source of the Web page at <http://creativecommons.org/licenses/by-nd/3.0/us/> which describes the U.S. version of the CC Attribution-NoDerivatives license. As this markup shows, any HTML attribute, including LI, can carry RDFa attributes. The `href` attribute, typically used for clickable links, can be used to indicate a structured relation, even when the element to which it is attached is not an HTML anchor.

In this markup, the “Attribution-NoDerivatives” license permits distribution and reproduction, while requiring attribution and notice. Recall that ccREL is meant to be interpreted *in addition* to the baseline copyright regulation. In other words, the restriction “NoDerivatives” is not expressed

```

<h3>You are free:</h3>
<ul>
<li class="license share">
  <strong>to Share</strong> --
    to
    <span rel="cc:permits"
      href="http://creativecommons.org/ns#Distribution">copy</span>,
    <span rel="cc:permits"
      href="http://creativecommons.org/ns#Reproduction">distribute</span>,
    display, and
    perform the work
  </li>

<div id="deed-conditions">
<h3>Under the following conditions:</h3>
<ul align="left" dir="">

<li rel="cc:requires"
  href="http://creativecommons.org/ns#Attribution" class="license by">
  <p><strong>Attribution</strong>.
  <span id="attribution-container">
  You must attribute the work in the manner specified by
  the author or licensor (but not in any way that
  suggests that they endorse you or your use of the work).
  </span>
  </li>

<li class="license nd">
  <p><strong>No Derivative Works</strong>.
  <span>You may not alter, transform, or build upon this work.
  </span>
  </li>

  <li rel="cc:requires"
    href="http://creativecommons.org/ns#Notice">
    For any reuse or distribution, you must make clear to
    others the license terms of this work. The best way to
    do this is with a link to this web page.</li>
  </ul>
</div>
</ul>

```

Figure 8: Part of the HTML code for the Creative Commons Attribution, No Derivatives Deed (slightly simplified for presentation purposes) showing the use of ccREL License Properties.

in ccREL, since that is already a default in copyright law. The opposite, where derivative works *are* allowed, would be denoted with an additional CC permission.

Tool builders who then want to extract RDF from this page can do so using, for example, the W3C's RDFa Distiller,²⁴ which, when given the CC Deed URL <http://creativecommons.org/licenses/by-nd/3.0/>, produces the RDF/XML serialization of the same structured data, ready to be imported into any programming language with RDF/XML support:

```
<?xml version="1.0" encoding="utf-8"?>
<rdf:RDF
  xmlns:cc="http://creativecommons.org/ns#"
  xmlns:rdf="http://www.w3.org/1999/02/22-rdf-syntax-ns#"
  <rdf:Description rdf:about="http://creativecommons.org/licenses/by-nd/3.0/">
    <cc:requires rdf:resource="http://creativecommons.org/ns#Notice"/>
    <cc:requires rdf:resource="http://creativecommons.org/ns#Attribution"/>
    <cc:permits rdf:resource="http://creativecommons.org/ns#Distribution"/>
    <cc:permits rdf:resource="http://creativecommons.org/ns#Reproduction"/>
  </rdf:Description>
</rdf:RDF>
```

7.3 How Tool Builders Can Use ccREL

MozCC

MozCC²⁵ is an extension to Mozilla-based browsers for extracting and displaying metadata embedded in web pages. MozCC was initially developed in 2004 as a work-around to some of the deficiencies in the prior Creative Commons metadata recommendation. That version of MozCC specifically looked for Creative Commons RDF in HTML comments, a place most other parsers ignore. Once the metadata detected, MozCC provided users with a visual notification, via icons in the status bar, of the Creative Commons license. In addition, MozCC provided a simple interface to expose the work and license properties.

Since the initial development, MozCC has been rewritten to provide general purpose extraction of all RDFa metadata, as well as a specialized interface for ccREL. The status-bar icons and detailed metadata visualization features have been preserved and expanded. A MozCC user receives immediate visual cues when he encounters a page with RDFa metadata, including specific CC-branded icons when the metadata indicates the presence of a Creative Commons license. The experience is pictured in Figure 9.

MozCC processes pages by listening for load events and then calling one or more metadata extractors on the content. Metadata extractors are JavaScript classes registered on browser startup; they may be provided by MozCC or other extensions. MozCC ships with extractors for all current and previous Creative Commons metadata recommendations, in particular ccREL. Each registered extractor is called for every page. The extractors are passed information about the page to be processed, including the URL and whether the page has changed since it was last processed. This allows individual extractors to determine whether re-processing is needed. The RDFa extractor, for example, can stop processing if it sees the document hasn't been updated. An extractor which

²⁴<http://www.w3.org/2007/08/pyRdfa/>

²⁵<http://wiki.creativecommons.org/MozCC>




Figure 9: The MozCC Mozilla Add-On. The status bar shows a CC icon that indicates to the user that the page is CC-licensed. A click on the icon reveals the detailed metadata in a separate window.

looks for metadata specified in external files via <link> tags, however, would still retrieve them and see if they have been updated.

The results of each extractor are stored in a local metadata store. In the case of Firefox, this is a SQLite database stored as part of the user's profile. The local metadata store serves as an abstraction layer between the extractors and user interface code. The contents are visible through the Page Info interface. The current software only exposes this information as status bar icons; one can imagine other user interfaces (provided by MozCC or other extensions) which expose the metadata in different ways.

Operator

Operator²⁶ is an add-on to the Firefox browser that detects microformats and RDFa in the web pages a user visits. Operator can be extended with "action scripts" that are triggered by specific data found in the web page. The regions of the page that contain data are themselves highlighted so that users can visually detect and receive contextual information about the data.

It is relatively straight-forward to write a Creative Commons action script that finds all Creative Commons licensed content inside a web page by looking for the RDFa syntax. This allows users to easily identify their rights and responsibilities when reusing content they find on the web. No matter the item, even types of items with properties currently unanticipated, the simple action script can detect them, display the item's name and rights description.

Putting aside for now the definition of some utility functions, an action handler for the license property is declared as follows:²⁷

```
RDFa.DEFAULT_NS.cc = "http://creativecommons.org/ns#";
RDFa.ns.cc = function(name) { return RDFa.DEFAULT_NS.cc + name; };

var view_license = {
  description: "View License",
  shortDescription: "View",
  scope: {
    semantic: {
      "RDF" : {
        property : RDFa.ns.cc("license"),
        defaultNS : RDFa.ns.cc("")
      }
    }
  },
  doAction: function(semanticObject, semanticObjectType, propertyIndex) {
    if (semanticObjectType == "RDF") {
      return semanticObject.license;
    }
  }
};

SemanticActions.add("view_license", view_license);
```

²⁶<https://addons.mozilla.org/en-US/firefox/addon/4106>

²⁷Operator currently does not handle HTML reserved keywords, such as `rel="license"`. Thus, we consider the script for the property `cc:license`, and provide examples appropriately adjusted. This gap is expected to be filled by early 2008.




Figure 10: Operator with a CC action script on Lessig's Blog. Notice the two resources, each with its "view license" action.

Once this action script enabled, Operator automatically lights up Creative Commons licensed "Resources" it finds on the web. For example, browsing to the Lessig blog, Operator highlights two resources that are CC-licensed: the Lessig Blog itself, and a Creative Commons licensed photo used in one of the blog posts. The result is shown in Figure 10.

8 Conclusion

Creative Commons wants to make it easy for artists and scientists to build upon the works of others when they choose to: licensing your work for reuse and finding properly licensed works to reuse should be easy. To achieve this on the technical front, we have defined ccREL, an abstract model for rights expression based on the W3C's RDF, and we recommend two syntaxes for web-based and free-floating content: RDFa and XMP, respectively. The major goal of our technological approach

is to make it easy to publish and read rights expression data now and in the future, when the kinds of licensed items and the data expressed about them goes far beyond what we can imagine today. By using RDF, ccREL links Creative Commons to the fast-growing RDF data interoperability infrastructure and its extensive developer toolset: other data sets can be integrated with ccREL, and RDF technologies, e.g. data provenance with digital signatures, can eventually benefit ccREL.

We believe that the technologies we have selected for ccREL will enable the kind of powerful, distributed technological innovation that is characteristic of the Internet. Anyone can create new vocabularies for their own purposes and combine them with ccREL as they please, without seeking central approval. Just as we did with the legal text of the licenses, we aim to create the minimal infrastructure required to enable collaboration and invention, while letting it flourish as an organic, distributed process. We believe ccREL provides this primordial technical layer that can enable a vibrant application ecosystem, and we look forward to the community’s innovative ideas that can now freely build upon ccREL.

9 Acknowledgments

The authors wish to credit Neeru Paharia, past Executive Director of Creative Commons, for the “free-floating” content accountability architecture, Manu Sporny, CEO of Bitmunk, for the Creative Commons Operator code, and Aaron Swartz for the original Creative Commons RDF data model and metadata strategy. More broadly, the authors wish to acknowledge the work of a number of W3C groups, in particular all members of the RDF-in-HTML task force (Mark Birbeck, Jeremy Carroll, Michael Hausenblas, Shane McCarron, Steven Pemberton, and Elias Torres), the Semantic Web Deployment Working Group chaired by Guus Schreiber and David Wood, and the tireless W3C staff without whom there would be no RDFa, GRDDL, or RDF, and thus no ccREL: Eric Miller, Ralph Swick, Ivan Herman, and Dan Connolly.