

The Beauty of Beatty sequences

Sela Fried*

friedsela@gmail.com

Abstract

We visualize sequences corresponding to the parity of Beatty sequences of square roots of non-square natural numbers, that exhibit particularly beautiful symmetries.

1 Introduction

A Beatty sequence is the sequence of integers obtained by taking the floor of the positive multiples of a positive irrational number, i.e., if $r > 0$ is irrational, then the corresponding Beatty sequence B_r is given by

$$B_r = (\lfloor nr \rfloor)_{n \in \mathbb{N}}.$$

Beatty sequences are named after Samuel Beatty who brought them to the attention of the mathematical community by posing a problem in [1], in which the readers were asked to prove that, if $r > 1$ is irrational and $s = r/(r - 1)$, then B_r and B_s are complementary sequences, i.e., every natural number belongs to exactly one of the two sequences.

During our work on a certain problem, we became aware of sequence [A083035](#) in the On-Line Encyclopedia of Integer Sequences (OEIS) [3], that is concerned with the sequence of parities of $B_{\sqrt{2}}$. Benoit Cloitre, the author of [A083035](#), provided a visualization of the sequence, that relies on a simple but ingenious method for visualizing any binary sequence $(a_n)_{n \in \mathbb{N}}$: Start at $(0, 0)$, facing in the direction of the vector $(1, 0)$. Then, for every $n \in \mathbb{N}$, turn right if $a_n = 0$ and left otherwise and proceed forward one step of unit length. The result of this walk is a path in the plane that we shall refer to as the *Cloitre walk of $(a_n)_{n \in \mathbb{N}}$* . Figure 1 below shows the Cloitre walk of the sequence $(1, 0, 0, 1)$.

*The author is a teaching fellow in the Department of Computer Science at the Israel Academic College in Ramat Gan.




Figure 1: The Cloitre walk of the sequence $(1, 0, 0, 1)$.

The Cloitre walk of [A083035](#) is given in Figure 2 below.




Figure 2: The Cloitre walk of [A083035](#) that corresponds to the sequence of parities of $B_{\sqrt{2}}$.

We were curious about how the Cloitre walk would look like if we replaced $r = \sqrt{2}$ with $r = \sqrt{n}$, where n is a non-square natural number. We were amazed by what we have discovered. In the following we present 100 of our favorite Cloitre walks, where we considered values of n only up to 10^4 . The code that generates these walks may be found at the end of this work.

2 The Gallery




Figure 3: The Cloitre walk of the sequence of parities of $B_{\sqrt{109}}$.




Figure 4: The Cloitre walk of the sequence of parities of $B_{\sqrt{233}}$.




Figure 5: The Cloitre walk of the sequence of parities of $B_{\sqrt{498}}$.




Figure 6: The Cloitre walk of the sequence of parities of $B_{\sqrt{703}}$.




Figure 7: The Cloitre walk of the sequence of parities of $B_{\sqrt{719}}$.




Figure 8: The Cloitre walk of the sequence of parities of $B_{\sqrt{1321}}$.




Figure 9: The Cloitre walk of the sequence of parities of $B_{\sqrt{1362}}$.




Figure 10: The Cloitre walk of the sequence of parities of $B_{\sqrt{1491}}$.




Figure 11: The Cloitre walk of the sequence of parities of $B_{\sqrt{1516}}$.




Figure 12: The Cloitre walk of the sequence of parities of $B_{\sqrt{1734}}$.




Figure 13: The Cloitre walk of the sequence of parities of $B_{\sqrt{1822}}$.




Figure 14: The Cloitre walk of the sequence of parities of $B_{\sqrt{1950}}$.




Figure 15: The Cloitre walk of the sequence of parities of $B_{\sqrt{2009}}$.




Figure 16: The Cloitre walk of the sequence of parities of $B_{\sqrt{2327}}$.




Figure 17: The Cloitre walk of the sequence of parities of $B_{\sqrt{2361}}$.




Figure 18: The Cloitre walk of the sequence of parities of $B_{\sqrt{2433}}$.




Figure 19: The Cloitre walk of the sequence of parities of $B_{\sqrt{2590}}$.




Figure 20: The Cloitre walk of the sequence of parities of $B_{\sqrt{2638}}$.




Figure 21: The Cloitre walk of the sequence of parities of $B_{\sqrt{2778}}$.




Figure 22: The Cloitre walk of the sequence of parities of $B_{\sqrt{2825}}$.




Figure 24: The Cloitre walk of the sequence of parities of $B_{\sqrt{2868}}$.




Figure 25: The Cloitre walk of the sequence of parities of $B_{\sqrt{2871}}$.




Figure 26: The Cloitre walk of the sequence of parities of $B_{\sqrt{2927}}$.




Figure 27: The Cloitre walk of the sequence of parities of $B_{\sqrt{2939}}$.




Figure 28: The Cloitre walk of the sequence of parities of $B_{\sqrt{2979}}$.




Figure 29: The Cloitre walk of the sequence of parities of $B_{\sqrt{4410}}$.




Figure 30: The Cloitre walk of the sequence of parities of $B_{\sqrt{4514}}$.




Figure 31: The Cloitre walk of the sequence of parities of $B_{\sqrt{4533}}$.




Figure 32: The Cloitre walk of the sequence of parities of $B_{\sqrt{4652}}$.




Figure 33: The Cloitre walk of the sequence of parities of $B_{\sqrt{4701}}$.




Figure 34: The Cloitre walk of the sequence of parities of $B_{\sqrt{4782}}$.




Figure 35: The Cloitre walk of the sequence of parities of $B_{\sqrt{4873}}$.




Figure 36: The Cloitre walk of the sequence of parities of $B_{\sqrt{5050}}$.




Figure 37: The Cloitre walk of the sequence of parities of $B_{\sqrt{5074}}$.




Figure 38: The Cloitre walk of the sequence of parities of $B_{\sqrt{5091}}$.




Figure 39: The Cloitre walk of the sequence of parities of $B_{\sqrt{5120}}$.




Figure 40: The Cloitre walk of the sequence of parities of $B_{\sqrt{5170}}$.




Figure 41: The Cloitre walk of the sequence of parities of $B_{\sqrt{5245}}$.




Figure 42: The Cloitre walk of the sequence of parities of $B_{\sqrt{5248}}$.




Figure 43: The Cloitre walk of the sequence of parities of $B_{\sqrt{5250}}$.




Figure 44: The Cloitre walk of the sequence of parities of $B_{\sqrt{5267}}$.




Figure 45: The Cloitre walk of the sequence of parities of $B_{\sqrt{5448}}$.




Figure 46: The Cloitre walk of the sequence of parities of $B_{\sqrt{5560}}$.




Figure 47: The Cloitre walk of the sequence of parities of $B_{\sqrt{5676}}$.




Figure 48: The Cloitre walk of the sequence of parities of $B_{\sqrt{5690}}$.




Figure 49: The Cloitre walk of the sequence of parities of $B_{\sqrt{5695}}$.




Figure 50: The Cloitre walk of the sequence of parities of $B_{\sqrt{5822}}$.




Figure 51: The Cloitre walk of the sequence of parities of $B_{\sqrt{5909}}$.




Figure 52: The Cloitre walk of the sequence of parities of $B_{\sqrt{5923}}$.




Figure 53: The Cloitre walk of the sequence of parities of $B_{\sqrt{6589}}$.




Figure 54: The Cloitre walk of the sequence of parities of $B_{\sqrt{6666}}$.




Figure 55: The Cloitre walk of the sequence of parities of $B_{\sqrt{6749}}$.




Figure 56: The Cloitre walk of the sequence of parities of $B_{\sqrt{6920}}$.




Figure 57: The Cloitre walk of the sequence of parities of $B_{\sqrt{6925}}$.




Figure 58: The Cloitre walk of the sequence of parities of $B_{\sqrt{6947}}$.




Figure 59: The Cloitre walk of the sequence of parities of $B_{\sqrt{6983}}$.




Figure 60: The Cloitre walk of the sequence of parities of $B_{\sqrt{7110}}$.




Figure 61: The Cloitre walk of the sequence of parities of $B_{\sqrt{7132}}$.




Figure 62: The Cloitre walk of the sequence of parities of $B_{\sqrt{7144}}$.




Figure 63: The Cloitre walk of the sequence of parities of $B_{\sqrt{7288}}$.




Figure 64: The Cloitre walk of the sequence of parities of $B_{\sqrt{7429}}$.




Figure 65: The Cloitre walk of the sequence of parities of $B_{\sqrt{7468}}$.




Figure 66: The Cloitre walk of the sequence of parities of $B_{\sqrt{7471}}$.




Figure 67: The Cloitre walk of the sequence of parities of $B_{\sqrt{7542}}$.




Figure 68: The Cloitre walk of the sequence of parities of $B_{\sqrt{7555}}$.




Figure 69: The Cloitre walk of the sequence of parities of $B_{\sqrt{7801}}$.




Figure 70: The Cloitre walk of the sequence of parities of $B_{\sqrt{7808}}$.




Figure 71: The Cloitre walk of the sequence of parities of $B_{\sqrt{7816}}$.




Figure 72: The Cloitre walk of the sequence of parities of $B_{\sqrt{7817}}$.




Figure 73: The Cloitre walk of the sequence of parities of $B_{\sqrt{7824}}$.




Figure 74: The Cloitre walk of the sequence of parities of $B_{\sqrt{8033}}$.




Figure 75: The Cloitre walk of the sequence of parities of $B_{\sqrt{8042}}$.




Figure 76: The Cloitre walk of the sequence of parities of $B_{\sqrt{8043}}$.




Figure 77: The Cloitre walk of the sequence of parities of $B_{\sqrt{8125}}$.




Figure 78: The Cloitre walk of the sequence of parities of $B_{\sqrt{8131}}$.




Figure 79: The Cloitre walk of the sequence of parities of $B_{\sqrt{8365}}$.




Figure 80: The Cloitre walk of the sequence of parities of $B_{\sqrt{840i}}$.




Figure 81: The Cloitre walk of the sequence of parities of $B_{\sqrt{8588}}$.




Figure 82: The Cloitre walk of the sequence of parities of $B_{\sqrt{8595}}$.




Figure 83: The Cloitre walk of the sequence of parities of $B_{\sqrt{8606}}$.




Figure 84: The Cloitre walk of the sequence of parities of $B_{\sqrt{8705}}$.




Figure 85: The Cloitre walk of the sequence of parities of $B_{\sqrt{8725}}$.




Figure 86: The Cloitre walk of the sequence of parities of $B_{\sqrt{8764}}$.




Figure 87: The Cloitre walk of the sequence of parities of $B_{\sqrt{8810}}$.




Figure 88: The Cloitre walk of the sequence of parities of $B_{\sqrt{8892}}$.




Figure 89: The Cloitre walk of the sequence of parities of $B_{\sqrt{8893}}$.




Figure 90: The Cloitre walk of the sequence of parities of $B_{\sqrt{8905}}$.




Figure 91: The Cloitre walk of the sequence of parities of $B_{\sqrt{8945}}$.




Figure 92: The Cloitre walk of the sequence of parities of $B_{\sqrt{8972}}$.




Figure 93: The Cloitre walk of the sequence of parities of $B_{\sqrt{8973}}$.




Figure 94: The Cloitre walk of the sequence of parities of $B_{\sqrt{9032}}$.




Figure 95: The Cloitre walk of the sequence of parities of $B_{\sqrt{9065}}$.




Figure 96: The Cloitre walk of the sequence of parities of $B_{\sqrt{9182}}$.




Figure 97: The Cloitre walk of the sequence of parities of $B_{\sqrt{9329}}$.




Figure 98: The Cloitre walk of the sequence of parities of $B_{\sqrt{9542}}$.




Figure 99: The Cloitre walk of the sequence of parities of $B_{\sqrt{9614}}$.




Figure 100: The Cloitre walk of the sequence of parities of $B_{\sqrt{9754}}$.




Figure 101: The Cloitre walk of the sequence of parities of $B_{\sqrt{9780}}$.




Figure 102: The Cloitre walk of the sequence of parities of $B_{\sqrt{9793}}$.

Appendix

The following Python code generates `num_steps` steps of the Cloitre walk of the sequence of parities of the Beatty sequence $B_{\sqrt{n}}$.

```
import matplotlib.pyplot as plt
import numpy as np
from copy import deepcopy

def draw_walk(n, num_steps = 10000):

    directions = [np.array([1, 0]),
                  np.array([0, 1]),
                  np.array([-1, 0]),
                  np.array([0, -1])]

    position = np.array([0, 0])
    r = np.sqrt(n)
    p = 0
    walk = [deepcopy(position)]

    for i in range(1, num_steps + 1):

        if np.floor(i*r).astype(int) % 2 == 1: p -= 1
        else: p += 1
        if p < 0: p = 3
        if p > 3: p = 0

        position += directions[p]
        walk.append(deepcopy(position))

    walk = np.array(walk)

    plt.plot(walk[:,0], walk[:,1], color='k')
    plt.axis('equal')
    plt.show()

draw_walk(1950)
```


References

- [1] S. Beatty, Problem 3173, *Amer. Math. Monthly*, **3** (1926), 159.
- [2] K. B. Stolarsky, Beatty sequences, continued fractions, and certain shift operators, *Canad. Math. Bull.* **19** (1976), 473–482.
- [3] N. J. A. Sloane, The On-Line Encyclopedia of Integer Sequences, OEIS Foundation Inc., <https://oeis.org>.