2014
Version 4.0 September 2014



### **A**CKNOWLEDGEMENT

The Bonsucro Secretariat would like to express their gratitude to the participants of the Standard Revision Committee (SRC)\* who have dedicated time, knowledge and passion to this two-year project. Without their guidance, advice and decisions, the Production Standard and Guidance would not have achieved the expected improvement and relevance to the sustainability hotspots within the sector. The Secretariat also thanks their companies who have allowed their employees to share their resources with Bonsucro.

The Secretariat also thanks the industrial members\*\* who have accepted to receive the Bonsucro team and their chosen certification bodies to carry out the pilot audits. Their collaboration has ensured the revised Standard and Guidance are practical tools that can be implemented in the field.

The Secretariat would like to thank all the Bonsucro members and licensed certification bodies who have shared their experience and knowledge with the SRC and ensure the resulting Standard and Guidance are in line with the reality of the industry.

Finally the Secretariat would like to give a special thanks to Kate Brauman at the University of Minnesota, Institute on the Environment, who kindly dedicated a whole part of her research to the Bonsucro Standard and helped developed the new indicator 3.1.2.

London 21st July 2014

Nicolas Viart

Bonsucro Head of Sustainability

\* Past and Present Members of the Standard Revision Committee:

Benjamin R Richardson (Ethical Sugar), Gerard Puglisi (independent farmer), Sikke Meerman (Unilever), Iver Drabaek (Nordzucker), Marina Carlina (UNICA

Previous SRC members: Beatriz Secaf (UNICA), Luiz Amaral (UNICA), Allan Rankin (BP), David Howson (Bacardi).)

\*\*Mills and their supplying farms who participated to the pilot audits: DC Bioenergia S.A., ElD Parry India Ltd, Bunge- Usina Moema Açúcar e Álcool Ltda, New South Wales Sugar Milling Cooperative Ltd, Bundaberg Sugar Ltd, Azucarera del Norte S. A..

This document is written in English. Bonsucro will base all of its interpretation and decisions upon the English version. Bonsucro does not assume any liability for errors or misunderstandings introduced when this document is translated into other languages.

Bonsucro (trading name of Better Sugarcane Initiative Ltd.) is responsible for this document. The Bonsucro Production Standard is a living document and will be reviewed on an on-going basis for continued relevance and effectiveness.

Bonsucro Standards are reviewed at least every five years. The next review is scheduled for september 2019. The current standard was approved by the Bonsucro membership on 1st August 2014. It becomes effective from 21st September 2014.

From 26<sup>th</sup> September 2014 onward, non-certified mills who wish to become Bonsucro certified must be found in compliance with the revised Bonsucro Production Standard version 4.

Certified mills which audit is planned between 26th September and 1st January 2015, will have the possibility to choose to be audited against version 3 or version 4 of the Bonsucro Production Standard

Bonsucro certified mills must be in compliance with the revised Bonsucro Production Standard from 21nd September 2015 onward.

Bonsucro encourages its stakeholders to share their views regarding the Standards. Any comments on this document can be submitted to info@bonsucro.com and via the Bonsucro website: www.bonsucro.com.

Contact details:
Bonsucro
20 Pond Square
London, N6 6BA
United Kingdom
www.bonsucro.com
info@bonsucro.com

Copyright, Language, and Version Notice - The official language of this "[Production Standard]" is English.

The current version of the "[Production Standard]" is maintained on the Bonsucro website: www.bonsucro.com.

Any discrepancy between copies, versions or translations shall be resolved by reference to the current English version. It is your responsibility to ensure you are using the current version of the Bonsucro "[Production Standard]".

The Bonsucro "[Production Standard]" and its contents are copyright of "Bonsucro" - © "Bonsucro" 2011-2013. All rights reserved.

Bonsucro prohibits any modification of part or all of the contents in any form.

# TABLE OF CONTENT

1.	Introduction	6
	BONSUCRO	6
	Objective of The Production Standard	6
	History of the Documenty	6
	Version 4.0.	6
2.	Scope	9
3.	Referenced Publications	10
4.	Definitions and Abbreviations	10
5.	Framework for auditing	12
	The Bonsucro Certification System	12
	Unit of certification	13
	Certification process.	14

6.	Bonsucro Production Standard	15
	PRINCIPLE 1- Obey the Law	15
	PRINCIPLE 2 - Respect Human Rights and Labour Standards	17
	PRINCIPLE 3 - Manage input, production and processing efficiencies to enhance sustainability	23
	PRINCIPLE 4 - Actively manage biodiversity and ecosystem services	25
	PRINCIPLE 5 - Continuously improve key areas of the business	27
	PRINCIPLE 6 - Additional mandatory requirement for biofuels under the EU Renewable Energy Directive (2009/28/EC) and revised Fuel Quality Directive (2009/30/EC)	32
7.	Annexes	36
	Annex 1 Definitions	36
	Annex 2 - Banned agrochemicals	42
	Annex 3: Detailed parameters to calculate GHG emissions from biofuels set under the EU Renewable Energy Directive (2009/28/EC) and revised Fuel Quality Directive (2009/30/EC) and included in Principle 6	49

### 1. Introduction

#### **BONSUCRO**

Bonsucro is a global multi-stakeholder non-for-profit initiative dedicated to reducing the environmental and social impacts of sugarcane production while recognising the need for economic viability. The mission of Bonsucro is to achieve a sugarcane sector that is continuously improving and verified as sustainable by acting collaboratively within the sector and working to continuously improve the three pillars of sustainability: economic, social and environmental viability. Bonsucro aims to achieve this mission through providing the definition for sustainable sugarcane and all sugarcane derived products through a multi-stakeholder approach. Bonsucro also aims at ensuring the integrity of the implementation of the Bonsucro Production Standard, through the implementation of the Certification Protocol.

#### **OBJECTIVE OF THE PRODUCTION STANDARD**

The primary purpose of this document is to define a set of principles, criteria and indicators, along with explanatory notes, for the assessment of the performance of operators against the three pillars of sustainability. It is aimed at Bonsucro members who wish to achieve certification. It is also used by Licensed Certification Bodies and auditors when carrying out certification audits. Finally it is aimed at the wider audience of the sugarcane sector and any interested parties.

The document shall be read in conjunction with the Guidance for the Bonsucro Production Standard as this document contains additional requirements which implementation support compliance with the indicators of the Production Standard.

#### HISTORY OF THE DOCUMENT

Version 4.0

In June 2012, upon the recommendation of the Bonsucro Secretariat, the Board of Directors agreed to start the revision process of the Bonsucro Production Standard and Guidance. The Board instructed the Secretariat to follow the Standard Revision Procedure set up in line with the ISEAL Code of Best Practice for Standard Setting. The Secretariat called for the participation

of Members, and one representative of each class of membership formed the Standard Revision Committee (SRC). The SRC first met in London in November 2012. The committee subsequently met remotely, and once in person in New Orleans in November 2013. The SRC was given the task to draft the new version of the Bonsucro Production Standard and Guidance. They based their work on six public and online consultations, six pilot audits and the involvement of several external consultants and technical experts. Each meeting was minuted and minutes were made public on the Bonsucro website.

A total of 6 public consultations to which 402 people participated were carried out during the project.

Nov 2012: 1<sup>st</sup> consultation (London)

Jan 2013 – March 2013: 2nd public consultation (online)

Nov 2013: 3rd consultation (New Orleans)

Dec 2013 – Jan 2014: 4th consultation (online)

Feb 2014: 5th consultation (India)

June 2014: 6th consultation (online)

A total of six pilot audits involving six Bonsucro Member mills and their supplying farms have took place:

February 2014: Brazil

March 2014: India

April 2014: Brazil

April 2014: Australia (2)

May 2014: Honduras

On 1st August 2014, the Bonsucro membership adopted the present standard.

Revision round	Date	Description of amendment					
А	June 2010	Draft version sent to Bonsucro EU Sub Committee					
В	July 2010	Final version approved by Bonsucro Management Committee					
С	December 2010	Revision made based on compliance with EU RED					
D	February 2011	Revision made based on compliance with EU RED					
Draft version 2.0	November 2013	First draft open for public consultation					
Draft version 2.5	June 2014	Second Draft open for public consultation					
Draft version 2.9	July 2014	Final draft published for vote by members					
		Revised Bonsucro Production Standard and Guidance with inclusion of new indicators and clarification added to the guidance document which became a guidance for implementation.					
		16 core indicators over 8 criteria					
Version 4	July 2014	12 new indicators (added or replacing other indicators)					
		2 indicators which value were modified					
		2 indicators removed					
		Removal of Principle 7 – Chain of Custody					

## 2. SCOPE

The Bonsucro Production Standard applies worldwide to any sugarcane mill and their supplying area wishing to sell sugarcane derived products as Bonsucro certified and make related claims. The Standard evaluates the outcome of practices implemented at mill and farm levels.

The Bonsucro Certification System makes a distinction between 2 certification options:

- 1. "Bonsucro": compliant with Bonsucro requirements
- 2. "Bonsucro EU": compliant with Bonsucro requirements PLUS additional requirements that are needed for EU RED compliance (in line with the EU Renewable Energy Directive (RED) 28/2009/EC its similar provisions in the EU Fuel Quality Directive (FQD) 30/2009/EC)

Within the Bonsucro Certification System documents (i.e. Standards, Guidance, and Certification Protocol) the extra Bonsucro EU requirements are clearly marked.

For certification against Bonsucro EU, the Bonsucro requirements PLUS all additional EU RED requirements must be met. Achieving Bonsucro EU certification is equivalent to achieving Bonsucro certification. Whereas the contrary does not apply; achieving Bonsucro certification is not equivalent to achieving Bonsucro EU certification.

# 3. REFERENCED PUBLICATIONS

Guidance to the Bonsucro Production Standard

Bonsucro Chain of Custody Standard

Bonsucro Certification Protocol

Bonsucro Calculator

ISEAL Code of Good Practice for Setting Social and Environmental Standards

ISO/IEC 17065:2012 – conformity assessment – Requirements for bodies certifying products, processes and services

ISO/IEC 17021:2011 – Conformity Assessment – Requirements for bodies providing audit and certification of management systems

PAS2050:2008 – Specification for the assessment of the life cycle greenhouse gas emissions of goods and services

EU Directive 2009/28/EC on the promotion of the use of energy from renewable sources

## 4. DEFINITIONS AND ABBREVIATIONS

**CONSENSUS\*:** General agreement, characterized by the absence of sustained opposition to substantial issues by any important stakeholder group.

**FARM:** Operator producing the sugarcane which is delivered to the mill.

MILL: Operator that applies for certification. The mill has the ultimate responsibility for compliance with the Bonsucro Standard.

**OPERATOR:** Farm or mill. Entities that are responsible for the undertaking and contracting activities

\*NOTE – Consensus should be the result of a process seeking to take into account the views of interested stakeholders, particularly those directly affected, and to reconcile any conflicting arguments. It need not imply unanimity. (Adapted from ISO/IEC Guide 2:2004)

1 INTRODUCTION
2 SCOPE
3 REFERENCED PUBLICATIONS
4 DEFINITIONS AND ABBREVIATIONS
5 FRAMEWORK FOR AUDITING
6 BONSUCRO PRODUCTION STANDARD
7 ANNEXES

related to the sugarcane growing and processing, including transportation.

**STAKEHOLDER:** Individual or group that has an interest in any decision or activity of an organisation (from ISO 26000)

**STANDARD:** Document that provides, for common and repeated use, rules, guidelines or characteristics for products or related processes and production methods, with which compliance is not mandatory. (Adapted from Annex 1 of the WTO TBT Agreement)

#### **Abbreviations:**

**EIMP:** environmental impact and management plan

**ESIA:** environmental and social impact assessment

**FPIC:** Free Prior Informed Consent

GHG: greenhouse gas

HCV: high conservation value

LUC: land use change

**PPE:** personal protective equipment

For further definitions, see Annex 1.

### 5. FRAMEWORK FOR AUDITING

#### THE BONSUCRO CERTIFICATION SYSTEM

The Bonsucro Certification System consists of 3 main elements:

- 1. Standards: Bonsucro has developed 2 standards:
  - The "Bonsucro Production Standard" contains principles and criteria for achieving sustainable production of sugarcane and all sugarcane derived products in respect of economic, social and environmental dimensions..
  - The "Bonsucro Mass Balance Chain of Custody Standard" contains a set of technical and administrative requirements for enabling the tracking of claims on the sustainable production of Bonsucro sugarcane and all sugarcane derived products along the entire supply chain from fields to mill including transportation; through to production (e.g. conversion, processing, manufacturing, transformation), to warehousing, transportation and trade, to the use of sugarcane and all sugarcane derived products.
- 2. Guidance for implementation: Bonsucro has developed guidance documents for members that provide further information on how to become compliant with the Bonsucro Production Standard and/or Chain of Custody Standard.
- 3. Certification Protocol: Bonsucro has developed a Certification Protocol for auditors that lists the process and procedures for certification against the Bonsucro Standards. This includes: 1.) rules and requirements for independent Certification Bodies to audit against the Bonsucro standards, and 2.) audit procedures for independent Certification Bodies to verify compliance with the Bonsucro Standards.

Together, these 3 elements form the Bonsucro Certification System. As such, these individual documents must always be used in relation to each other.

1 INTRODUCTION 2 SCOPE 3 REFERENCED PUBLICATIONS 4 DEFINITIONS AND ABBREVIATIONS 5 FRAMEWORK FOR AUDITING 6 BONSUCRO PRODUCTION STANDARD 7 ANNEXES

#### UNIT OF CERTIFICATION

The certificate holder is the mill.

The unit of certification is the mill and its cane supplying area and includes all relevant activities on the farms, mill site, including by-product production and power export.

The mill has the ultimate responsibility for compliance with the Bonsucro Standard.

The cane supply area included in the unit of certification comprises of the farms/estates supplying cane in conformity with the Bonsucro Standard. This may be 100% of the farms/estates supplying cane to the mill, or a lesser number. In the latter case only a respective percentage of the mill's production would be considered as Bonsucro certified.

The total area included in the unit of certification and used for cane production, not just the area harvested in the reporting period, is used in assessing the cane supply area.

To guarantee that the sugarcane included in the unit of certification is actually processed by the mill, the mill must have a management system in place to ensure that the sugarcane processed at the mill is coming from a given field included in the unit of certification.

If the mill is purchasing sugarcane, sugar or biofuel not produced within the unit of certification, it shall demonstrate that the sources of production fulfil the requirements of the Bonsucro Production Standard.



#### **CERTIFICATION PROCESS**

Audits are conducted on the mill and on a sample of individual farms/estates in the cane supply area supplying cane to the mill as per the sampling methodology outlined in the Bonsucro Certification Protocol.

In order to achieve certification with the Bonsucro Production Standard:

- Full compliance with the 16 core indicators (plus Principle 6 for certification against Bonsucro EU) is required, plus
- A minimum of 80 % of all the indicators must be satisfied. To be considered satisfied, an indicator which applies to mill and farm must be met by both entities.

A mill that applies for certification against the Bonsucro Standard must also apply for certification against the Bonsucro Chain of Custody Standard. A certificate can only be issued when the mill is found compliant with both Standards. A mill can't be issued a Bonsucro Production Standard certificate without being in compliance with the Chain of Custody Standard.

The result of the audit will be a volume of the Bonsucro certified sugarcane products based on a proportion of sugarcane supplied to the mill.

The certification decision will be based on the result provided by the Bonsucro Calculator (see tab "output summary"). Data must be collected by growers and millers and verified during the audit process.

The audit will be performed according to the frequency defined by Bonsucro in the Certification Protocol

The audit must be performed by Bonsucro Licensed Certification Bodies.

For more certification requirements see the Bonsucro Certification Protocol

# 6. Bonsucro Production Standard

### PRINCIPLE 1- OBEY THE LAW

CRITERIA	INDICATOR	Processing & Milling	Agriculture	Verifier	Standard	NOTES:
						CORE INDICATOR
1.1 To comply with applicable laws	1.1.1 National laws complied with	•	•	Yes/No	Yes	Relevant legislation refers to laws (including ratified and integrated international conventions), in line with the scope of application of the Bonsucro Production Standard. This includes laws on waste, pollution & environmental protection, nature conservation & HCV area protection, water quality & extraction, energy & GHG emission, labour conditions, operational health & safety, social wellbeing, land and water title and land and water -use rights, soil protection, agricultural and processing practices, transportation. The stricter regulation should prevail unless otherwise specified.  For further information, see Guidance.

CRITERIA	INDICATOR	Processing & Milling	Agriculture	Verifier	Standard	NOTES:
1.2 To demonstrate clear title to land and water in accordance	1.2.1 The right to use land and water can be demonstrated	•	•	Yes/No	Yes	Those rights can be related either to legal ownership or lease of the land or to customary rights. Rights to water refer to the right to extract water, including cap on quantity extracted. Legal ownership shall be the official title in the country or equivalent (e.g. notary, government agency or other). Customary rights can be evidenced in other forms by a local statutory or customary body. Guidance for customary rights is provided in ILO Conventions 169 and 117. When land rights have been relinquished to the benefit of the operator, the operator shall demonstrate the decision was taken by Free Prior Informed Consent and negotiated. If conflicts arise, a negotiated resolution must be sought based on Free Prior Informed Consent (see also Criterion on participation and Criterion on Environmental and Social Impact Assessment 5.7).  For further information, see Guidance.
with national practice and law	1.2.2 Land that is legitimately contested by other users	•	•	На	0	A legitimate contest is defined as a conflict that has been registered and accepted by a recognised justice system.  For further information, see Guidance.
	1.2.3 Water that is legitimately contested by other users	•	•	m3	0	A legitimate contest is defined as a conflict that has been registered and accepted by a recognised justice system.  For further information, see Guidance.

### PRINCIPLE 2 - RESPECT HUMAN RIGHTS AND LABOUR STANDARDS

CRITERION	INDICATOR	Processing & Milling	Agriculture	Verifier	Standard	NOTES
						CORE INDICATOR
					18 for hazardous work	Applies to all workers on the premises of the mill and farms included in the unit of certification.
2.1  To comply with ILO labour conventions governing child labour, forced labour, discrimination and freedom of association	2.1.1 Minimum age of workers	•	•	years	15 (14) for non- hazardous work  13 (12) for light family farm work	Definition of child labour based on Convention 138 and 182.  The minimum age for admission to any type of employment or work which by its nature or the circumstances in which it is carried out is likely to jeopardise the health, safety or morals of young persons shall not be less than 18 years. Work by children on family small holdings is only acceptable under adult supervision and when work does not interfere with the child's schooling and does not put at risk his or her health.  Note that special conditions set by ILO Convention C138 might apply.  The operator shall implement a system to check worker's ages.  For further information, see Guidance.
and the right to collective						CORE INDICATOR
bargaining	2.1.2 Absence	Nosanca				Applies to all workers on the premises of the mill and farms included in the unit of certification.
	of forced or compulsory labour	•	•	Yes/No	Yes	Forced or compulsory labour as defined per ILO Convention 29 and ILO Convention 105.  Verification shall address all male and female permanent and contracted workers.
						For further information, see Guidance.

CRITERION	INDICATOR	Processing & Milling	Agriculture	Verifier	Standard	NOTES
						CORE INDICATOR
						Applies to all workers on the premises of the mill and farms included in the unit of certification.
2.1 To comply with ILO labour	2.1.3 Absence of discrimination	•	•	Yes/No	Yes	Discrimination includes any distinction, exclusion or preference which has the effect of nullifying or impairing equality of opportunity or treatment as defined by ILO C111.
conventions governing child labour,						Verification shall address all male and female permanentt and contracted workers
forced labour, discrimination						For further information, see Guidance.
and freedom	2.1.4					CORE INDICATOR
of association and the right to collective bargaining	Respect the right of all workers to form and join trade unions and/ or to bargain collectively					Applies to all workers on the premises of the mill and farms included in the unit of certification The operator shall respect such rights and shall not interfere with workers' own efforts to set up representational mechanisms in accordance with the law.  For further information, see Guidance.

CRITERION	INDICATOR	Processing & Milling	Agriculture	Verifier	Standard	NOTES
2.2 To provide a safe and	2.2.1 Lost time accident frequency	•	•	number permillion hours worked	Mill <15; Agric <45	Applies to all workers on the premises of the milland farms included in the unit of certification A lost time accident is defined as an unexpected and unplanned event which results in a personal injury which causes the worker to be unable to carry on with his/her normal duties on the next day or next shift. Where a fatal injury occurs, this to be noted separately.  *For further information, see Guidance.
healthy working environment in work place operations	2.2.2. Main health and safety risks are assessed and measures for mitigation of risk are implemented	•	•	Yes/No	Yes	Applies to all workers on the premises of the mill and farms included in the unit of certification. Assessment must be in agreement with national laws if existing. If not, the recommendations ILO Convention 184 provide guidance for the list of key potential are as of risks to assess. The operator shall design and implement measures to ensure that risks are eliminated, prevented or adequately mitigated. Risk = probability of exposure to a hazard x gravity of exposure to workers.  For further information, see Guidance.
	2.2.3 Appropriate personal protective equipment supplied to and used by all workers Appropriate personal protective equipment supplied to and used by all workers	•	•	Yes/No	Yes	Applies to all workers on the premises of the mill and farms included in the unit of certification. Required, approved and adequate PPE shall be issued for free to the workers and be in good condition. The operator shall train workers in the use of PPE. The operator shall implement a system to monitor the effective use of PPE.  For further information, see Guidance.

CRITERION	INDICATOR	Processing & Milling	Agriculture	Verifier	Standard	NOTES
	2.2.4 Percentage of staff trained for health and safety at start and at least every 5 years	•	•	%	>90	Applies to all workers on the premises of the mill and farms included in the unit of certification. All workers (including migrant, seasonal and other contract labour) shall receive training in health and safety measures related to their operation. The operator shall ensure that all new employees receive basic instruction prior to formal training before commencing their tasks. For further information, see Guidance.  For further information, see Guidance.
	2.2.5 All workers present on the field and/or mill have access to drinking water in sufficient quantity	•	•	%	100	CORE INDICATOR Applies to all workers on the premises of the mill and farms included in the unit of certification. The operator shall assess what sufficient quantity means in the local conditions. The operator shall ensure access to sufficient drinking water (especially under high temperature conditions), and safety of drinking water.  For further information, see Guidance.
	2.2.6 All workers present on the field and/or mill have access to first aid and provision for emergency response	•	•	Yes/No	Yes	CORE INDICATOR  Applies to all workers on the premises of the mill and farms included in the unit of certification. First aid supplies are available and checked, and dedicated personnel is trained to use them. Emergency response prevents the escalation of injury or illness and there shall be provision for injured or ill persons to receive professional medical treatment.  For further information, see Guidance.
	2.2.7 Working hours lost as percentage of total hours worked	•		%	<5	This represents working hours lost through absence also referred to as "no-show" as well as strikes, non-justified sickness etc It does not include holiday, legal time off such as maternity leave, or training.  *For further information, see Guidance.*

CRITERION	INDICATOR	Processing & Milling	Agriculture	Verifier	Standard	NOTES
2.3 To provide employees (including migrant, seasonal and other contract	2.3.1 Ratio of lowest entry level wage including benefits to minimum wage and benefits required by law	•	•	\$/\$	≥]	Applies to all workers on the premises of the mill and farms included in the unit of certification.  Minimum wage as defined by legal requirement. In the absence of this, ILO C131 can serve as a basis for the definition. Workers paid at piece-rate shall receive the required minimum wage within working the number of normal legal hours of work. All benefits shall be paid. Pay slips shall be provided. Payment of wage shall be in in line with ILO 95 and 110 as detailed in the Guidance.  For further information, see Guidance.
labour) with at least the applicable minimum wage	2.3.2 Maximum number of hours worked (normal and overtime)	•	•	Hrs/Hrs or Hrs/week	≤ 1 Or 60	Applies to all workers on the premises of the mill and farms included in the unit of certification.  The operator shall ensure that workers do not work more hours than the level required by legislation.  If there is no legal requirement framing maximum hours of work, maximum hours worked shall not exceed 60 hours per week.  For further information, see Guidance.
	2.3.3 Overtime is paid at a premium rate or equally compensated	•	•	%	≥25	Applies to all workers on the premises of the mill and farms included in the unit of certification.  Overtime work (either defined internally if in line with national law or by national legislation) shall be voluntary. The total overtime hours shall not exceed the level set by national legislation.  For further information, see Guidance.

CRITERION	INDICATOR	Processing & Milling	Agriculture	Verifier	Standard	NOTES
	2.3.4 Payment for cane deliveries are made according to agreed contract	•		Yes	Yes/No	Payment shall be made according to contractual agreement (including value and timing of payment).  For further information, see Guidance.
2.4 To provide clear, equitable and comprehensive contracts	2.4.1 Existence of a contract or equivalent document	•	•	%	100	CORE INDICATOR  Applies to all workers on the premises of the mill and farms included in the unit of certification.  All workers to be provided with a contract or equivalent document (e.g. national working card), to be explained their rights and obligations. If not specified by the law the contract shall include at least the following elements: hours of work, overtime payment, notice, rest periods, holidays, wages, mode of payment, and if legal, any deductions that will be made.  For further information, see Guidance.

### PRINCIPLE 3 - Manage input, production and processing efficiencies to enhance sustainability

CRITERION	INDICATOR	Processing & Milling	Agriculture	Verifier	Standard	NOTES
	3.1.1 Total raw materials used per kg product	•		kg/kg	< 11 if no ethanol produced; <20 for full ethanol production	Includes cane as major raw material as well as any other raw materials which comprise a mass > 1% of the cane mass (including fuel and chemicals). Finished products include all products that are sold and which comprise a mass > 1% of the mass of sugar and ethanol. Standard required varies between 2 limits depending on proportions of sugar and ethanol produced.  For further information, see Guidance.
3.1 To monitor production and process efficiency; to measure the impacts of production and	3.1.2 Yield of production		•	Tc/ha	Depending on climatic zone	To maximise yield taking into account the climatic conditions where cane is grown. The yield shall not be annualised.  Climatic zones are determined according to the GPS coordinates of the gathering mill.  For further information, see Guidance.
processing so that improvements are made over time	3.1.3 Mill overall time efficiency	•		%	>75	Processing time as a percentage of total crushing time. Any stoppage, including maintenance activities or power supply failure must be counted with the exception of stops due to rainfall exclusively.  **For further information, see Guidance.**
	3.1.4 Factory Performance Index	•		%	>90	Used if sugar and no ethanol is produced (to the exception of ethanol produced from final molasses only). Ratio of actual sugar recovery to theoretical recovery of sugar from cane. In rare cases where high grade molasses is exported for fermentation, industrial efficiency can be used instead.  For further information, see Guidance.

CRITERION	INDICATOR	Processing & Milling	Agriculture	Verifier	Standard	NOTES
	3.1.5 Industrial Efficiency	•		%	>75	Used if ethanol only or sugar and ethanol (form anything other than final molasses) are produced in the same mill.  It is the ratio of the sum of TSAI equivalent of products (sugar, ethanol, yeast, molasses) to the TSAI of the cane and imported molasses expressed as a %.  For further information, see Guidance.
3.2 To monitor	3.2.1 Net GHG emissions per tonne of cane		•	Kg CO2 eq/t	<40	Estimates the emissions from agriculture activities. The result is also used in the calculation of the total emissions field-to-gate.  For further information, see Guidance.
global warming emissions with a view to minimising	3.2.2 Net GHG emissions per tonne of sugar	•	•	t CO2eq/t sugar	Total <0.4	Only used if sugar is being produced. Field-to-gate emissions.  Environmental Burden is t carbon dioxide equivalent.  For further information, see Guidance.
climate change impacts	3.2.3 Net GHG emissions per MJ of ethanol	•	•	g CO2eq/MJ fuel	Total <24	Used if ethanol is produced. Environmental Burden is g carbon dioxide equivalent.  For further information, see Guidance.

### PRINCIPLE 4 - ACTIVELY MANAGE BIODIVERSITY AND ECOSYSTEM SERVICES

CRITERION	INDICATOR	Processing & Milling	Agriculture	Verifier	Standard	NOTES
4.1	4.1.1  Dissolved oxygen in receiving stream	•		ppm	>2.5	Dissolved oxygen is an indicator of the quantity of oxygen available in the receiving stream to support life. Sampling should be carried after the discharging point where the flows mix and subsurface at a point representative of the river flow.  *For further information, see Guidance.
To assess impacts of sugarcane enterprises on biodiversity and ecosystems services	4.1.2 Percentage of areas defined internationally ornationally as legally protected or classified as of High Conservation Value planted to sugarcane after the cut-off date of 1 January 2008	•	•	%	0	CORE INDICATOR  To prevent the cultivation of sugarcane on areas of critical conservation value (including HCVs categories 1- 6) or area legally protected. International definitions of HCVs to take precedence over national where both exist. In the absence of HCV maps or databases, credible documentary evidence shall be provided to demonstrate that no HCV is converted after 1 Jan 2008.  For further information, see Guidance.
	4.1.3 The key environmental issues are covered by an appropriate and implemented environmental impact and management plan (EIMP)	•	•	%	>90	CORE INDICATOR  The EIMP addresses key environmental issues: biodiversity, ecosystem services, soil, water, air, climate change, use of crop protection chemicals, use of artificial fertilisers, cane burning and noise. The plan shall be implemented and progress monitored. A summary of the EIMP shall be made available to relevant stakeholders.  For further information, see Guidance.

CRITERION	INDICATOR	Processing & Milling	Agriculture	Verifier	Standard	NOTES
	4.1.4 Ratio of fertiliser N and P applied (expressed in eq. phosphate) to fertilizer N and P recommended by soil or leaf analysis (expressed in eq. phosphate)		•		<1,05	Fertiliser applied according to soil or leaf analys is (N and P content). Recommendation shall be made according to local industry recognised best practices.  For further information, see Guidance.
	4.1.5 Agro- chemicals applied per hectare per year		•	kg active ingredient /h a/y	<5	CORE INDICATOR  To minimise air, soil and water contamination. Quantities of active ingredients of agro-chemicals (including pesticides, herbicides, insecticides, fungicides, nematicides, ripeners) applied. Also note the requirement to use only products registered for use and at registered rates.  For further information, see Guidance.
	4.1.6 Banned agro-chemicals applied per hectare per year		•	kg active ingredient /h a/y		CORE INDICATOR  Quantities of active ingredients of agro-chemicals listed in the Annex A of Stockholm and Annex 3 of Rotterdam conventions, Annexes A, B, C and E of Montreal protocol and WHO list la and Ib (see Annex 2).  For further information, see Guidance.

### PRINCIPLE 5 - CONTINUOUSLY IMPROVE KEY AREAS OF THE BUSINESS

CRITERION	INDICATOR	Processing & Milling	Agriculture	Verifier	Standard	NOTES
5.1 To train employees and other workers in all areas of their work and develop their general skills	5.1.1 Percentage of payroll dedicated for or time spent by direct employees in vocational training sessions	•	•	Day or %	≥2 or ≥1	Total number of days spent by all employees whilst on training or total training expenses for all personnel, split between basic workers, intermediate management and upper management.  For further information, see Guidance.
5.2 To continuously improve the status of soil and water resources	5.2.1 Net water consumed per unit mass of product	•	•	Kg of water/ kg of mass product	Farm < 130 Mill, <20 for sugar only or <30 for ethanol.	Water used less water returned from mill to the environment.  If effluents are exported by the mill to the fields for irrigation, the mill shall account for it as water returned to the environment.  If vinasse or effluent is diluted before application on the fields, the farm shall account for the extracted dilution water as water consumed.  For further information, see Guidance.
100001000	5.2.2 For irrigated cane, efficient use of water		•	(kg/ha)/mm	≥90	To ensure irrigated water is used efficiently. Relies on a direct measure of all waters applied to the fields (including extracted waters, recycled waters, diluted vinasse, diluted effluents).  Only applies to full irrigation.  For further information, see Guidance.

CRITERION	INDICATOR	Processing & Milling	Agriculture	Verifier	Standard	NOTES
	5.2.3 % Ground cover of tops or leaves after harvest		•	%	>30	To ensure the continuous improvement of soil organic carbon.
	leaves affer flat vest					For further information, see Guidance.
5.2 To continuously improve the status of soil and water resources	5.2.4 Soil surface mechanically tilled per year (% of area under cane)		•	%	<20	To minimise the opportunity for erosion. Percentage of soil surface tilled per year. Only tillage wider than 20 cm shall be taken into consideration. If any portion of the field has tillage, 100% of the field area would be considered as being tilled.
						For further information, see Guidance.
	5.2.5 Percentage fields with samples showing analyses within acceptable		•	%	> 80	To ensure the maintenance an optimum soil pH. Sampling to be carried out at least once per crop cycle. Acceptable pH is between 5.0 and 8.0.
	limits for pH					For further information, see Guidance.
5.3 To continuously improve the	5.3.1 Theoretical recoverable sugar content of cane	•	•	%	>10	Based on the theoretical recovery normalised for juice purity and cane fibre content. Used only if ethanol not produced.  For further information, see Guidance.
quality of sugarcane and products from the sugar mill	5.3.2 Fermentable total sugars content of cane, expressed as invert (TSAI)	•	•	kg/t cane	>120	Used if ethanol is produced, on its own or in conjunction with sugar production. Based on a 90.5 % utilisation of Total Sugars As Invert (TSAI).  For further information, see Guidance.

CRITERION	INDICATOR	Processing & Milling	Agriculture	Verifier	Standard	NOTES
	5.4.1 Total Net Primary Energy Usage per kg product	•		kJ/kg	Total <3000	Direct and indirect energy inputs.  For further information, see Guidance.
5.4 To promote energy efficiency	5.4.2 Energy used in cane transport per tonne cane transported	•		MJ/t cane	<50	Direct and indirect energy inputs.  For further information, see Guidance.
	5.4.3 Primary energy use per tonne of sugarcane		•	M/t	<300	Direct and indirect energy inputs.  For further information, see Guidance.
	5.5.1 Atmospheric acidification burden per unit mass product	•	•	kg/t	Agriculture <0.15 Mill < 5	Environmental Burden is kg sulphur dioxide equivalent per tonne of cane (agriculture), sugar and ethanol (mill).  For further information, see Guidance.
5.5 To reduce emissions and effluents. To promote recycling of waste streams where practical	5.5.2 Non- hazardous solid residues of production per tonne cane	•		t/t cane	< 1.0	Applies to the mill only.  Residue of processing (compost, filter cake, soil/mud, boiler ash, bagasse, cane) and of agriculture (cane waste in fields after harvest, lost in transport).  For further information, see Guidance.
	5.5.3 Percentage of categories of non-production waste that are recycled	•	•	%	≥ 50	The operator shall have an active recycling programme for at least 50 % of the following categories: fibre, metal, plastic, oil and lubricants, batteries and chemical products.  *For further information, see Guidance.

CRITERION	INDICATOR	Processing & Milling	Agriculture	Verifier	Standard	NOTES
5.6 To foster effective and focused research, development and extension expertise	5.6.1 Research and extension costs as a % of sales	•	•	%	>0.5	Includes levies to research institutes for research and extension.  For further information, see Guidance.
5.7 For greenfield expansion or new sugarcane projects, to ensure transparent, consultative and participatory processes that address cumulative and induced effects via an environmental and social impact assessment (ESIA)	5.7.1 Percentage of greenfield expansion or new sugarcane project covered by ESIA	•	•	%	100	CORE INDICATOR  Cut-off date 1 January 2008. ESIA process shall start prior the formulation phase of a project, focus on significant issues and involve key stakeholders to identify them, provide information on possible alternative or appropriate mitigation measures for making decision based on free prior informed consent (FPIC) process, , monitor and evaluate implemented measures. The operator shall involve independent third party experts.  For further information, see Guidance.

CRITERION	INDICATOR	Processing & Milling	Agriculture	Verifier	Standard	NOTES
5.8 To ensure active engagement and transparent,	5.8.1 Existence of usage of a recognised and accessible grievance and dispute resolution mechanism for all stakeholders	•	•	Yes/No	Yes	Existence and usage of a mechanism which is accessible by all stakeholders. Stakeholders include but are not limited to workers, contracted workers, local communities, indigenous and tribal people. Ensure that when dispute, grievances and conflicts arise, the operator acts appropriately to resolve them through negotiated agreement between parties based on Free, Prior and Informed Consent.  For further information, see Guidance.
consultative and participatory processes with all relevant stakeholders	5.8.2 Percentage of projects involving multi stakeholders where agreement has been reached by consensus driven process based on Free, Prior and Informed Consent	•	•	%	>90	Ensure a process exists for identifying and inviting stakeholders to participate, communicating information, engaging with stakeholders and sharing relevant information publicly. Negotiated agreement shall be based on Free Prior Informed Consent. Evidence of negotiated agreements shall to be demonstrated.  **For further information, see Guidance.**
5.9 To promote economic sustainability	5.9.1 Value added / tonne cane.	•	•	\$/t cane	Mill >4; agric >2	Value added by the operation is the value of sales less the price of goods, raw materials (including energy) and services purchased.  For further information, see Guidance.

# PRINCIPLE 6 - Additional mandatory requirement for biofuels under the EU Renewable Energy Directive (2009/28/EC) and revised Fuel Quality Directive (2009/30/EC)

INDICATOR	Processing & Milling	Agriculture	Verifier	Standard	NOTES
6.1.1 Global warming burden per unit of energy.	•	•	g CO2eq/ MJ fuel	<54.4 <41.9 (from 01/01/2017) <33.5 (from 01/01/2018 for new operation on 01/01/2017)	Biofuels/bioliquids produced by installations* that were in operation on 23 January 2008 are exempted from complying with the greenhouse gas saving criterion until 1 April 2013. No Bonsucro EU-compliant claim can be made after 1 April 2013 for biofuel/bioliquids produced in an installation that was in operation before 23 January 2008 and that does not comply with the GHG saving required by this standard. To calculate the greenhouse gas emissions from the production and use of sugarcane ethanol, the following default values provided in point D of the annex V of the EU Directive must be used (see annex 3)  The default value is the sum of the default value for cultivation: 14 g CO2eq/MJ + the default value for processing (including excess electricity): 1 g CO2eq/MJ + the default value for transport and distribution: 9 g CO2eq/MJ. Emissions from the manufacture of machinery and equipment shall not be taken into account.  The operator must use this default value of 24 gCO2eq/MJ fuel if the annualized emissions associated with carbon stock changes caused by land use change after January 2008 are not zero, greenhouse gas emissions resulting from changes in land carbon stocks must be added to the default values from the production and use of sugarcane ethanol. Emissions from carbon stocks changes must be calculated in accordance with Annex V, part C point 7. Of the EU legislation and the EU guidelines for land use change emissions (OJ L151, 17/06/2010).

INDICATOR	Processing & Milling	Agriculture	Verifier	Standard	NOTES
6.1.1 Global warming burden per unit of energy.	•	•	g CO2eq/ MJ fuel	<54.4 <41.9 (from 01/01/2017) <33.5 (from 01/01/2018 for new operation on 01/01/2017)	The greenhouse gas emission saving from the use of biofuels and bioliquids shall be at least 35 % (therefore less than 54.4 g CO2eq/MJ). With effect from 1 January 2017, the greenhouse gas emission saving from the use of biofuels and bioliquids shall be at least 50 % (therefore less than 41.9 g CO2eq/MJ). From 1 January 2018 that greenhouse gas emission saving shall be at least 60 % (therefore less than 33.5 g CO2eq/MJ) for biofuels and bioliquids produced in installations in which production started on or after 1 January 2017.  The calculation of actual values is not permitted.  * The term 'installation' includes any processing installation used in the production process. It should not be understood as including production facilities that might have been intentionally added to the production chain only to qualify for the exemption foreseen in this provision.

INDICATOR	Processing & Milling	Agriculture	Verifier	Standard	NOTES
6.1.2 Percentage of land with high biodiversity value, high carbon stock or peatlands planted to sugarcane after the cut-off date of 1 January 2008.		•	%	0	Land with high biodiversity value. Land that had one of the following statuses in or after January 2008, whether or not the land continues to have that status:  (a) primary forest and other primary wooded land, namely forest and other wooded land of native species, where there is no clearly visible indication of human activity and the ecological processes are not significantly disturbed;  (b) areas designated by law or by the relevant competent authority for nature protection purposes; or for the protection of rare, threatened or endangered ecosystems or species recognised by international agreements or included in lists drawn up by intergovernmental organisations or the International Union for the Conservation of Nature, subject to their recognition by the European Commission; unless evidence is provided that the production of that raw material did not interfere with those nature protection purposes;  (c) highly biodiverse grassland that is: (i) natural grassland that would remain grassland in the absence of human intervention and which maintains the natural species composition and ecological characteristics and processes; or (ii) non-natural grassland that would cease to be grassland in the absence of human intervention and which is species-rich and not degraded, unless evidence is provided that the harvesting of the raw material is necessary to preserve its grassland status.  (d) new nature protection areas derived from a published European Commission decision. Bonsucro will communicate to economic operators any details of lists on protected areas as soon as they are available from the EC.

INDICATOR	Processing & Milling	Agriculture	Verifier	Standard	NOTES
6.1.2 Percentage of land with high biodiversity value, high carbon stock or peatlands planted to sugarcane after the cut-off date of 1 January 2008.		•	%	0	Land with high carbon stock: Land that had one of the following statuses in January 2008 and no longer has that status:  (a) wetlands, namely land that is covered with or saturated by water permanently or for a significant part of the year;  (b) continuously forested areas, namely land spanning more than one hectare with trees higher than five metres and a canopy cover of more than 30%, or trees able to reach those thresholds in situ (It does not include land that is predominantly under urban or agricultural use, understood as tree stands in agricultural systems, such as fruit tree plantations and agroforestry systems when crops are grown under tree cover);  (c) land spanning more than one hectare with trees higher than five metres and a canopy cover of between 10% and 30%, or trees able to reach those thresholds in situ, unless evidence is provided that the carbon stock of the area before and after conversion is such that when GHG emissions savings is calculated, it complies with the minimum threshold established in criterion 6.1 of the Bonsucro standard.  Land that was peatland in January 2008, unless evidence is provided that the cultivation and harvesting of that raw material does not involve drainage of previously undrained soil

# 7.ANNEXES

### **ANNEX 1 DEFINITIONS**

			Reference
Company	The entirety of any organization or business entity responsible for implementing the standard.		SA 8000
Supplier/ contractor	A business entity which provides the company with goods and/or services integral to, and utilized in/for, the production of the company's goods and/or services.		SA 8000
Subcontractor/ sub-supplier	A business entity in the supply chain which, directly or indirectly, provides the suppliers with goods and/or services integral to, and utilized in/for, the production of the suppliers' and/or company's goods and/or services.		SA 8000
Agricultural Worker Categories	There is a lack of clear-cut distinctions between different categories of workers.  Consequently, there are numerous types of labour relations and different forms of labour force participation. The different categories of workers also vary within each country and, in certain cases, a single farmer may be grouped in more than one category.  Many smallholders supplement their income with wages earned by working in large commercial farms during harvesting periods.		ILO
	NON WAGED  Large and Middle Scale Farmers  Small Scale Farmers  Subsistence farmers  Unpaid Family workers	road categories of agricultural workers:  WAGED  Permanent Workers  Temporary and Seasonal Workers  Migrant Workers  Subcontracted Workers	ILO. Safety and health in Agriculture document
	Collective farmers Tenants and Share croppers	Squatters Land-less workers	

	Any person less than 15 years of age, unless local minimum age law stipulates a higher age for work or mandatory schooling, in which case the higher age would apply. If however, local minimum age law is set at 14 years of age in accordance with developing country exceptions under ILO convention 138, the lower age will apply.	ILO
Child	The ILO Minimum Age Convention, No. 138 (1973) states that the minimum age of employment should not be less than the age of completion of compulsory schooling and, in any case, shall not be less than 15 years. However a Member country, whose economy and educational facilities are insufficiently developed, may under certain conditions initially specify a minimum age of 14 years.	ILO
Child labour	Any work by a child younger than the age (s) specified in the above definition of a child, except as provided by ILO recommendation 146	ILO
Young worker	Young worker Any worker over the age of a child as defined above and under the age of 18.	
Worst forms of child labour		
Hazardous child labour	Hazardous child labour is defined by Article 3 (d) of the ILO Convention concerning the Prohibition and Immediate Action for the elimination of the worst forms of child labour, 1999 (182) 3D work which, by its nature or its circumstances in which it is carried out is likely to harm the health, safety or morals of children.	ILO
Occupational accident	An Occupational accident is an unexpected and unplanned occurrence, including acts of violence, arising out of or in connection with work which results in one or more workers incurring a personal injury, disease or death. Included in occupational accidents are travel, transport or road traffic accidents in which workers are injured and which arise out of or in the course of work, i.e. while engaged in an economic activity, or at work, or carrying on the business of the employer. Occupational injury: any personal injury, disease or death resulting from an occupational accident; an occupational injury is therefore distinct from an occupational disease, which is a disease contracted as a result of an exposure over a period of time to risk factors arising from work activity.	ILO Resolution/Convention 155 on statistics of occupational injuries (resulting from occupational accidents), adopted by the Sixteenth International Conference of Labour Statisticians, (Oct.1998)
Occupational disease	A disease contracted as a result of an exposure to risk factors arising from work activity	
Reporting period	This will be one year unless otherwise agreed. The period should include a single complete milling season.	

Theoretical recovery of sugar	The theoretical OR (Overall Recovery) normalized for juice purity and cane fibre content is calculated as: $\mathrm{OR}^* = \mathrm{E}^* \times \mathrm{BHR}^* = 0.98 \times [100 - \frac{20 \times W_{F,C}}{100 - W_{F,C}}] \times [1.5 \times \frac{50}{P_J}]$ where wF,C is the fibre content of the cane in g/100 g and PJ the purity of the raw juice. In addition, refining all white sugar in a white end refinery is expected to increase the undetermined loss by 0.4 % of the sugar in raw juice. Then the factor 0.98 becomes 0.976.	"Good Management Practices for the Cane Sugar Industry" by J Meyer et al.,p. 439.	
Phosphate equivalent as a measure of eutrophication	Since phosphorus and nitrogen differ in their eutrophication effects, a phosphate equivalent conversion is used based on potency factors of 3.06 for phosphorus and 0.42 for nitrogen. Using 120 kg N /ha/y and 20 kg P /ha/y, the figure would be (120 x 0.42) + (20 x 3.06) = 112 kg phosphate/ha/y.	IChemE (2002). Sustainable development progress metrics. Inst. Chem. Engrs. London.	
	High Conservation Values (HCVs) are biological, ecological, social or cultural values which are considered outstandingly significant or critically important, at the national, regional or global level. All natural habitats possess some inherent conservation values, including the presence of rare or endemic species, provision of ecosystem services, sacred sites, or resources harvested by local residents. However, some values are more significant or critical than others, and it is the HCV approach which offers an objective way of identifying those values to be maintained or enhanced. (see www.hcvnetwork.org). A cut off date of 1 January 2008 will apply.		
	The six High Conservation Values (HCVs):		
High Conservation	HCV 1 Areas containing globally, regionally or nationally significant concentrations of biodiversity values (e.g. endemism, endangered species, refugia)		
Value	HCV 2 Areas containing globally, regionally or nationally significant large landscape level forests, contained within, or containing the management unit, where viable populations of most if not all naturally occurring species exist in natural patterns of distribution and abundance		
	HCV 3 Areas that are in or contain rare, threatened or endangered ecosystems		
	HCV 4 Areas that provide basic services of nature in critical situations (e.g. watershed protection, erosion control)		
	HCV 5 Areas fundamental to meeting basic needs of local communities (e.g. subsistence, health)		

High Conservation	HCV 6 Areas critical to local communities' traditional cultural identity (e.g.areas of cultural, ecological, economic or religious significance identified in cooperation with such local communities).	
Value	Also includes soils with a large risk of significant soil-stored carbon such as peat lands, mangroves, wetlands and certain 100% native and natural grassland (that were never modified by human activities).	
Significantly affected	A significant impact would be apparent if the operations of sugarcane farms or mills resulted in changes to the environment that resulted in (1) the quality and / or quantity of habitat supporting an endangered or threatened species being affected to the extent that the numbers and viability of the species (the classification from the IUCN red list) was adversely affected; (2) conversion, diminution or degradation of the integrity of an endangered habitat such that there was a measurable adverse impact on its ecological status in the opinion of a competent ecologist (3) ecosystem service (such as water supply) being sufficiently changed as to cause material adverse impacts to local communities or ecosystems (for example, flows contain additional nutrients that change downstream ecology or affect the availability of drinking water for downstream communities).	
Conducting business with integrity	Businesses should work against corruption in all its forms, including extortion and bribery.	Principle 10 UN Global Compact

	This shall mean all work or service which is exacted from any person under the menace of any penalty and for which the said person has not offered himself voluntarily	ILO Convention C29
Forced or compulsory labour	Most common forms of forced or compulsory labour: Forced labour can take many forms – some imposed by the State, but the majority in the private economy. Forced labour can be an outcome of trafficking in persons and irregular migration. Mechanisms of force applied include debt bondage, slavery, misuse of customary practices and deceptive recruitment systems. Some of the most common forms of forced labour include (for a full list see ILO Handbook):	Combating forced labour: A handbook for employers and business, booklet 2
	<ul> <li><u>Debt-induced forced labour</u>: Commonly referred to as "bonded labour" in south Asia, where the practice in most common, but also known as "debt bondage".</li> <li> Debt bondage arises when a person mortgages his or her services or those of his family members to someone providing credit in order to repay the loan or advance.</li> </ul>	
	<ul> <li>Forced labour as an outcome of human trafficking: Trafficking in persons, or human trafficking, is often linked to forced labour. It is fuelled by organised criminal networks or individuals and can involve deceptive recruitment, racketeering and blackmailing for the purpose of labour exploitation.</li> </ul>	
	• Forced labour linked to exploitation in labour contract systems: This can be found almost everywhere in the world today. For example, migrant workers can find themselves "bonded" to a labour contractor because excessive fees have been charged and with limited if any possibility to change the employer once they arrive in the destination country.	
	1 The term discrimination includes—(Art 1 C111)	
Discrimination	(a) any distinction, exclusion or preference made on the basis of race, colour, sex, religion, political opinion, national extraction or social origin, which has the effect of nullifying or impairing equality of opportunity or treatment in employment or occupation;	
	(b) such other distinction, exclusion or preference which has the effect of nullifying or impairing equality of opportunity or treatment in employment or occupation as may be determined by the Member concerned after consultation with representative employers' and workers' organisations, where such exist, and with other appropriate bodies.	ILO Convention C111
	<ol> <li>Any distinction, exclusion or preference in respect of a particular job based on the inherent requirements thereof shall not be deemed to be discrimination.</li> </ol>	
	3. For the purpose of this Convention the terms employment and occupation include access to vocational training, access to employment and to particular occupations, and terms and conditions of employment.	

	BOD	biological oxygen demand
	COD	chemical oxygen demand
	EMP	environmental management plan
	ESIA	environmental and social impact assessment
	G	grams
	GHG	greenhouse gas
	НА	hectares
	HCV	high conservation value
Symbols and	KG	kilograms
Abbreviations	кЈ	kilojoules
	кWн	kilowatt hours
	L	litres
	MJ	megajoules
	PPE	personal protective equipment
	RS	reducing (invert) sugars
	T	metric tonnes
	TC	tonnes cane
	TSAI	total sugars expressed as invert
	Y	year

## ANNEX 2 - BANNED AGROCHEMICALS

Ingredient	International Regulation
CFCs	Montreal Protocol
Halons	Montreal Protocol
Other fully halogenated CFCs	Montreal Protocol
Carbon tetrachloride	Montreal Protocol
1,1,1-Trichloroethane (Methyl chloroform)	Montreal Protocol
Hydrochlorofluorocarbons	Montreal Protocol
Hydrobromofluorocarbons	Montreal Protocol
Methyl bromide	Montreal Protocol
Bromochloromethane	Montreal Protocol
2,4,5-T and its salts and esters	Rotterdam Convention
Aldrin	Rotterdam Convention
Binapacryl	Rotterdam Convention
Captafol	Rotterdam Convention
Chlordane	Rotterdam Convention
Chlordimeform	Rotterdam Convention
Chlorobenzilate	Rotterdam Convention
DDT	Rotterdam Convention
Dieldrin	Rotterdam Convention
Dinitro-ortho-cresol (DNOC) and its salts(such as ammonium salt, potassium salt and sodium salt)	Rotterdam Convention
Dinoseb and its salts and esters	Rotterdam Convention
1,2-dibromoethane(EDB)	Rotterdam Convention
Ethylene dichloride	Rotterdam Convention
Ethylene oxide	Rotterdam Convention
Fluoroacetamide	Rotterdam Convention
HCH (mixed isomers)	Rotterdam Convention

Ingredient	International Regulation
Heptachlor 76-44-8	Rotterdam Convention
Hexachlorobenzene	Rotterdam Convention
Lindane	Rotterdam Convention
Mercury compounds, including inorganic mercury compounds, alkyl mercury compounds and alkyloxyalkyl and aryl mercury compounds	Rotterdam Convention
Monocrotophos	Rotterdam Convention
Parathion	Rotterdam Convention
Pentachlorophenol and its salts and esters	Rotterdam Convention
Toxaphene	Rotterdam Convention
Dustable powder formulations containing a combination of: - Benomyl at or above 7 per cent, - Carbofuran at or above 10 per cent, - Thiram at or above 15 per cent	Rotterdam Convention
(1) Monocrotophos (Soluble liquid formulations of the substance that exceed 600 g active ingredient/l)	Rotterdam Convention
Methamidophos (Soluble liquid formulations of the substance that exceed 600 g active ingredient/l)	Rotterdam Convention
Phosphamidon (Soluble liquid formulations of the substance that exceed 1000 g active ingredient/l)	Rotterdam Convention
Methyl-parathion (emulsifiable concentrates (EC) at or above 19.5% active ingredient and dusts at or above 1.5% active ingredient)	Rotterdam Convention

Ingredient	International Regulation
(1) Parathion (all formulations – aerosols, dustable powder (DP), emulsifiable concentrate (EC), granules (GR) and wettable powders (WP)  - of this substance are included, except capsule suspensions (CS)	Rotterdam Convention
Aldrin	Stockholm Annex A - prohibit
Alpa hexachlorocyclohexane	Stockholm Annex A - prohibit
Beta hexachlorocyclohexane*	Stockholm Annex A - prohibit
Chlordane	Stockholm Annex A - prohibit
Chlordecone*	Stockholm Annex A - prohibit
Dieldrin*	Stockholm Annex A - prohibit
Endrin	Stockholm Annex A - prohibit
Heptachlor	Stockholm Annex A - prohibit
Hexabromobiphenyl*	Stockholm Annex A - prohibit
Hexabromodiphenyl ether* and heptabromodiphenyl ether	Stockholm Annex A - prohibit
Hexachlorobenzene	Stockholm Annex A - prohibit
Lindane	Stockholm Annex A - prohibit
Mirex*	Stockholm Annex A - prohibit
Pentachlorobenzene	Stockholm Annex A - prohibit
Polychlorinated biphenyls (PCB)*	Stockholm Annex A - prohibit
Tetrabromodiphenyl ether* and pentabromodiphenyl ether*	Stockholm Annex A - prohibit
Toxaphene	Stockholm Annex A - prohibit
Polychlorinated biphenyls	Stockholm Annex A - prohibit
Technical endosulfan and its related isomers	Stockholm Annex A - prohibit
Aldicarb	WHO 1a

Ingredient	International Regulation
Brodifacoum	WHO 1a
Bromadiolone	WHO 1a
Bromethalin	WHO 1a
Calcium cyanide	WHO 1a
Captafol	WHO 1a
Chlorethoxyfos	WHO 1a
Chlormephos	WHO 1a
Chlorophacinone	WHO 1a
Difenacoum	WHO 1a
Difethialone	WHO 1a
Diphacinone	WHO 1a
Disulfoton	WHO 1a
EPN	WHO 1a
Ethoprophos	WHO 1a
Flocoumafen	WHO 1a
Hexachlorobenzene	WHO 1a
mercuric chloride	WHO 1a
Mevinphos	WHO 1a
Parathion	WHO 1a
Parathion-methyl	WHO 1a
Phenylmercury acetate	WHO 1a
Phorate	WHO 1a
Phosphamidon	WHO 1a
Sodium fluoroacetate	WHO 1a
Sulfotep	WHO 1a
Tebupirimfos	WHO 1a

Ingredient	International Regulation
Terbufos	WHO 1a
Acrolein	WHO 1b
Allyl alcohol	WHO 1b
Azinphos-ethyl	WHO 1b
Azinphos-methyl	WHO 1b
Blasticidin	WHO 1b
Butocarboxim	WHO 1b
Butoxycarboxim	WHO 1b
Cadusafos	WHO 1b
Calcium arsenate	WHO 1b
Carbofuran	WHO 1b
Chlorfenvinphos	WHO 1b
3-Chloro-1,2-propanediol	WHO 1b
Coumaphos	WHO 1b
Coumatetralyl	WHO 1b
Cyfluthrin	WHO 1b
Beta-cyfluthrin	WHO 1b
Zeta-cypermethrin	WHO 1b
Demeton-S-methyl	WHO 1b
Dichlorvos	WHO 1b
Dicrotophos	WHO 1b
Dinoterb	WHO 1b
DNOC	WHO 1b
Edifenphos	WHO 1b
Ethiofencarb	WHO 1b
Famphur	WHO 1b
Fenamiphos	WHO 1b
Flucythrinate	WHO 1b

Ingredient	International Regulation
Fluoroacetamide	WHO 1b
Formetanate	WHO 1b
Furathiocarb	WHO 1b
Heptenophos	WHO 1b
Isoxathion	WHO 1b
Lead arsenate	WHO 1b
Mecarbam	WHO 1b
Mercuric oxide	WHO 1b
Methamidophos	WHO 1b
Methidathion	WHO 1b
Methiocarb	WHO 1b
Methomyl	WHO 1b
Monocrotophos	WHO 1b
Nicotine	WHO 1b
Omethoate	WHO 1b
Oxamyl	WHO 1b
Oxydemeton-methyl	WHO 1b
Paris green	WHO 1b
Pentachlorophenol	WHO 1b
Propetamphos	WHO 1b
Sodium arsenite	WHO 1b
Sodium cyanide	WHO 1b
Strychnine	WHO 1b
Tefluthrin	WHO 1b
Thallium sulfate	WHO 1b
Thiofanox	WHO 1b

Ingredient	International Regulation
Thiometon	WHO 1b
Triazophos	WHO 1b
Vamidothion	WHO 1b
Warfarin	WHO 1b
Zinc phosphide	WHO 1b

1 INTRODUCTION
2 SCOPE
3 REFERENCED PUBLICATIONS
4 DEFINITIONS AND ABBREVIATIONS
5 FRAMEWORK FOR AUDITING
6 BONSUCRO PRODUCTION STANDARD
7 ANNEXES

## Annex 3: Detailed parameters to calculate GHG emissions from biofuels set under the EU Renewable Energy Directive (2009/28/EC) and revised Fuel Quality Directive (2009/30/EC) and included in Principle 6.

"Annualised emissions from carbon stock changes caused by land-use change after 1 January 2008, el, shall be calculated by dividing total emissions equally over 20 years. Change from one crop to another is not regarded as land use change according to the Communication from the European Commission on the practical implementation of the EU biofuels and bioliquids sustainability scheme and on counting rules for biofuels (OJ C160/8 of 19 June 2010) and therefore annualized emissions (el) are equal to zero.

For the calculation of those emissions the following rule shall be applied

$$el = (CSR - CSA) \times 3,664 \times 1/20 \times 1/P (1)$$

where

el =annualised greenhouse gas emissions from carbon stock change due to land-use change (measured as mass of CO2-equivalent per unit biofuel energy);

CSR = the carbon stock per unit area associated with the reference land use (measured as mass of carbon per unit area, including both soil and vegetation). The reference land use shall be the land use in January 2008 or 20 years before the raw material was obtained, whichever was the later;

CSA = the carbon stock per unit area associated with the actual land use (measured as mass of carbon per unit area, including both soil and vegetation). In cases where the carbon stock accumulates over more than one year, the value attributed to CSA shall be the estimated stock per unit area after 20 years or when the crop reaches maturity, whichever the earlier;

P = the productivity of the crop (measured as biofuel or bioliquid energy per unit area per year)

Land carbon stocks are calculated according to the guidelines published by the European Commission, for land converted after 1 January 2008. These are outlined in the Commission Decision of 10 June 2010 on guidelines for the calculation of land carbon

stocks for the purpose of Annex V of Directive 2009/28/EC, published in the EU Official Journal L151 of 17 June 2010, p. 19.

Bonsucro will communicate to economic operators any details of lists on protected areas as soon as they are available from the EC.

Additional mandatory requirement for biofuels under the EU Renewable Energy Directive (2009/28/EC), included in section 6 and this Appendix, shall be modified according to the publication by the European Union of new communications and decisions, including on the definition of highly biodiverse gra sslands, degraded lands, and new default values for greenhouse gases emissions, as well as any modification related to the EU Directive 2009/28/EC. Article 17.3 c) of the EU Directive 2009/28/EC, states that the Commission shall establish the criteria and geographic ranges to determine which grassland shall be covered by this article. In the absence of decision by the Commission on this topic, no legal interpretation can be given or claimed regarding this concept. This Standard will be modified to encompass the criteria and geographic ranges defined by the Commission as soon as an official communication or decision has been issued.

The fossil fuel comparator for calculation of GHG reductions recommended for use by the EU is 83.8 g CO2eq/MJ

The figure of GHG emissions to appear on Bonsucro EU certificates shall be calculated as follows: SAVING = (83.8 - Emissions from criterion 6.1) / 83.8) x 100 per cent

(1) The quotient obtained by dividing the molecular weight of CO2 (44,010 g/moll) by the molecular weight of carbon (12,011 g/moll) is equal to 3,664.