

# Ontology Matching

OM-2014

Proceedings of the ISWC Workshop

## Introduction

Ontology matching<sup>1</sup> is a key interoperability enabler for the semantic web, as well as a useful tactic in some classical data integration tasks dealing with the semantic heterogeneity problem. It takes the ontologies as input and determines as output an alignment, that is, a set of correspondences between the semantically related entities of those ontologies. These correspondences can be used for various tasks, such as ontology merging, data translation, query answering or navigation on the web of data. Thus, matching ontologies enables the knowledge and data expressed in the matched ontologies to interoperate.

The workshop has three goals:

- To bring together leaders from *academia*, *industry* and *user institutions* to assess how academic advances are addressing real-world requirements. The workshop will strive to improve academic awareness of industrial and final user needs, and therefore direct research towards those needs. Simultaneously, the workshop will serve to inform industry and user representatives about existing research efforts that may meet their requirements. The workshop will also investigate how the ontology matching technology is going to evolve.
- To conduct an extensive and rigorous evaluation of ontology matching and instance matching (link discovery) approaches through the OAEI (Ontology Alignment Evaluation Initiative) 2014 campaign<sup>2</sup>. The particular focus of this year's OAEI campaign is on real-world specific matching tasks as well as on evaluation of interactive matchers and matchers for query answering. Therefore, the ontology matching evaluation initiative itself will provide a solid ground for discussion of how well the current approaches are meeting business needs.
- To examine new uses, similarities and differences from database schema matching, which has received decades of attention but is just beginning to transition to mainstream tools.

The program committee selected 5 submissions for oral presentation and 9 submissions for poster presentation. 14 matching systems participated in this year's OAEI campaign. Further information about the Ontology Matching workshop can be found at: <http://om2014.ontologymatching.org/>.

---

<sup>1</sup><http://www.ontologymatching.org/>

<sup>2</sup><http://oei.ontologymatching.org/2014>

**Acknowledgments.** We thank all members of the program committee, authors and local organizers for their efforts. We appreciate support from the Trentino as a Lab (TasLab)<sup>3</sup> initiative of the European Network of the Living Labs<sup>4</sup> at Informatica Trentina SpA<sup>5</sup>, the EU SEALS (Semantic Evaluation at Large Scale)<sup>6</sup> project and the Semantic Valley<sup>7</sup> initiative.



*Pavel Shvaiko*  
*Jérôme Euzenat*  
*Ming Mao*  
*Juanzi Li*  
*Ernesto Jiménez-Ruiz*  
*Axel Ngonga*

*October 2014*

---

<sup>3</sup><http://www.taslab.eu>

<sup>4</sup><http://www.openlivinglabs.eu>

<sup>5</sup><http://www.infotn.it>

<sup>6</sup><http://www.seals-project.eu>

<sup>7</sup>[http://www.semanticvalley.org/index\\_eng.htm](http://www.semanticvalley.org/index_eng.htm)

# Organization

## Organizing Committee

Pavel Shvaiko, Informatica Trentina SpA, Italy  
Jérôme Euzenat, INRIA & LIG, France  
Ming Mao, Electronic Arts, USA  
Ernesto Jiménez-Ruiz, University of Oxford, UK  
Juanzi Li, Tsinghua University, China  
Axel Ngonga, University of Leipzig, Germany

## Program Committee

Alsayed Algergawy, Jena University, Germany  
Michele Barbera, Spazio Dati, Italy  
Zohra Bellahsene, LRIMM, France  
Chris Bizer, University of Mannheim, Germany  
Olivier Bodenreider, National Library of Medicine, USA  
Michelle Cheatham, Write State University, USA  
Marco Combetto, Informatica Trentina, Italy  
Gianluca Correndo, University of Southampton, UK  
Isabel Cruz, The University of Illinois at Chicago, USA  
Jérôme David, INRIA & LIG, France  
Stefan Dietze, L3S, Germany  
Alfio Ferrara, University of Milan, Italy  
Avigdor Gal, Technion, Israel  
Fausto Giunchiglia, University of Trento, Italy  
Wei Hu, Nanjing University, China  
Ryutaro Ichise, National Institute of Informatics, Japan  
Antoine Isaac, Vrije Universiteit Amsterdam & Europeana, Netherlands  
Yannis Kalfoglou, Ricoh Europe plc, UK  
Anastasios Kementsietsidis, IBM, USA  
Patrick Lambrix, Linköpings Universitet, Sweden  
Nico Lavarini, Expert System, Italy  
Tatiana Lesnikova, INRIA, France  
Vincenzo Maltese, University of Trento, Italy  
Fiona McNeill, University of Edinburgh, UK  
Christian Meilicke, University of Mannheim, Germany  
Andriy Nikolov, Open University, UK  
Leo Obrst, The MITRE Corporation, USA  
Heiko Paulheim, University of Mannheim, Germany  
Yefei Peng, Google, USA  
Andrea Perego, European Commission - Joint Research Centre, Italy

Catia Pesquita, University of Lisbon, Portugal  
Alessandro Solimando, University of Genova, Italy  
Umberto Straccia, ISTI-C.N.R., Italy  
Ondřej Zamazal, Prague University of Economics, Czech Republic  
Cássia Trojahn, IRIT, France  
Giovanni Tummarello, Fondazione Bruno Kessler - IRST, Italy  
Lorenzino Vaccari, European Commission - Joint Research Center, Italy  
Ludger van Elst, DFKI, Germany  
Shenghui Wang, Vrije Universiteit Amsterdam, Netherlands  
Songmao Zhang, Chinese Academy of Sciences, China

# Table of Contents

## PART 1 - Technical Papers

A categorical approach to ontology alignment <i>Mihai Codescu, Till Mossakowski, Oliver Kutz</i> .....	1
The properties of property alignment <i>Michelle Cheatham, Pascal Hitzler</i> .....	13
Completeness and optimality in ontology alignment debugging <i>Jan Noessner, Heiner Stuckenschmidt, Christian Meilicke, Mathias Niepert</i> .....	25
Time-efficient execution of bounded Jaro-Winkler distances <i>Kevin Dreßler, Axel-Cyrille Ngonga Ngomo</i> .....	37
A two-step blocking scheme learner for scalable link discovery <i>Mayank Kejriwal, Daniel P. Miranker</i> .....	49

## PART 2 - OAEI Papers

Results of the Ontology Alignment Evaluation Initiative 2014 <i>Zlatan Dragisic, Kai Eckert, Jérôme Euzenat, Daniel Faria, Alfio Ferrara, Roger Granada, Valentina Ivanova, Ernesto Jiménez-Ruiz, Andreas Oskar Kempf, Patrick Lambrix, Stefano Montanelli, Heiko Paulheim, Dominique Ritze, Pavel Shvaiko, Alessandro Solimando, Cássia Trojahn, Ondřej Zamazal, Bernardo Cuenca Grau</i> .....	61
AgreementMakerLight results for OAEI 2014 <i>Daniel Faria, Catarina Martins, Amruta Nanavaty, Aynaz Taheri, Catia Pesquita, Emanuel Santos, Isabel F. Cruz, Francisco M. Couto</i> .....	105
AOT / AOTL results for OAEI 2014 <i>Abderrahmane Khiat, Moussa Benaissa</i> .....	113
InsMT / InsMTL results for OAEI 2014 instance matching <i>Abderrahmane Khiat, Moussa Benaissa</i> .....	120
LogMap family results for OAEI 2014 <i>Ernesto Jiménez-Ruiz, Bernardo Cuenca Grau, Weiguo Xia, Alessandro Solimando, Xi Chen, Valerie Cross, Yuan Gong, Shuo Zhang, Anu Chennai-Thiagarajan</i> .....	126
Alignment evaluation of MaasMatch for the OAEI 2014 campaign <i>Frederik C. Schadd, Nico Roos</i> .....	135
OMReasoner: combination of multi-matchers for ontology matching: results for OAEI 2014 <i>Guohua Shen, Yinling Liu, Fei Wang, Jia Si, Zi Wang, Zhiqiu Huang, Dazhou Kang</i> .....	142
RiMOM-IM results for OAEI 2014 <i>Chao Shao, Linmei Hu, Juanzi Li</i> .....	149
RSDL workbench results for OAEI 2014 <i>Simon Schwichtenberg, Christian Gerth, Gregor Engels</i> .....	155
XMap++: results for OAEI 2014 <i>Warith Eddine Djeddi, Mohamed Tarek Khadir</i> .....	163

### PART 3 - Posters

Evaluation of string normalisation modules for string-based biomedical vocabularies alignment with AnAGram <i>Anique van Berne, Veronique Malaisé</i> .....	170
Building reference alignments for compound matching of multiple ontologies using OBO cross-products <i>Catia Pesquita, Michelle Cheatham, Daniel Faria, Joana Barros, Emanuel Santos, Francisco M. Couto</i> .....	172
A term-based approach for matching multilingual thesauri <i>Mauro Dragoni, Andi Rexha, Matteo Casu, Alessio Bosca</i> .....	174
The importance of cross-lingual information for matching Wikipedia with the Cyc ontology <i>Aleksander Smywinski-Pohl, Krzysztof Wróbel</i> .....	176
Constructing a class hierarchy with properties by refining and aligning Japanese wikipedia ontology and Japanese WordNet <i>Takeshi Morita, Susumu Tamagawa, Takahira Yamaguchi</i> .....	178
Partitioning-based ontology matching approaches: a comparative analysis <i>Alsayed Algergawy, Friederike Klan, Birgitta König-Ries</i> .....	180
Towards a cluster-based approach for user participation in ontology matching <i>Vinicius Lopes, Fernanda Baião, Kate Revoredo</i> .....	182
One query at a time: incremental, collective ontology matching <i>Thomas Kowark, Hasso Plattner</i> .....	184
Enabling semantic search for EO products: an ontology matching approach <i>Maria Karpathiotaki, Konstantina Dogani, Manolis Koubarakis</i> .....	186

