

Table P-2a. Age-adjusted percent distribution (with standard errors) of limitation in usual activities, and age-adjusted percentage (with standard errors) of persons limited due to one or more chronic conditions, by selected characteristics: United States, 2013

Selected characteristic	All persons	Not limited ¹	Limited ¹	Limited due to one or more chronic conditions ¹
Total	100.0	87.4 (0.16)	12.6 (0.16)	12.3 (0.16)
Sex				
Male	100.0	87.4 (0.20)	12.6 (0.20)	12.2 (0.19)
Female	100.0	87.4 (0.19)	12.6 (0.19)	12.2 (0.19)
Age				
Under 12 years	100.0	92.3 (0.28)	7.7 (0.28)	7.4 (0.28)
12-17 years	100.0	90.6 (0.38)	9.4 (0.38)	9.1 (0.37)
18-44 years	100.0	93.8 (0.16)	6.2 (0.16)	5.9 (0.16)
45-64 years	100.0	83.1 (0.34)	16.9 (0.34)	16.6 (0.34)
65-74 years	100.0	75.2 (0.62)	24.8 (0.62)	24.2 (0.61)
75 years and over	100.0	55.2 (0.85)	44.8 (0.85)	44.0 (0.86)
Race				
One race ²	100.0	87.5 (0.16)	12.5 (0.16)	12.2 (0.16)
White	100.0	87.6 (0.18)	12.4 (0.18)	12.0 (0.18)
Black or African American	100.0	84.2 (0.41)	15.8 (0.41)	15.4 (0.40)
American Indian or Alaska Native	100.0	80.0 (1.44)	20.0 (1.44)	19.4 (1.43)
Asian	100.0	93.0 (0.40)	7.0 (0.40)	6.7 (0.40)
Native Hawaiian or Other Pacific Islander	100.0	84.3 (3.95)	15.7 (3.95)	15.3 (3.87)
Two or more races ³	100.0	81.2 (1.19)	18.8 (1.19)	18.7 (1.19)
Black or African American, white	100.0	83.0 (1.92)	17.0 (1.92)	16.9 (1.91)
American Indian or Alaska Native, white	100.0	76.5 (2.02)	23.5 (2.02)	23.5 (2.02)
Hispanic or Latino origin ⁴ and race				
Hispanic or Latino	100.0	88.7 (0.31)	11.3 (0.31)	11.0 (0.30)
Mexican or Mexican American	100.0	89.1 (0.36)	10.9 (0.36)	10.6 (0.36)
Not Hispanic or Latino	100.0	87.0 (0.18)	13.0 (0.18)	12.6 (0.18)
White, single race	100.0	87.2 (0.20)	12.8 (0.20)	12.5 (0.20)
Black or African American, single race	100.0	84.2 (0.42)	15.8 (0.42)	15.4 (0.41)
Education ⁵				
Less than a high school diploma	100.0	75.2 (0.56)	24.8 (0.56)	24.3 (0.56)
High school diploma or GED ⁶	100.0	82.1 (0.35)	17.9 (0.35)	17.5 (0.35)
Some college	100.0	83.8 (0.33)	16.2 (0.33)	15.8 (0.33)
Bachelor's degree or higher	100.0	90.8 (0.27)	9.2 (0.27)	8.9 (0.26)

Table P-2a. Age-adjusted percent distribution (with standard errors) of limitation in usual activities, and age-adjusted percentage (with standard errors) of persons limited due to one or more chronic conditions, by selected characteristics: United States, 2013

Selected characteristic	All persons	Not limited ¹	Limited ¹	Limited due to one or more chronic conditions ¹
Family income⁷				
Less than \$35,000	100.0	78.2 (0.33)	21.8 (0.33)	21.3 (0.33)
\$35,000 or more	100.0	90.7 (0.17)	9.3 (0.17)	9.0 (0.17)
\$35,000–\$49,999	100.0	87.3 (0.38)	12.7 (0.38)	12.4 (0.38)
\$50,000–\$74,999	100.0	89.0 (0.32)	11.0 (0.32)	10.6 (0.32)
\$75,000–\$99,999	100.0	92.1 (0.36)	7.9 (0.36)	7.7 (0.35)
\$100,000 or more	100.0	93.3 (0.27)	6.7 (0.27)	6.5 (0.27)
Poverty status⁸				
Poor	100.0	74.3 (0.52)	25.7 (0.52)	25.3 (0.52)
Near poor	100.0	81.5 (0.38)	18.5 (0.38)	18.2 (0.38)
Not poor	100.0	90.8 (0.16)	9.2 (0.16)	9.0 (0.16)
Health insurance coverage⁹				
Under 65:				
Private	100.0	94.2 (0.15)	5.8 (0.15)	5.5 (0.15)
Medicaid	100.0	72.5 (0.54)	27.5 (0.54)	27.1 (0.54)
Other	100.0	75.2 (0.97)	24.8 (0.97)	24.5 (0.97)
Uninsured	100.0	91.9 (0.30)	8.1 (0.30)	7.9 (0.30)
65 and over:				
Private	100.0	69.9 (0.75)	30.1 (0.75)	29.4 (0.75)
Medicare and Medicaid	100.0	40.5 (1.81)	59.5 (1.81)	58.9 (1.82)
Medicare only	100.0	65.8 (0.93)	34.2 (0.93)	33.4 (0.93)
Other	100.0	60.3 (1.97)	39.7 (1.97)	39.5 (1.97)
Uninsured	100.0	61.2 (5.07)	38.8 (5.07)	38.8 (5.07)
Place of residence¹⁰				
Large MSA	100.0	88.5 (0.20)	11.5 (0.20)	11.1 (0.20)
Small MSA	100.0	86.8 (0.30)	13.2 (0.30)	12.9 (0.30)
Not in MSA	100.0	84.4 (0.52)	15.6 (0.52)	15.3 (0.51)
Region				
Northeast	100.0	88.1 (0.34)	11.9 (0.34)	11.5 (0.33)
Midwest	100.0	87.0 (0.39)	13.0 (0.39)	12.7 (0.38)
South	100.0	86.7 (0.28)	13.3 (0.28)	13.0 (0.28)
West	100.0	88.1 (0.27)	11.9 (0.27)	11.5 (0.27)

Table P-2a. Age-adjusted percent distribution (with standard errors) of limitation in usual activities, and age-adjusted percentage (with standard errors) of persons limited due to one or more chronic conditions, by selected characteristics: United States, 2013

Selected characteristic	All persons	Not limited ¹	Limited ¹	Limited due to one or more chronic conditions ¹
Hispanic or Latino origin ⁴ , race, and sex				
Hispanic or Latino, male	100.0	89.0 (0.40)	11.0 (0.40)	10.6 (0.40)
Hispanic or Latina, female	100.0	88.6 (0.37)	11.4 (0.37)	11.1 (0.37)
Not Hispanic or Latino:				
White, single race, male	100.0	87.2 (0.24)	12.8 (0.24)	12.5 (0.24)
White, single race, female	100.0	87.3 (0.24)	12.7 (0.24)	12.3 (0.24)
Black or African American, single race, male	100.0	84.3 (0.55)	15.7 (0.55)	15.3 (0.54)
Black or African American, single race, female	100.0	84.3 (0.47)	15.7 (0.47)	15.1 (0.46)
Hispanic or Latino origin ⁴ , race, and poverty status				
Hispanic or Latino:				
Poor	100.0	82.1 (0.73)	17.9 (0.73)	17.5 (0.74)
Near poor	100.0	87.8 (0.56)	12.2 (0.56)	11.9 (0.55)
Not poor	100.0	91.8 (0.46)	8.2 (0.46)	8.0 (0.45)
Not Hispanic or Latino:				
White, single race				
Poor	100.0	69.8 (0.85)	30.2 (0.85)	29.9 (0.85)
Near poor	100.0	77.9 (0.57)	22.1 (0.57)	21.7 (0.58)
Not poor	100.0	90.5 (0.20)	9.5 (0.20)	9.2 (0.20)
Black or African American, single race				
Poor	100.0	72.8 (1.01)	27.2 (1.01)	26.7 (0.99)
Near poor	100.0	80.2 (0.79)	19.8 (0.79)	19.4 (0.79)
Not poor	100.0	90.7 (0.46)	9.3 (0.46)	9.0 (0.45)

¹Based on a series of questions concerning: (a) limitation(s) in a person's ability to engage in work, school, play, or other activities such as needing the help of another person with personal care needs (e.g., eating, bathing, and dressing) or help in handling routine needs (e.g., shopping and household chores) due to a physical, mental, or emotional problem; (b) the specific conditions causing the limitation(s); and (c) the duration of these condition(s). Conditions lasting more than 3 months are classified as chronic; selected conditions (e.g., arthritis, diabetes, cancer, and heart conditions) are considered chronic regardless of duration. "Limited due to one or more chronic conditions" is a subset of the category "Limited."

²Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

³Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

⁴Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

⁵Shown only for persons aged 25 and over. Estimates are age adjusted using the projected 2000 U.S. population as the standard population and using four age groups: 25-44, 45-64, 65-74, and 75 and over.

⁶GED is General Educational Development high school equivalency diploma.

⁷Includes persons who reported a dollar amount or who would not provide a dollar amount but provided an income interval.

⁸"Poor" persons are defined as having income below the poverty threshold. "Near poor" persons have incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons have incomes that are 200% of the poverty threshold or greater.

⁹Based on a hierarchy of mutually exclusive categories. Persons with more than one type of health insurance were assigned to the first appropriate category in the hierarchy. "Uninsured" includes persons who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

¹⁰MSA is metropolitan statistical area. Large MSAs have a population of 1 million or more; small MSAs have a population of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on responses about all persons in the family. Data came from the Person file and were weighted using the Person weight. Unknowns for the columns were not included in the denominators when calculating percentages. Percentages may not add to totals due to rounding. "Total" includes other races not shown separately and persons with unknown education, family income, poverty status, and health insurance characteristics. Unless otherwise specified, estimates are age adjusted using the projected 2000 U.S. population as the standard population and using six age groups: 0-11, 12-17, 18-44, 45-64, 65-74, and 75 and over. Estimates for age groups are not age-adjusted. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>). Suggested citation: Adams PF, Martinez ME, Benson V. Tables of Summary Health Statistics for the U.S. Population: 2013 National Health Interview Survey, 2015. Available from: <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: CDC/NCHS, National Health Interview Survey, 2013.

Table P-2b. Frequency distribution (number in thousands) of limitation in usual activities, and frequency (number in thousands) of limitations due to one or more chronic conditions, by selected characteristics: United States, 2013

Selected characteristic	All persons	Not limited ¹	Limited ¹	Limited due to one or more chronic conditions ¹
Total	310,874	269,240	41,225	40,055
Sex				
Male	151,862	132,306	19,326	18,772
Female	159,012	136,934	21,900	21,283
Age				
Under 12 years	48,802	44,985	3,733	3,615
12-17 years	24,683	22,296	2,300	2,221
18-44 years	111,715	104,725	6,874	6,577
45-64 years	82,279	68,274	13,913	13,592
65-74 years	25,053	18,829	6,198	6,026
75 years and over	18,343	10,131	8,207	8,025
Race				
One race ²	304,034	263,426	40,220	39,059
White	244,336	211,320	32,661	31,737
Black or African American	39,461	33,527	5,911	5,732
American Indian or Alaska Native	2,780	2,270	510	492
Asian	16,849	15,781	1,057	1,020
Native Hawaiian or Other Pacific Islander	608	528	*81	*77
Two or more races ³	6,840	5,814	1,005	996
Black or African American, white	2,246	1,952	294	291
American Indian or Alaska Native, white	1,954	1,488	454	454
Hispanic or Latino origin ⁴ and race				
Hispanic or Latino	53,470	48,696	4,722	4,576
Mexican or Mexican American	34,651	31,902	2,716	2,630
Not Hispanic or Latino	257,403	220,544	36,504	35,479
White, single race	195,844	167,053	28,489	27,703
Black or African American, single race	37,575	31,864	5,688	5,510
Education ⁵				
Less than a high school diploma	27,233	19,438	7,774	7,612
High school diploma or GED ⁶	54,813	43,878	10,895	10,621
Some college	57,824	48,492	9,281	9,036
Bachelor's degree or higher	63,860	58,460	5,327	5,140

Table P-2b. Frequency distribution (number in thousands) of limitation in usual activities, and frequency (number in thousands) of limitations due to one or more chronic conditions, by selected characteristics: United States, 2013

Selected characteristic	All persons	Not limited ¹	Limited ¹	Limited due to one or more chronic conditions ¹
Family income⁷				
Less than \$35,000	90,092	69,109	20,896	20,437
\$35,000 or more	191,242	174,091	17,027	16,545
\$35,000–\$49,999	38,267	33,060	5,189	5,070
\$50,000–\$74,999	50,452	44,861	5,546	5,372
\$75,000–\$99,999	35,218	32,634	2,546	2,476
\$100,000 or more	67,306	63,537	3,746	3,627
Poverty status⁸				
Poor	43,117	33,615	9,462	9,269
Near poor	50,856	41,355	9,467	9,258
Not poor	180,536	163,208	17,185	16,685
Health insurance coverage⁹				
Under 65:				
Private	163,748	153,632	9,903	9,519
Medicaid	46,664	37,216	9,379	9,155
Other	10,473	6,748	3,705	3,651
Uninsured	44,142	40,447	3,673	3,536
65 and over:				
Private	21,367	15,188	6,169	5,992
Medicare and Medicaid	3,008	1,222	1,784	1,759
Medicare only	15,207	10,146	5,043	4,904
Other	3,054	1,866	1,188	1,182
Uninsured	488	317	171	171
Place of residence¹⁰				
Large MSA	167,730	147,972	19,464	18,836
Small MSA	96,360	82,864	13,422	13,053
Not in MSA	46,784	38,404	8,340	8,166
Region				
Northeast	53,537	46,634	6,834	6,592
Midwest	69,399	59,777	9,532	9,258
South	116,556	100,131	16,242	15,870
West	71,382	62,698	8,617	8,334

Table P-2b. Frequency distribution (number in thousands) of limitation in usual activities, and frequency (number in thousands) of limitations due to one or more chronic conditions, by selected characteristics: United States, 2013

Selected characteristic	All persons	Not limited ¹	Limited ¹	Limited due to one or more chronic conditions ¹
Hispanic or Latino origin ⁴ , race, and sex				
Hispanic or Latino, male	26,937	24,533	2,369	2,279
Hispanic or Latina, female	26,534	24,162	2,353	2,298
Not Hispanic or Latino:				
White, single race, male	95,901	82,448	13,287	12,917
White, single race, female	99,943	84,605	15,202	14,786
Black or African American, single race, male	17,450	14,858	2,580	2,520
Black or African American, single race, female	20,125	17,006	3,109	2,990
Hispanic or Latino origin ⁴ , race, and poverty status				
Hispanic or Latino:				
Poor	13,346	11,671	1,670	1,624
Near poor	14,061	12,797	1,261	1,225
Not poor	19,708	18,375	1,308	1,263
Not Hispanic or Latino:				
White, single race				
Poor	17,201	12,179	4,989	4,905
Near poor	24,853	18,619	6,205	6,078
Not poor	131,384	117,669	13,613	13,229
Black or African American, single race				
Poor	9,307	7,148	2,156	2,108
Near poor	7,903	6,451	1,453	1,410
Not poor	15,771	14,376	1,392	1,345

* Estimates are considered unreliable. Data preceded by an asterisk have a relative standard error (RSE) greater than 30% and less than or equal to 50% and should be used with caution.

¹Based on a series of questions concerning: (a) limitation(s) in a person's ability to engage in work, school, play, or other activities such as needing the help of another person with personal care needs (e.g., eating, bathing, and dressing) or help in handling routine needs (e.g., shopping and household chores) due to a physical, mental, or emotional problem; (b) the specific conditions causing the limitation(s); and (c) the duration of these condition(s). Conditions lasting more than 3 months are classified as chronic; selected conditions (e.g., arthritis, diabetes, cancer, and heart conditions) are considered chronic regardless of duration. "Limited due to one or more chronic conditions" is a subset of the category "Limited."

²Refers to persons who indicated only a single race, group including those of Hispanic or Latino origin.

³Refers to persons who indicated more than one race, group including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

⁴Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

⁵Shown only for persons aged 25 and over.

⁶GED is General Educational Development high school equivalency diploma.

⁷Includes persons who reported a dollar amount or who would not provide a dollar amount but provided an income interval.

⁸"Poor" persons are defined as having income below the poverty threshold. "Near poor" persons have incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons have incomes that are 200% of the poverty threshold or greater.

⁹Based on a hierarchy of mutually exclusive categories. Persons with more than one type of health insurance were assigned to the first appropriate category in the hierarchy. "Uninsured" includes persons who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

¹⁰MSA is metropolitan statistical area. Large MSAs have a population of 1 million or more; small MSAs have a population of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTE: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on responses about all persons in the family. Data came from the Person file and were weighted using the Person weight. Unknowns for the columns were not included in the frequencies, but they were included in the "All persons" column. "Total" includes other races not shown separately and persons with unknown education, family income, poverty status, and health insurance characteristics. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>). Suggested citation: Adams PF, Martinez ME, Benson V. Tables of Summary Health Statistics for the U.S. Population: 2013 National Health Interview Survey, 2015. Available from: <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: CDC/NCHS, National Health Interview Survey, 2013.

Table P-2c. Crude percent distribution (with standard errors) of limitation in usual activities, and crude percentage (with standard errors) of persons limited due to one or more chronic conditions, by selected characteristics: United States, 2013

Selected characteristic	All persons	Not limited ¹	Limited ¹	Limited due to one or more chronic conditions ¹
Total	100.0	86.7 (0.19)	13.3 (0.19)	12.9 (0.18)
Sex				
Male	100.0	87.3 (0.21)	12.7 (0.21)	12.4 (0.21)
Female	100.0	86.2 (0.22)	13.8 (0.22)	13.4 (0.22)
Age				
Under 12 years	100.0	92.3 (0.28)	7.7 (0.28)	7.4 (0.28)
12-17 years	100.0	90.6 (0.38)	9.4 (0.38)	9.1 (0.37)
18-44 years	100.0	93.8 (0.16)	6.2 (0.16)	5.9 (0.16)
45-64 years	100.0	83.1 (0.34)	16.9 (0.34)	16.6 (0.34)
65-74 years	100.0	75.2 (0.62)	24.8 (0.62)	24.2 (0.61)
75 years and over	100.0	55.2 (0.85)	44.8 (0.85)	44.0 (0.86)
Race				
One race ²	100.0	86.8 (0.18)	13.2 (0.18)	12.9 (0.18)
White	100.0	86.6 (0.21)	13.4 (0.21)	13.0 (0.21)
Black or African American	100.0	85.0 (0.44)	15.0 (0.44)	14.6 (0.44)
American Indian or Alaska Native	100.0	81.7 (1.61)	18.3 (1.61)	17.7 (1.59)
Asian	100.0	93.7 (0.41)	6.3 (0.41)	6.1 (0.41)
Native Hawaiian or Other Pacific Islander	100.0	86.8 (3.33)	13.2 (3.33)	12.8 (3.26)
Two or more races ³	100.0	85.3 (0.95)	14.7 (0.95)	14.6 (0.95)
Black or African American, white	100.0	86.9 (1.37)	13.1 (1.37)	13.0 (1.37)
American Indian or Alaska Native, white	100.0	76.6 (2.26)	23.4 (2.26)	23.4 (2.26)
Hispanic or Latino origin ⁴ and race				
Hispanic or Latino	100.0	91.2 (0.27)	8.8 (0.27)	8.6 (0.27)
Mexican or Mexican American	100.0	92.2 (0.30)	7.8 (0.30)	7.6 (0.30)
Not Hispanic or Latino	100.0	85.8 (0.21)	14.2 (0.21)	13.8 (0.21)
White, single race	100.0	85.4 (0.24)	14.6 (0.24)	14.2 (0.24)
Black or African American, single race	100.0	84.9 (0.45)	15.1 (0.45)	14.7 (0.45)
Education ⁵				
Less than a high school diploma	100.0	71.4 (0.67)	28.6 (0.67)	28.0 (0.67)
High school diploma or GED ⁶	100.0	80.1 (0.39)	19.9 (0.39)	19.4 (0.39)
Some college	100.0	83.9 (0.34)	16.1 (0.34)	15.7 (0.34)
Bachelor's degree or higher	100.0	91.6 (0.26)	8.4 (0.26)	8.1 (0.25)

Table P-2c. Crude percent distribution (with standard errors) of limitation in usual activities, and crude percentage (with standard errors) of persons limited due to one or more chronic conditions, by selected characteristics: United States, 2013

Selected characteristic	All persons	Not limited ¹	Limited ¹	Limited due to one or more chronic conditions ¹
Family income⁷				
Less than \$35,000	100.0	76.8 (0.41)	23.2 (0.41)	22.8 (0.41)
\$35,000 or more	100.0	91.1 (0.17)	8.9 (0.17)	8.7 (0.17)
\$35,000–\$49,999	100.0	86.4 (0.44)	13.6 (0.44)	13.3 (0.44)
\$50,000–\$74,999	100.0	89.0 (0.34)	11.0 (0.34)	10.7 (0.33)
\$75,000–\$99,999	100.0	92.8 (0.32)	7.2 (0.32)	7.0 (0.32)
\$100,000 or more	100.0	94.4 (0.22)	5.6 (0.22)	5.4 (0.21)
Poverty status⁸				
Poor	100.0	78.0 (0.56)	22.0 (0.56)	21.6 (0.56)
Near poor	100.0	81.4 (0.42)	18.6 (0.42)	18.3 (0.43)
Not poor	100.0	90.5 (0.18)	9.5 (0.18)	9.3 (0.18)
Health insurance coverage⁹				
Under 65:				
Private	100.0	93.9 (0.15)	6.1 (0.15)	5.8 (0.14)
Medicaid	100.0	79.9 (0.46)	20.1 (0.46)	19.7 (0.46)
Other	100.0	64.6 (1.29)	35.4 (1.29)	35.1 (1.30)
Uninsured	100.0	91.7 (0.30)	8.3 (0.30)	8.0 (0.29)
65 and over:				
Private	100.0	71.1 (0.79)	28.9 (0.79)	28.2 (0.79)
Medicare and Medicaid	100.0	40.6 (1.82)	59.4 (1.82)	58.8 (1.82)
Medicare only	100.0	66.8 (0.94)	33.2 (0.94)	32.4 (0.94)
Other	100.0	61.1 (1.96)	38.9 (1.96)	38.8 (1.96)
Uninsured	100.0	65.0 (4.76)	35.0 (4.76)	35.0 (4.76)
Place of residence¹⁰				
Large MSA	100.0	88.4 (0.22)	11.6 (0.22)	11.3 (0.22)
Small MSA	100.0	86.1 (0.34)	13.9 (0.34)	13.6 (0.34)
Not in MSA	100.0	82.2 (0.61)	17.8 (0.61)	17.5 (0.60)
Region				
Northeast	100.0	87.2 (0.39)	12.8 (0.39)	12.4 (0.39)
Midwest	100.0	86.2 (0.42)	13.8 (0.42)	13.4 (0.42)
South	100.0	86.0 (0.33)	14.0 (0.33)	13.7 (0.32)
West	100.0	87.9 (0.32)	12.1 (0.32)	11.7 (0.32)

Table P-2c. Crude percent distribution (with standard errors) of limitation in usual activities, and crude percentage (with standard errors) of persons limited due to one or more chronic conditions, by selected characteristics: United States, 2013

Selected characteristic	All persons	Not limited ¹	Limited ¹	Limited due to one or more chronic conditions ¹
Hispanic or Latino origin ⁴ , race, and sex				
Hispanic or Latino, male	100.0	91.2 (0.33)	8.8 (0.33)	8.5 (0.32)
Hispanic or Latina, female	100.0	91.1 (0.33)	8.9 (0.33)	8.7 (0.33)
Not Hispanic or Latino:				
White, single race, male	100.0	86.1 (0.28)	13.9 (0.28)	13.5 (0.27)
White, single race, female	100.0	84.8 (0.29)	15.2 (0.29)	14.8 (0.29)
Black or African American, single race, male	100.0	85.2 (0.57)	14.8 (0.57)	14.5 (0.56)
Black or African American, single race, female	100.0	84.5 (0.52)	15.5 (0.52)	14.9 (0.52)
Hispanic or Latino origin ⁴ , race, and poverty status				
Hispanic or Latino:				
Poor	100.0	87.5 (0.59)	12.5 (0.59)	12.2 (0.59)
Near poor	100.0	91.0 (0.50)	9.0 (0.50)	8.7 (0.49)
Not poor	100.0	93.4 (0.39)	6.6 (0.39)	6.4 (0.37)
Not Hispanic or Latino:				
White, single race				
Poor	100.0	70.9 (1.01)	29.1 (1.01)	28.7 (1.00)
Near poor	100.0	75.0 (0.67)	25.0 (0.67)	24.6 (0.68)
Not poor	100.0	89.6 (0.23)	10.4 (0.23)	10.1 (0.22)
Black or African American, single race				
Poor	100.0	76.8 (1.03)	23.2 (1.03)	22.7 (1.02)
Near poor	100.0	81.6 (0.90)	18.4 (0.90)	17.9 (0.89)
Not poor	100.0	91.2 (0.46)	8.8 (0.46)	8.5 (0.45)

¹Based on a series of questions concerning: (a) limitation(s) in a person's ability to engage in work, school, play, or other activities such as needing the help of another person with personal care needs (e.g., eating, bathing, and dressing) or help in handling routine needs (e.g., shopping and household chores) due to a physical, mental, or emotional problem; (b) the specific conditions causing the limitation(s); and (c) the duration of these condition(s). Conditions lasting more than 3 months are classified as chronic; selected conditions (e.g., arthritis, diabetes, cancer, and heart conditions) are considered chronic regardless of duration. "Limited due to one or more chronic conditions" is a subset of the category "Limited."

²Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

³Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

⁴Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

⁵Shown only for persons aged 25 and over.

⁶GED is General Educational Development high school equivalency diploma.

⁷Includes persons who reported a dollar amount or who would not provide a dollar amount but provided an income interval.

⁸"Poor" persons are defined as having income below the poverty threshold. "Near poor" persons have incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons have incomes that are 200% of the poverty threshold or greater.

⁹Based on a hierarchy of mutually exclusive categories. Persons with more than one type of health insurance were assigned to the first appropriate category in the hierarchy. "Uninsured" includes persons who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

¹⁰MSA is metropolitan statistical area. Large MSAs have a population of 1 million or more; small MSAs have a population of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on responses about all persons in the family. Data came from the Person file and were weighted using the Person weight. Unknowns for the columns were not included in the denominators when calculating percentages. Percentages may not add to totals due to rounding. "Total" includes other races not shown separately and persons with unknown education, family income, poverty status, and health insurance characteristics. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>). Suggested citation: Adams PF, Martinez ME, Benson V. Tables of Summary Health Statistics for the U.S. Population: 2013 National Health Interview Survey, 2015. Available from: <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: CDC/NCHS, National Health Interview Survey, 2013.