

Table A-16a. Age-adjusted percent distributions (with standard errors) of having a usual place of health care and of type of place, among adults aged 18 and over, by selected characteristics: United States, 2014

Selected characteristic	All adults aged 18 and over	Does not have a usual place of health care ¹	Has a usual place of health care ¹	All adults aged 18 and over with a usual place of health care	Doctor's office or HMO ¹	Clinic or health center ¹	Hospital emergency room ¹	Hospital outpatient department ¹	Some other place ¹	
Total	100.0	14.5 (0.29)	85.5 (0.29)	100.0	73.4 (0.45)	22.7 (0.43)	1.3 (0.09)	1.4 (0.10)	1.1 (0.09)	
Sex										
Male	100.0	19.1 (0.45)	80.9 (0.45)	100.0	72.5 (0.59)	22.9 (0.55)	1.4 (0.14)	1.9 (0.17)	1.4 (0.15)	
Female	100.0	10.0 (0.33)	90.0 (0.33)	100.0	74.1 (0.57)	22.6 (0.55)	1.3 (0.12)	1.1 (0.11)	0.9 (0.10)	
Age (years)										
18–44	100.0	20.9 (0.47)	79.1 (0.47)	100.0	69.0 (0.66)	26.2 (0.64)	1.9 (0.15)	1.6 (0.16)	1.3 (0.14)	
45–64	100.0	9.8 (0.47)	90.2 (0.47)	100.0	76.4 (0.61)	20.6 (0.57)	0.8 (0.12)	1.4 (0.14)	0.8 (0.12)	
65–74	100.0	3.2 (0.30)	96.8 (0.30)	100.0	80.2 (0.78)	17.0 (0.72)	*0.5 (0.16)	1.3 (0.27)	0.9 (0.20)	
75 and over	100.0	2.1 (0.31)	97.9 (0.31)	100.0	83.1 (0.87)	14.2 (0.83)	*0.6 (0.19)	0.9 (0.17)	1.2 (0.28)	
Race										
One race ²	100.0	14.4 (0.29)	85.6 (0.29)	100.0	73.5 (0.46)	22.7 (0.44)	1.3 (0.09)	1.4 (0.10)	1.1 (0.09)	
White	100.0	14.5 (0.33)	85.5 (0.33)	100.0	74.2 (0.51)	22.5 (0.49)	1.0 (0.10)	1.1 (0.10)	1.2 (0.11)	
Black or African American	100.0	13.7 (0.66)	86.3 (0.66)	100.0	69.5 (0.97)	23.1 (0.91)	3.3 (0.36)	3.3 (0.42)	0.7 (0.15)	
American Indian or Alaska Native	100.0	17.2 (3.21)	82.8 (3.21)	100.0	41.8 (5.02)	50.7 (4.47)	*	*	*2.1 (0.95)	
Asian	100.0	14.9 (0.99)	85.1 (0.99)	100.0	77.3 (1.40)	20.3 (1.34)	*0.2 (0.10)	1.1 (0.31)	*1.0 (0.30)	
Native Hawaiian or Other Pacific Islander	100.0	*10.7 (4.37)	89.3 (4.37)	100.0	64.4 (9.92)	35.6 (9.92)	-	-	-	
Two or more races ³	100.0	18.1 (2.45)	81.9 (2.45)	100.0	65.4 (2.85)	27.6 (2.69)	*3.3 (1.27)	*1.6 (0.61)	*2.1 (0.76)	
Black or African American, white	100.0	*13.5 (4.08)	86.5 (4.08)	100.0	65.5 (7.22)	30.3 (7.38)	*	*	*	
American Indian or Alaska Native, white	100.0	19.5 (3.79)	80.5 (3.79)	100.0	58.1 (4.53)	33.4 (4.34)	*	*	*	
Hispanic or Latino origin ⁴ and race										
Hispanic or Latino	100.0	21.4 (0.68)	78.6 (0.68)	100.0	57.4 (1.07)	38.3 (1.03)	1.6 (0.22)	1.9 (0.25)	0.7 (0.15)	
Mexican or Mexican American	100.0	22.4 (0.87)	77.6 (0.87)	100.0	53.6 (1.40)	42.7 (1.34)	1.5 (0.28)	1.3 (0.26)	0.9 (0.24)	
Not Hispanic or Latino	100.0	12.9 (0.31)	87.1 (0.31)	100.0	76.1 (0.46)	20.1 (0.45)	1.3 (0.10)	1.4 (0.11)	1.2 (0.10)	
White, single race	100.0	12.6 (0.35)	87.4 (0.35)	100.0	77.5 (0.53)	19.3 (0.51)	0.9 (0.10)	1.0 (0.11)	1.3 (0.13)	
Black or African American, single race	100.0	13.4 (0.67)	86.6 (0.67)	100.0	70.0 (1.00)	22.4 (0.93)	3.4 (0.38)	3.5 (0.44)	0.7 (0.16)	

Table A-16a. Age-adjusted percent distributions (with standard errors) of having a usual place of health care and of type of place, among adults aged 18 and over, by selected characteristics: United States, 2014

Selected characteristic	All adults aged 18 and over	Does not have a usual place of health care ¹	Has a usual place of health care ¹	All adults aged 18 and over with a usual place of health care	Doctor's office or HMO ¹	Clinic or health center ¹	Hospital emergency room ¹	Hospital outpatient department ¹	Some other place ¹
Education⁵									
Less than a high school diploma	100.0	20.9 (0.84)	79.1 (0.84)	100.0	55.0 (1.20)	37.9 (1.17)	3.2 (0.40)	2.7 (0.39)	1.2 (0.29)
High school diploma or GED ⁶	100.0	16.5 (0.63)	83.5 (0.63)	100.0	71.2 (0.84)	24.1 (0.81)	2.2 (0.29)	1.7 (0.25)	0.8 (0.14)
Some college	100.0	11.7 (0.51)	88.3 (0.51)	100.0	75.5 (0.69)	20.8 (0.66)	1.0 (0.18)	1.4 (0.16)	1.3 (0.16)
Bachelor's degree or higher	100.0	9.8 (0.40)	90.2 (0.40)	100.0	82.6 (0.62)	15.3 (0.59)	0.3 (0.06)	0.7 (0.12)	1.1 (0.14)
Current employment status⁷									
Employed	100.0	14.8 (0.36)	85.2 (0.36)	100.0	75.7 (0.56)	21.1 (0.53)	1.0 (0.09)	1.2 (0.14)	1.0 (0.11)
Full-time	100.0	15.1 (0.45)	84.9 (0.45)	100.0	77.3 (0.62)	20.0 (0.61)	0.8 (0.10)	0.9 (0.11)	1.0 (0.14)
Part-time	100.0	14.5 (0.74)	85.5 (0.74)	100.0	69.3 (1.19)	25.9 (1.12)	1.5 (0.29)	2.1 (0.41)	1.2 (0.24)
Not employed but has worked previously	100.0	14.2 (0.60)	85.8 (0.60)	100.0	69.0 (0.84)	25.2 (0.83)	2.5 (0.29)	2.0 (0.25)	1.3 (0.23)
Not employed and has never worked	100.0	15.0 (1.12)	85.0 (1.12)	100.0	64.9 (1.77)	30.9 (1.68)	1.4 (0.39)	2.0 (0.47)	*0.9 (0.27)
Family income⁸									
Less than \$35,000	100.0	21.1 (0.52)	78.9 (0.52)	100.0	59.7 (0.75)	33.5 (0.70)	2.9 (0.23)	2.5 (0.24)	1.4 (0.18)
\$35,000 or more	100.0	11.8 (0.35)	88.2 (0.35)	100.0	78.7 (0.54)	18.6 (0.52)	0.6 (0.08)	1.0 (0.11)	1.0 (0.11)
\$35,000–\$49,999	100.0	17.7 (0.82)	82.3 (0.82)	100.0	70.5 (1.12)	25.6 (1.08)	1.2 (0.21)	1.5 (0.27)	1.2 (0.25)
\$50,000–\$74,999	100.0	14.4 (0.73)	85.6 (0.73)	100.0	75.6 (0.99)	21.7 (0.96)	0.7 (0.15)	1.1 (0.21)	0.9 (0.20)
\$75,000–\$99,999	100.0	9.9 (0.74)	90.1 (0.74)	100.0	79.9 (0.98)	17.4 (0.92)	*0.7 (0.26)	0.9 (0.23)	1.1 (0.26)
\$100,000 or more	100.0	8.0 (0.52)	92.0 (0.52)	100.0	83.4 (0.76)	14.4 (0.71)	*0.3 (0.12)	0.9 (0.20)	1.0 (0.20)
Poverty status⁹									
Poor	100.0	21.4 (0.76)	78.6 (0.76)	100.0	54.2 (1.07)	38.0 (0.99)	3.7 (0.37)	2.8 (0.35)	1.3 (0.24)
Near poor	100.0	19.7 (0.66)	80.3 (0.66)	100.0	64.0 (0.96)	30.5 (0.89)	1.9 (0.26)	2.2 (0.30)	1.3 (0.22)
Not poor	100.0	11.4 (0.34)	88.6 (0.34)	100.0	79.3 (0.50)	17.9 (0.48)	0.6 (0.08)	1.0 (0.11)	1.1 (0.11)

Table A-16a. Age-adjusted percent distributions (with standard errors) of having a usual place of health care and of type of place, among adults aged 18 and over, by selected characteristics: United States, 2014

Selected characteristic	All adults aged 18 and over	Does not have a usual place of health care ¹	Has a usual place of health care ¹	All adults aged 18 and over with a usual place of health care	Doctor's office or HMO ¹	Clinic or health center ¹	Hospital emergency room ¹	Hospital outpatient department ¹	Some other place ¹
Health insurance coverage ¹⁰									
Under 65:									
Private	100.0	10.9 (0.38)	89.1 (0.38)	100.0	79.5 (0.54)	18.3 (0.52)	0.4 (0.08)	0.9 (0.11)	0.9 (0.11)
Medicaid	100.0	9.1 (0.66)	90.9 (0.66)	100.0	60.7 (1.20)	33.9 (1.14)	2.6 (0.34)	2.2 (0.34)	0.6 (0.16)
Other	100.0	7.7 (1.36)	92.3 (1.36)	100.0	55.4 (2.40)	32.6 (2.21)	*2.5 (0.92)	7.2 (1.35)	2.4 (0.65)
Uninsured	100.0	47.6 (1.01)	52.4 (1.01)	100.0	38.8 (1.50)	48.5 (1.47)	7.1 (0.64)	2.7 (0.44)	3.0 (0.44)
65 and over:									
Private	100.0	1.9 (0.27)	98.1 (0.27)	100.0	84.4 (0.78)	13.9 (0.75)	*0.4 (0.12)	0.5 (0.13)	0.7 (0.19)
Medicare and Medicaid	100.0	2.2 (0.59)	97.8 (0.59)	100.0	68.7 (2.44)	25.9 (2.07)	*1.0 (0.49)	2.8 (0.70)	*
Medicare only	100.0	3.5 (0.44)	96.5 (0.44)	100.0	84.9 (0.98)	13.1 (0.92)	*0.8 (0.30)	0.4 (0.11)	*0.8 (0.24)
Other	100.0	*0.6 (0.23)	99.4 (0.23)	100.0	62.7 (2.51)	26.6 (2.42)	-	6.7 (1.47)	4.0 (0.90)
Uninsured	100.0	37.7 (8.94)	62.3 (8.94)	100.0	25.6 (7.30)	74.3 (7.29)	*	-	-
Marital status									
Married	100.0	11.4 (0.39)	88.6 (0.39)	100.0	77.3 (0.55)	20.1 (0.54)	0.8 (0.11)	0.9 (0.11)	0.9 (0.11)
Widowed	100.0	*12.2 (3.78)	87.8 (3.78)	100.0	72.6 (4.45)	23.2 (4.15)	*	*	*0.7 (0.28)
Divorced or separated	100.0	14.3 (0.72)	85.7 (0.72)	100.0	69.9 (0.98)	24.1 (0.95)	2.2 (0.33)	2.4 (0.42)	1.4 (0.32)
Never married	100.0	17.8 (0.59)	82.2 (0.59)	100.0	68.1 (0.90)	26.2 (0.81)	1.9 (0.20)	2.3 (0.31)	1.5 (0.23)
Living with a partner	100.0	19.8 (1.06)	80.2 (1.06)	100.0	65.5 (1.65)	29.0 (1.55)	2.7 (0.55)	1.6 (0.41)	1.2 (0.31)
Place of residence ¹¹									
Large MSA	100.0	15.3 (0.38)	84.7 (0.38)	100.0	76.7 (0.51)	19.4 (0.48)	1.2 (0.11)	1.6 (0.15)	1.0 (0.12)
Small MSA	100.0	13.3 (0.53)	86.7 (0.53)	100.0	71.9 (0.96)	24.2 (0.93)	1.5 (0.18)	1.1 (0.14)	1.3 (0.18)
Not in MSA	100.0	13.6 (0.67)	86.4 (0.67)	100.0	63.9 (1.56)	32.0 (1.58)	1.7 (0.30)	1.4 (0.30)	1.0 (0.18)
Region									
Northeast	100.0	10.3 (0.58)	89.7 (0.58)	100.0	83.1 (0.84)	12.9 (0.71)	1.0 (0.20)	2.1 (0.34)	0.8 (0.24)
Midwest	100.0	12.1 (0.53)	87.9 (0.53)	100.0	67.4 (1.16)	28.9 (1.15)	1.5 (0.20)	1.3 (0.20)	1.0 (0.17)
South	100.0	16.1 (0.50)	83.9 (0.50)	100.0	75.0 (0.72)	20.8 (0.70)	1.8 (0.17)	1.3 (0.15)	1.1 (0.15)
West	100.0	17.0 (0.60)	83.0 (0.60)	100.0	69.1 (0.90)	27.2 (0.85)	0.7 (0.10)	1.4 (0.19)	1.6 (0.19)

Table A-16a. Age-adjusted percent distributions (with standard errors) of having a usual place of health care and of type of place, among adults aged 18 and over, by selected characteristics: United States, 2014

Selected characteristic	All adults aged 18 and over	Does not have a usual place of health care ¹	Has a usual place of health care ¹	All adults aged 18 and over with a usual place of health care	Doctor's office or HMO ¹	Clinic or health center ¹	Hospital emergency room ¹	Hospital outpatient department ¹	Some other place ¹
Hispanic or Latino origin ⁴ , race, and sex									
Hispanic or Latino, male	100.0	26.8 (1.03)	73.2 (1.03)	100.0	58.4 (1.53)	36.8 (1.49)	1.5 (0.34)	2.4 (0.42)	*0.9 (0.28)
Hispanic or Latina, female	100.0	15.7 (0.79)	84.3 (0.79)	100.0	56.4 (1.32)	39.7 (1.30)	1.8 (0.29)	1.5 (0.26)	0.6 (0.16)
Not Hispanic or Latino:									
White, single race, male	100.0	16.8 (0.57)	83.2 (0.57)	100.0	76.3 (0.74)	19.7 (0.68)	0.9 (0.16)	1.4 (0.20)	1.6 (0.22)
White, single race, female	100.0	8.5 (0.43)	91.5 (0.43)	100.0	78.5 (0.67)	18.9 (0.65)	0.9 (0.14)	0.6 (0.11)	1.1 (0.15)
Black or African American, single race, male	100.0	19.0 (1.10)	81.0 (1.10)	100.0	68.2 (1.62)	22.5 (1.48)	3.8 (0.64)	4.4 (0.74)	1.2 (0.34)
Black or African American, single race, female	100.0	8.7 (0.78)	91.3 (0.78)	100.0	71.6 (1.25)	22.2 (1.17)	3.1 (0.41)	2.8 (0.52)	*0.4 (0.15)

* Estimates are considered unreliable. Data preceded by an asterisk have a relative standard error (RSE) greater than 30% and less than or equal to 50% and should be used with caution. Data not shown have an RSE greater than 50%.
 - Quantity zero.

¹Based on a survey question that asked respondents, "Is there a place that you usually go to when you are sick or need advice about your health?" and if there was at least one such place, a follow-up question was asked: "What kind of place [is it] do you go to most often? -- a clinic, a doctor's office, an emergency room, or some other place?" The response categories for this second question were: "clinic or health center," "doctor's office or HMO," "hospital emergency room," "hospital outpatient department," "some other place," and "doesn't go to one place most often." For this table, persons who report that they do not know the kind of place, do not go to one place most often, or refuse to answer the follow-up question are defined as having an unknown usual place of care and are not shown. Persons who report the emergency department as their usual place of care are defined as having a usual place of care. Readers should be aware that estimates in this table may differ from tabular results in both NCHS' Health United States and the National Health Interview Survey Early Release reports because in those reports persons who identify the emergency department as their usual place of care are defined as having no usual place of care. Note that in this table, data for hospital emergency room and hospital outpatient department are shown in separate categories; Adult Summary Health Statistics tables for 2013 and earlier combined these into a single category.

HMO is health maintenance organization.

²Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

³Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

⁴Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

⁵Shown only for adults aged 25 and over. Estimates are age adjusted to the projected 2000 U.S. population as the standard population using four age groups: 25-44, 45-64, 65-74, and 75 and over.

⁶GED is General Educational Development high school equivalency diploma.

⁷"Full-time" employment is 35 or more hours per week. "Part-time" employment is 34 or fewer hours per week.

⁸Includes persons in families that reported either a dollar amount or would not provide a dollar amount but provided an income interval.

⁹"Poor" persons live in families defined as below the poverty threshold. "Near poor" persons live in families with incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons live in families with incomes that are 200% of the poverty threshold or greater.

¹⁰Based on a hierarchy of mutually exclusive categories. Adults with more than one type of health insurance were assigned to the first appropriate category in the hierarchy. "Uninsured" includes adults who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

¹¹MSA is metropolitan statistical area. Large MSAs have a population size of 1 million or more; small MSAs have a population size of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on data from the Sample Adult file and was weighted using the Sample Adult weight. Unknowns for the columns were not included in the denominators when calculating percentages. Percentages may not add to totals due to rounding. "Total" includes other races not shown separately and persons with unknown education, family income, poverty status, and health insurance characteristics. Unless otherwise specified, estimates are age-adjusted using the projected 2000 U.S. population as the standard population and using four age groups: 18-44, 45-64, 65-74, and 75 and over. Estimates for age groups are not age-adjusted. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>). Suggested citation: Blackwell DL, Lucas JW. Tables of Summary Health Statistics for U.S. Adults: 2014 National Health Interview Survey. 2015. Available from: <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: CDC/NCHS, National Health Interview Survey, 2014.

Table A-16b. Frequency distributions (in thousands) of having a usual place of health care and of type of place, among adults aged 18 and over, by selected characteristics: United States, 2014

Selected characteristic	All adults aged 18 and over	Does not have usual place of health care ¹	Has usual place of health care ¹	Doctor's office or HMO ¹	Clinic or health center ¹	Hospital emergency room ¹	Hospital outpatient department ¹	Some other place ¹
Total	239,688	32,448	205,277	151,128	44,692	2,447	2,867	2,211
Sex								
Male	115,541	20,956	93,550	67,804	20,445	1,163	1,727	1,247
Female	124,148	11,492	111,727	83,325	24,248	1,284	1,140	964
Age (years)								
18–44	112,149	23,253	88,051	59,903	22,757	1,627	1,362	1,141
45–64	82,605	7,988	73,915	56,067	15,089	589	1,010	615
65–74	26,362	828	25,338	20,248	4,298	*125	329	239
75 and over	18,573	379	17,972	14,911	2,549	*107	166	217
Race								
One race ²	235,831	31,730	202,164	149,112	43,822	2,339	2,817	2,147
White	190,462	25,213	163,627	122,127	34,880	1,469	1,790	1,826
Black or African American	29,355	4,047	25,077	17,284	5,751	813	838	173
American Indian or Alaska Native	1,948	336	1,611	686	796	*	*	*36
Asian	13,733	2,093	11,557	8,819	2,299	*27	126	*112
Native Hawaiian or Other Pacific Islander	333	*41	292	*196	*96	-	-	-
Two or more races ³	3,858	718	3,113	2,016	870	*108	*50	*64
Black or African American, white	760	123	637	435	171	*	*	*
American Indian or Alaska Native, white	1,590	308	1,256	754	398	*	*	*
Hispanic or Latino origin ⁴ and race								
Hispanic or Latino	36,571	8,602	27,752	15,572	10,624	464	514	201
Mexican or Mexican American	22,326	5,600	16,576	8,570	7,165	248	195	133
Not Hispanic or Latino	203,117	23,845	177,525	135,556	34,068	1,983	2,353	2,010
White, single race	157,364	17,349	138,575	108,002	25,350	1,049	1,322	1,660
Black or African American, single race	27,875	3,748	23,903	16,616	5,304	794	826	169

Table A-16b. Frequency distributions (in thousands) of having a usual place of health care and of type of place, among adults aged 18 and over, by selected characteristics: United States, 2014

Selected characteristic	All adults aged 18 and over	Does not have usual place of health care ¹	Has usual place of health care ¹	Doctor's office or HMO ¹	Clinic or health center ¹	Hospital emergency room ¹	Hospital outpatient department ¹	Some other place ¹
Education ⁵								
Less than a high school diploma	27,612	4,902	22,500	13,411	7,465	596	547	244
High school diploma or GED ⁶	52,697	7,412	44,697	32,474	9,974	756	696	366
Some college	59,919	6,751	52,698	39,533	10,854	492	753	635
Bachelor's degree or higher	67,940	6,506	60,926	50,213	9,108	146	419	607
Current employment status ⁷								
Employed	146,624	23,069	122,353	90,855	26,295	1,204	1,457	1,253
Full-time	117,112	18,538	97,677	74,117	19,880	818	905	953
Part-time	27,205	4,202	22,718	15,346	5,993	352	491	280
Not employed but has worked previously	79,316	7,411	71,237	52,669	14,931	1,069	1,188	844
Not employed and has never worked	13,623	1,962	11,571	7,527	3,433	174	222	*108
Family income ⁸								
Less than \$35,000	69,793	13,540	55,616	34,133	17,218	1,388	1,332	757
\$35,000 or more	144,503	16,398	127,156	99,728	23,270	703	1,281	1,234
\$35,000–\$49,999	28,044	4,763	23,090	16,404	5,664	253	323	274
\$50,000–\$74,999	35,733	4,877	30,646	23,058	6,409	187	358	271
\$75,000–\$99,999	27,053	2,578	24,285	19,276	4,186	*144	230	232
\$100,000 or more	53,673	4,180	49,135	40,991	7,010	*118	370	456
Poverty status ⁹								
Poor	31,383	7,054	23,994	12,724	9,018	899	657	308
Near poor	42,675	8,012	34,439	22,198	9,919	597	765	437
Not poor	152,199	15,791	135,233	107,506	23,395	737	1,310	1,398

Table A-16b. Frequency distributions (in thousands) of having a usual place of health care and of type of place, among adults aged 18 and over, by selected characteristics: United States, 2014

Selected characteristic	All adults aged 18 and over	Does not have usual place of health care ¹	Has usual place of health care ¹	Doctor's office or HMO ¹	Clinic or health center ¹	Hospital emergency room ¹	Hospital outpatient department ¹	Some other place ¹
Health insurance coverage ¹⁰								
Under 65:								
Private	129,666	13,182	115,499	91,900	20,357	463	933	982
Medicaid	23,239	2,119	20,919	12,639	7,063	538	455	124
Other	9,095	533	8,522	4,971	2,677	*122	565	182
Uninsured	31,587	15,084	16,203	5,991	7,455	1,079	411	457
65 and over:								
Private	22,525	432	21,948	18,493	3,072	*83	109	154
Medicare and Medicaid	2,951	68	2,857	1,952	740	*29	79	*
Medicare only	15,536	557	14,776	12,454	1,958	*120	60	*119
Other	3,513	*22	3,450	2,119	938	-	247	137
Uninsured	313	128	184	*52	132	-	-	-
Marital status								
Married	126,926	12,563	113,440	88,416	21,555	702	1,025	948
Widowed	14,312	574	13,634	10,871	2,303	99	154	184
Divorced or separated	26,802	3,436	23,103	16,243	5,424	391	576	277
Never married	53,788	11,669	41,682	27,116	11,513	854	874	611
Living with a partner	17,497	4,151	13,117	8,245	3,867	400	238	165
Place of residence ¹¹								
Large MSA	130,402	19,281	110,199	84,350	20,654	1,197	1,755	1,097
Small MSA	73,885	9,081	64,164	46,507	14,691	847	709	810
Not in MSA	35,402	4,087	30,915	20,271	9,347	403	403	304
Region								
Northeast	41,490	3,794	37,390	31,324	4,551	343	707	264
Midwest	55,095	6,331	48,092	32,395	13,582	630	569	462
South	89,270	13,436	75,144	56,582	14,748	1,197	961	778
West	53,834	8,887	44,651	30,828	11,812	277	630	707

Table A-16b. Frequency distributions (in thousands) of having a usual place of health care and of type of place, among adults aged 18 and over, by selected characteristics: United States, 2014

Selected characteristic	All adults aged 18 and over	Does not have usual place of health care ¹	Has usual place of health care ¹	Doctor's office or HMO ¹	Clinic or health center ¹	Hospital emergency room ¹	Hospital outpatient department ¹	Some other place ¹
Hispanic or Latino origin ⁴ , race, and sex								
Hispanic or Latino, male	18,309	5,538	12,691	7,271	4,635	184	297	103
Hispanic or Latina, female	18,262	3,064	15,061	8,300	5,989	279	217	97
Not Hispanic or Latino:								
White, single race, male	76,277	11,394	64,109	49,077	11,953	519	897	920
White, single race, female	81,087	5,954	74,467	58,925	13,397	530	426	740
Black or African American, single race, male	12,626	2,424	10,065	6,729	2,263	381	456	114
Black or African American, single race, female	15,249	1,324	13,838	9,887	3,042	413	370	*54

* Estimates are considered unreliable. Data preceded by an asterisk have a relative standard error (RSE) greater than 30% and less than or equal to 50% and should be used with caution. Data not shown have an RSE greater than 50%.

- Quantity zero.

¹Based on a survey question that asked respondents, "Is there a place that you usually go to when you are sick or need advice about your health?" and if there was at least one such place, a follow-up question was asked: "What kind of place [is it/do you go to most often] -- a clinic, a doctor's office, an emergency room, or some other place?" The response categories for this second question were: "clinic or health center," "doctor's office or HMO," "hospital emergency room," "hospital outpatient department," "some other place," and "doesn't go to one place most often." For this table, persons who report that they do not know the kind of place, do not go to one place most often, or refuse to answer the follow-up question are defined as having an unknown usual place of care and are not shown. Persons who report the emergency department as their usual place of care are defined as having a usual place of care. Readers should be aware that estimates in this table may differ from tabular results in both NCHS' Health United States and the National Health Interview Survey Early Release reports because in those reports persons who identify the emergency department as their usual place of care are defined as having no usual place of care. Note that in this table, data for hospital emergency room and hospital outpatient department are shown in separate categories; Adult Summary Health Statistics tables for 2013 and earlier combined these into a single category.

HMO is health maintenance organization.

²Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

³Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

⁴Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

⁵Shown only for adults aged 25 and over.

⁶GED is General Educational Development high school equivalency diploma.

⁷"Full-time" employment is 35 or more hours per week. "Part-time" employment is 34 or fewer hours per week.

⁸Includes persons in families that reported either a dollar amount or would not provide a dollar amount but provided an income interval.

⁹"Poor" persons live in families defined as below the poverty threshold. "Near poor" persons live in families with incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons live in families with incomes that are 200% of the poverty threshold or greater.

¹⁰Based on a hierarchy of mutually exclusive categories. Adults with more than one type of health insurance were assigned to the first appropriate category in the hierarchy. "Uninsured" includes adults who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

¹¹MSA is metropolitan statistical area. Large MSAs have a population size of 1 million or more; small MSAs have a population size of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on data from the Sample Adult file and was weighted using the Sample Adult weight. Unknowns for the columns were not included in the frequencies, but they are included in the "All adults aged 18 and over" column. "Total" includes other races not shown separately and persons with unknown education, family income, poverty status, and health insurance characteristics. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>). Suggested citation: Blackwell DL, Lucas JW. Tables of Summary Health Statistics for U.S. Adults: 2014 National Health Interview Survey. 2015. Available from: <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: CDC/NCHS, National Health Interview Survey, 2014.

Table A-16c. Crude percent distributions (with standard errors) of having a usual place of health care and of type of place, among adults aged 18 and over, by selected characteristics: United States, 2014

Selected characteristic	All adults aged 18 and over	Does not have a usual place of health care ¹	Has a usual place of health care ¹	All adults aged 18 and over with a usual place of health care	Doctor's office or HMO ¹	Clinic or health center ¹	Hospital emergency room ¹	Hospital outpatient department ¹	Some other place ¹	
Total	100.0	13.6 (0.28)	86.4 (0.28)	100.0	74.3 (0.43)	22.0 (0.41)	1.2 (0.08)	1.4 (0.10)	1.1 (0.08)	
Sex										
Male	100.0	18.3 (0.46)	81.7 (0.46)	100.0	73.4 (0.57)	22.1 (0.52)	1.3 (0.13)	1.9 (0.16)	1.3 (0.14)	
Female	100.0	9.3 (0.31)	90.7 (0.31)	100.0	75.1 (0.53)	21.9 (0.51)	1.2 (0.11)	1.0 (0.10)	0.9 (0.09)	
Age (years)										
18–44	100.0	20.9 (0.47)	79.1 (0.47)	100.0	69.0 (0.66)	26.2 (0.64)	1.9 (0.15)	1.6 (0.16)	1.3 (0.14)	
45–64	100.0	9.8 (0.47)	90.2 (0.47)	100.0	76.4 (0.61)	20.6 (0.57)	0.8 (0.12)	1.4 (0.14)	0.8 (0.12)	
65–74	100.0	3.2 (0.30)	96.8 (0.30)	100.0	80.2 (0.78)	17.0 (0.72)	*0.5 (0.16)	1.3 (0.27)	0.9 (0.20)	
75 and over	100.0	2.1 (0.31)	97.9 (0.31)	100.0	83.1 (0.87)	14.2 (0.83)	*0.6 (0.19)	0.9 (0.17)	1.2 (0.28)	
Race										
One race ²	100.0	13.6 (0.28)	86.4 (0.28)	100.0	74.5 (0.44)	21.9 (0.42)	1.2 (0.08)	1.4 (0.10)	1.1 (0.08)	
White	100.0	13.4 (0.32)	86.6 (0.32)	100.0	75.3 (0.48)	21.5 (0.46)	0.9 (0.08)	1.1 (0.09)	1.1 (0.10)	
Black or African American	100.0	13.9 (0.68)	86.1 (0.68)	100.0	69.5 (0.96)	23.1 (0.89)	3.3 (0.37)	3.4 (0.41)	0.7 (0.15)	
American Indian or Alaska Native	100.0	17.3 (3.25)	82.7 (3.25)	100.0	42.6 (5.10)	49.4 (4.61)	*	*	*2.2 (1.01)	
Asian	100.0	15.3 (1.03)	84.7 (1.03)	100.0	77.5 (1.40)	20.2 (1.34)	*0.2 (0.10)	1.1 (0.30)	*1.0 (0.30)	
Native Hawaiian or Other Pacific Islander	100.0	*12.2 (5.64)	87.8 (5.64)	100.0	67.2 (10.74)	*32.8 (10.74)	-	-	-	
Two or more races ³	100.0	18.7 (2.37)	81.3 (2.37)	100.0	64.9 (2.94)	28.0 (2.74)	*3.5 (1.46)	*1.6 (0.62)	*2.1 (0.72)	
Black or African American, white	100.0	16.2 (4.01)	83.8 (4.01)	100.0	68.3 (6.35)	26.9 (6.18)	*	*	*	
American Indian or Alaska Native, white	100.0	19.7 (4.51)	80.3 (4.51)	100.0	60.3 (4.35)	31.8 (4.04)	*	*	*	
Hispanic or Latino origin ⁴ and race										
Hispanic or Latino	100.0	23.7 (0.77)	76.3 (0.77)	100.0	56.9 (1.08)	38.8 (1.05)	1.7 (0.22)	1.9 (0.25)	0.7 (0.15)	
Mexican or Mexican American	100.0	25.3 (0.98)	74.7 (0.98)	100.0	52.5 (1.39)	43.9 (1.36)	1.5 (0.27)	1.2 (0.23)	0.8 (0.21)	
Not Hispanic or Latino	100.0	11.8 (0.30)	88.2 (0.30)	100.0	77.0 (0.44)	19.4 (0.42)	1.1 (0.09)	1.3 (0.10)	1.1 (0.09)	
White, single race	100.0	11.1 (0.33)	88.9 (0.33)	100.0	78.6 (0.49)	18.5 (0.48)	0.8 (0.09)	1.0 (0.10)	1.2 (0.11)	
Black or African American, single race	100.0	13.6 (0.68)	86.4 (0.68)	100.0	70.1 (0.98)	22.4 (0.91)	3.3 (0.38)	3.5 (0.43)	0.7 (0.15)	

Table A-16c. Crude percent distributions (with standard errors) of having a usual place of health care and of type of place, among adults aged 18 and over, by selected characteristics: United States, 2014

Selected characteristic	All adults aged 18 and over	Does not have a usual place of health care ¹	Has a usual place of health care ¹	All adults aged 18 and over with a usual place of health care	Doctor's office or HMO ¹	Clinic or health center ¹	Hospital emergency room ¹	Hospital outpatient department ¹	Some other place ¹
Education⁵									
Less than a high school diploma	100.0	17.9 (0.78)	82.1 (0.78)	100.0	60.2 (1.14)	33.5 (1.08)	2.7 (0.32)	2.5 (0.32)	1.1 (0.26)
High school diploma or GED ⁶	100.0	14.2 (0.56)	85.8 (0.56)	100.0	73.4 (0.78)	22.5 (0.74)	1.7 (0.23)	1.6 (0.22)	0.8 (0.15)
Some college	100.0	11.4 (0.53)	88.6 (0.53)	100.0	75.6 (0.69)	20.8 (0.66)	0.9 (0.15)	1.4 (0.16)	1.2 (0.15)
Bachelor's degree or higher	100.0	9.6 (0.40)	90.4 (0.40)	100.0	83.0 (0.60)	15.1 (0.58)	0.2 (0.06)	0.7 (0.11)	1.0 (0.13)
Current employment status⁷									
Employed	100.0	15.9 (0.39)	84.1 (0.39)	100.0	75.0 (0.53)	21.7 (0.51)	1.0 (0.10)	1.2 (0.12)	1.0 (0.10)
Full-time	100.0	16.0 (0.44)	84.0 (0.44)	100.0	76.7 (0.56)	20.6 (0.54)	0.8 (0.10)	0.9 (0.10)	1.0 (0.11)
Part-time	100.0	15.6 (0.79)	84.4 (0.79)	100.0	68.3 (1.22)	26.7 (1.14)	1.6 (0.31)	2.2 (0.44)	1.2 (0.25)
Not employed but has worked previously	100.0	9.4 (0.38)	90.6 (0.38)	100.0	74.5 (0.62)	21.1 (0.59)	1.5 (0.16)	1.7 (0.17)	1.2 (0.15)
Not employed and has never worked	100.0	14.5 (1.06)	85.5 (1.06)	100.0	65.7 (1.67)	29.9 (1.59)	1.5 (0.42)	1.9 (0.39)	*0.9 (0.29)
Family income⁸									
Less than \$35,000	100.0	19.6 (0.50)	80.4 (0.50)	100.0	62.3 (0.70)	31.4 (0.66)	2.5 (0.19)	2.4 (0.22)	1.4 (0.18)
\$35,000 or more	100.0	11.4 (0.37)	88.6 (0.37)	100.0	79.0 (0.52)	18.4 (0.50)	0.6 (0.07)	1.0 (0.11)	1.0 (0.10)
\$35,000–\$49,999	100.0	17.1 (0.82)	82.9 (0.82)	100.0	71.6 (1.07)	24.7 (1.04)	1.1 (0.20)	1.4 (0.25)	1.2 (0.25)
\$50,000–\$74,999	100.0	13.7 (0.69)	86.3 (0.69)	100.0	76.1 (0.95)	21.2 (0.92)	0.6 (0.13)	1.2 (0.24)	0.9 (0.18)
\$75,000–\$99,999	100.0	9.6 (0.71)	90.4 (0.71)	100.0	80.1 (0.94)	17.4 (0.89)	*0.6 (0.23)	1.0 (0.22)	1.0 (0.22)
\$100,000 or more	100.0	7.8 (0.56)	92.2 (0.56)	100.0	83.7 (0.71)	14.3 (0.68)	*0.2 (0.09)	0.8 (0.17)	0.9 (0.17)
Poverty status⁹									
Poor	100.0	22.7 (0.81)	77.3 (0.81)	100.0	53.9 (1.09)	38.2 (1.01)	3.8 (0.38)	2.8 (0.35)	1.3 (0.24)
Near poor	100.0	18.9 (0.65)	81.1 (0.65)	100.0	65.5 (0.92)	29.2 (0.84)	1.8 (0.23)	2.3 (0.31)	1.3 (0.21)
Not poor	100.0	10.5 (0.34)	89.5 (0.34)	100.0	80.0 (0.47)	17.4 (0.46)	0.5 (0.07)	1.0 (0.10)	1.0 (0.10)

Table A-16c. Crude percent distributions (with standard errors) of having a usual place of health care and of type of place, among adults aged 18 and over, by selected characteristics: United States, 2014

Selected characteristic	All adults aged 18 and over	Does not have a usual place of health care ¹	Has a usual place of health care ¹	All adults aged 18 and over with a usual place of health care	Doctor's office or HMO ¹	Clinic or health center ¹	Hospital emergency room ¹	Hospital outpatient department ¹	Some other place ¹
Health insurance coverage¹⁰									
Under 65:									
Private	100.0	10.2 (0.37)	89.8 (0.37)	100.0	80.2 (0.52)	17.8 (0.50)	0.4 (0.07)	0.8 (0.10)	0.9 (0.10)
Medicaid	100.0	9.2 (0.67)	90.8 (0.67)	100.0	60.7 (1.20)	33.9 (1.14)	2.6 (0.34)	2.2 (0.34)	0.6 (0.16)
Other	100.0	5.9 (0.85)	94.1 (0.85)	100.0	58.4 (1.87)	31.4 (1.76)	*1.4 (0.50)	6.6 (0.95)	2.1 (0.53)
Uninsured	100.0	48.2 (1.03)	51.8 (1.03)	100.0	38.9 (1.49)	48.4 (1.47)	7.0 (0.63)	2.7 (0.44)	3.0 (0.44)
65 and over:									
Private	100.0	1.9 (0.27)	98.1 (0.27)	100.0	84.4 (0.77)	14.0 (0.75)	*0.4 (0.11)	0.5 (0.13)	0.7 (0.18)
Medicare and Medicaid	100.0	2.3 (0.63)	97.7 (0.63)	100.0	68.6 (2.44)	26.0 (2.09)	*1.0 (0.48)	2.8 (0.71)	*
Medicare only	100.0	3.6 (0.44)	96.4 (0.44)	100.0	84.7 (0.97)	13.3 (0.91)	*0.8 (0.30)	0.4 (0.11)	*0.8 (0.25)
Other	100.0	*0.6 (0.25)	99.4 (0.25)	100.0	61.6 (2.55)	27.3 (2.37)	-	7.2 (1.69)	4.0 (0.87)
Uninsured	100.0	41.0 (7.59)	59.0 (7.59)	100.0	*28.1 (8.77)	71.7 (8.77)	*	-	-
Marital status									
Married	100.0	10.0 (0.37)	90.0 (0.37)	100.0	78.5 (0.51)	19.1 (0.50)	0.6 (0.09)	0.9 (0.10)	0.8 (0.10)
Widowed	100.0	4.0 (0.48)	96.0 (0.48)	100.0	79.9 (0.92)	16.9 (0.85)	0.7 (0.18)	1.1 (0.23)	1.4 (0.32)
Divorced or separated	100.0	12.9 (0.57)	87.1 (0.57)	100.0	70.9 (0.83)	23.7 (0.77)	1.7 (0.23)	2.5 (0.33)	1.2 (0.23)
Never married	100.0	21.9 (0.67)	78.1 (0.67)	100.0	66.2 (0.92)	28.1 (0.85)	2.1 (0.21)	2.1 (0.28)	1.5 (0.22)
Living with a partner	100.0	24.0 (1.28)	76.0 (1.28)	100.0	63.8 (1.69)	29.9 (1.57)	3.1 (0.60)	1.8 (0.46)	1.3 (0.33)
Place of residence¹¹									
Large MSA	100.0	14.9 (0.40)	85.1 (0.40)	100.0	77.3 (0.50)	18.9 (0.47)	1.1 (0.10)	1.6 (0.14)	1.0 (0.11)
Small MSA	100.0	12.4 (0.50)	87.6 (0.50)	100.0	73.2 (0.90)	23.1 (0.87)	1.3 (0.17)	1.1 (0.13)	1.3 (0.17)
Not in MSA	100.0	11.7 (0.61)	88.3 (0.61)	100.0	66.0 (1.46)	30.4 (1.46)	1.3 (0.23)	1.3 (0.27)	1.0 (0.18)
Region									
Northeast	100.0	9.2 (0.53)	90.8 (0.53)	100.0	84.2 (0.78)	12.2 (0.66)	0.9 (0.20)	1.9 (0.30)	0.7 (0.19)
Midwest	100.0	11.6 (0.51)	88.4 (0.51)	100.0	68.0 (1.07)	28.5 (1.07)	1.3 (0.18)	1.2 (0.18)	1.0 (0.16)
South	100.0	15.2 (0.51)	84.8 (0.51)	100.0	76.2 (0.70)	19.9 (0.68)	1.6 (0.16)	1.3 (0.15)	1.0 (0.15)
West	100.0	16.6 (0.64)	83.4 (0.64)	100.0	69.7 (0.90)	26.7 (0.85)	0.6 (0.09)	1.4 (0.19)	1.6 (0.18)

Table A-16c. Crude percent distributions (with standard errors) of having a usual place of health care and of type of place, among adults aged 18 and over, by selected characteristics: United States, 2014

Selected characteristic	All adults aged 18 and over	Does not have a usual place of health care ¹	Has a usual place of health care ¹	All adults aged 18 and over with a usual place of health care	Doctor's office or HMO ¹	Clinic or health center ¹	Hospital emergency room ¹	Hospital outpatient department ¹	Some other place ¹
Hispanic or Latino origin ⁴ , race, and sex									
Hispanic or Latino, male	100.0	30.4 (1.19)	69.6 (1.19)	100.0	58.2 (1.54)	37.1 (1.51)	1.5 (0.32)	2.4 (0.44)	0.8 (0.24)
Hispanic or Latina, female	100.0	16.9 (0.86)	83.1 (0.86)	100.0	55.8 (1.35)	40.2 (1.33)	1.9 (0.31)	1.5 (0.27)	0.7 (0.17)
Not Hispanic or Latino:									
White, single race, male	100.0	15.1 (0.55)	84.9 (0.55)	100.0	77.5 (0.67)	18.9 (0.61)	0.8 (0.14)	1.4 (0.18)	1.5 (0.19)
White, single race, female	100.0	7.4 (0.36)	92.6 (0.36)	100.0	79.6 (0.60)	18.1 (0.59)	0.7 (0.11)	0.6 (0.10)	1.0 (0.13)
Black or African American, single race, male	100.0	19.4 (1.14)	80.6 (1.14)	100.0	67.7 (1.60)	22.8 (1.46)	3.8 (0.69)	4.6 (0.74)	1.2 (0.32)
Black or African American, single race, female	100.0	8.7 (0.78)	91.3 (0.78)	100.0	71.8 (1.21)	22.1 (1.13)	3.0 (0.40)	2.7 (0.50)	*0.4 (0.14)

* Estimates are considered unreliable. Data preceded by an asterisk have a relative standard error (RSE) greater than 30% and less than or equal to 50% and should be used with caution. Data not shown have an RSE greater than 50%.
- Quantity zero.

¹Based on a survey question that asked respondents, "Is there a place that you usually go to when you are sick or need advice about your health?" and if there was at least one such place, a follow-up question was asked: "What kind of place [is it/do you go to most often] -- a clinic, a doctor's office, an emergency room, or some other place?" The response categories for this second question were: "clinic or health center," "doctor's office or HMO," "hospital emergency room," "hospital outpatient department," "some other place," and "doesn't go to one place most often." For this table, persons who report that they do not know the kind of place, do not go to one place most often, or refuse to answer the follow-up question are defined as having an unknown usual place of care and are not shown. Persons who report the emergency department as their usual place of care are defined as having a usual place of care. Readers should be aware that estimates in this table may differ from tabular results in both NCHS' Health United States and the National Health Interview Survey Early Release reports because in those reports persons who identify the emergency department as their usual place of care are defined as having no usual place of care. Note that in this table, data for hospital emergency room and hospital outpatient department are shown in separate categories; Adult Summary Health Statistics tables for 2013 and earlier combined these into a single category.

HMO is health maintenance organization.

²Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

³Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

⁴Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

⁵Shown only for adults aged 25 and over.

⁶GED is General Educational Development high school equivalency diploma.

⁷"Full-time" employment is 35 or more hours per week. "Part-time" employment is 34 or fewer hours per week.

⁸Includes persons in families that reported either a dollar amount or would not provide a dollar amount but provided an income interval.

⁹"Poor" persons live in families defined as below the poverty threshold. "Near poor" persons live in families with incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons live in families with incomes that are 200% of the poverty threshold or greater.

¹⁰Based on a hierarchy of mutually exclusive categories. Adults with more than one type of health insurance were assigned to the first appropriate category in the hierarchy. "Uninsured" includes adults who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

¹¹MSA is metropolitan statistical area. Large MSAs have a population size of 1 million or more; small MSAs have a population size of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on data from the Sample Adult file and was weighted using the Sample Adult weight. Unknowns for the columns were not included in the denominators when calculating percentages. Percentages may not add to totals due to rounding. "Total" includes other races not shown separately and persons with unknown education, family income, poverty status, and health insurance characteristics. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>). Suggested citation: Blackwell DL, Lucas JW. Tables of Summary Health Statistics for U.S. Adults: 2014 National Health Interview Survey. 2015. Available from: <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: CDC/NCHS, National Health Interview Survey, 2014.