

Table P-8a. Age-adjusted annualized rate (per 1,000 population) (with standard errors) of medically consulted injury and poisoning episodes, by place of occurrence and selected characteristics: United States, 2014

Selected characteristic	Home (inside) ¹	Home (outside) ¹	School, child care center, or preschool ¹	Hospital or residential institution ¹	Street, highway, sidewalk, or parking lot ¹	Sport facility, recreation area, lake, river, or pool ¹	Industrial, construction, or farm ¹	Trade or service area ¹	Other public building ¹	Other (unspecified) ¹
Total	35.68 (2.21)	24.00 (1.89)	12.19 (1.67)	1.82 (0.48)	12.86 (1.42)	18.03 (1.75)	4.45 (0.82)	3.99 (0.75)	4.51 (0.81)	9.45 (1.19)
Sex										
Male	31.07 (2.92)	24.75 (2.69)	12.50 (1.79)	*1.79 (0.76)	12.93 (2.02)	23.93 (2.85)	8.25 (1.61)	3.69 (1.02)	4.81 (1.27)	9.80 (1.75)
Female	40.18 (3.26)	23.29 (2.53)	11.80 (2.80)	*1.85 (0.61)	12.69 (1.84)	12.35 (1.90)	*0.81 (0.37)	4.23 (1.08)	4.18 (0.99)	9.14 (1.64)
Age										
Under 12 years	34.57 (5.81)	20.06 (4.12)	19.88 (3.84)	*	*3.74 (1.69)	12.63 (3.10)	*	*	*	*6.78 (2.58)
12-17 years	15.74 (4.51)	29.07 (7.91)	73.38 (16.51)	-	*21.16 (7.81)	49.35 (8.86)	*	*	*	*8.22 (3.59)
18-44 years	24.28 (3.08)	11.84 (2.12)	4.41 (1.18)	*1.15 (0.57)	15.80 (2.49)	23.20 (3.34)	5.96 (1.57)	*4.75 (1.43)	5.48 (1.50)	12.44 (2.27)
45-64 years	37.65 (4.32)	31.12 (4.44)	*2.71 (1.24)	*3.22 (1.32)	14.38 (2.80)	8.16 (2.00)	*6.46 (2.06)	*5.29 (1.74)	*5.74 (1.86)	8.76 (2.08)
65-74 years	61.08 (10.67)	43.44 (8.54)	*	*	*10.26 (3.68)	*	*6.83 (3.11)	*	*3.52 (1.69)	*8.85 (4.41)
75 years and over	106.62 (15.09)	59.91 (11.92)	-	*	*	*	*	*	*11.48 (5.30)	*
Race										
One race ²	35.32 (2.24)	24.36 (1.93)	12.45 (1.73)	1.71 (0.47)	12.72 (1.43)	17.90 (1.78)	4.39 (0.82)	4.06 (0.76)	4.34 (0.79)	9.36 (1.20)
White	37.53 (2.57)	25.94 (2.25)	12.14 (2.08)	2.09 (0.58)	11.70 (1.51)	18.72 (2.09)	5.02 (0.98)	4.53 (0.93)	4.39 (0.91)	10.01 (1.39)
Black or African American	29.95 (5.38)	18.28 (4.25)	11.70 (3.05)	*	17.86 (4.02)	11.97 (3.45)	*	*	*	*9.62 (3.50)
American Indian or Alaska Native	*	*	*48.48 (23.00)	-	*	*49.04 (21.22)	-	-	-	-
Asian	*20.67 (9.31)	*16.74 (6.05)	*9.63 (3.83)	-	*	*13.27 (5.63)	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	-	-	-	-	-	-	-	-	-
Two or more races ³	56.24 (16.47)	*	*	*	*19.65 (9.53)	*20.74 (10.02)	*	-	*	*
Black or African American, white	*	-	*	*	*	*	-	-	-	*
American Indian or Alaska Native, white	*38.68 (18.12)	*	*	-	*	*	-	-	-	-
Hispanic or Latino origin ⁴ and race										
Hispanic or Latino	18.52 (3.60)	15.27 (4.07)	7.78 (1.81)	*	10.06 (2.34)	5.85 (1.66)	*	*	*3.93 (1.60)	*5.26 (1.60)
Mexican or Mexican American	21.54 (5.74)	*12.88 (4.59)	*6.02 (1.84)	-	7.61 (2.25)	*7.36 (2.30)	*	*	*	*4.86 (1.76)
Not Hispanic or Latino	39.42 (2.61)	25.73 (2.16)	13.44 (2.08)	2.12 (0.57)	13.73 (1.69)	21.12 (2.15)	5.12 (0.98)	4.14 (0.85)	4.53 (0.90)	10.50 (1.44)
White, single race	43.06 (3.18)	28.28 (2.67)	13.63 (2.76)	2.50 (0.71)	12.37 (1.82)	22.99 (2.69)	5.93 (1.22)	4.77 (1.10)	4.89 (1.10)	11.30 (1.75)
Black or African American, single race	30.26 (5.58)	19.18 (4.44)	12.12 (3.25)	*	18.92 (4.27)	12.85 (3.70)	*	*2.56 (1.28)	*	*10.30 (3.75)
Education ⁵										
Less than a high school diploma	32.81 (6.04)	30.73 (7.58)	-	*	18.16 (5.43)	*	*	*3.54 (1.62)	*	*5.57 (2.28)
High school diploma or GED ⁶	47.97 (5.96)	20.19 (3.55)	-	*	10.64 (2.83)	*6.22 (2.24)	*7.18 (2.51)	*6.78 (2.38)	*6.58 (2.30)	13.09 (3.35)
Some college	43.54 (5.78)	30.38 (5.46)	*	*3.10 (1.47)	19.57 (3.95)	15.59 (3.88)	11.97 (3.35)	*4.29 (1.70)	*8.31 (2.60)	14.31 (3.32)
Bachelor's degree or higher	39.21 (5.39)	27.32 (4.34)	*3.14 (1.42)	*4.00 (1.88)	10.93 (2.43)	22.31 (4.52)	*2.53 (1.18)	*4.71 (1.97)	*5.74 (2.37)	*9.06 (2.75)

Table P-8a. Age-adjusted annualized rate (per 1,000 population) (with standard errors) of medically consulted injury and poisoning episodes, by place of occurrence and selected characteristics: United States, 2014

Selected characteristic	Home (inside) ¹	Home (outside) ¹	School, child care center, or preschool ¹	Hospital or residential institution ¹	Street, highway, sidewalk, or parking lot ¹	Sport facility, recreation area, lake, river, or pool ¹	Industrial, construction, or farm ¹	Trade or service area ¹	Other public building ¹	Other (unspecified) ¹
Family income ⁷										
Less than \$35,000	51.91 (4.58)	31.32 (4.07)	12.82 (2.43)	*2.66 (1.08)	15.05 (3.16)	8.33 (2.01)	*4.28 (1.75)	*5.85 (1.94)	*3.21 (1.24)	8.58 (2.05)
\$35,000 or more	31.74 (2.95)	22.31 (2.46)	11.09 (1.65)	*1.36 (0.65)	12.39 (1.81)	23.86 (2.81)	5.18 (1.13)	3.73 (0.96)	4.71 (1.16)	8.93 (1.51)
\$35,000–\$49,999	33.55 (6.38)	26.92 (5.87)	*9.81 (3.24)	*	23.46 (5.60)	*15.65 (4.70)	*	*3.65 (1.65)	*11.34 (3.88)	*14.40 (4.63)
\$50,000–\$74,999	31.59 (5.53)	24.34 (5.04)	*6.48 (2.34)	*	*9.44 (3.53)	21.26 (5.16)	*4.16 (2.07)	*2.84 (1.42)	*	*4.61 (1.62)
\$75,000–\$99,999	35.43 (7.88)	18.95 (4.67)	16.66 (4.71)	-	*4.80 (2.21)	20.91 (5.52)	*6.46 (3.01)	*	*	*6.51 (2.76)
\$100,000 or more	32.81 (5.85)	18.58 (3.81)	11.63 (2.82)	*	13.75 (3.50)	31.23 (6.14)	*6.75 (2.20)	*2.82 (1.38)	*3.13 (1.35)	10.48 (2.80)
Poverty status ⁸										
Poor	55.84 (7.97)	29.11 (5.42)	15.31 (3.40)	*	15.24 (3.71)	*4.96 (2.19)	*	*2.50 (1.17)	*	*8.85 (3.08)
Near poor	45.52 (5.04)	33.88 (5.48)	8.33 (2.15)	*	13.41 (3.61)	10.32 (2.75)	*	*7.77 (2.86)	*5.33 (2.01)	8.81 (2.34)
Not poor	31.06 (2.83)	21.20 (2.25)	11.71 (1.81)	*1.75 (0.63)	13.10 (1.86)	25.70 (2.86)	5.77 (1.22)	3.08 (0.83)	4.37 (1.07)	9.72 (1.66)
Health insurance coverage ⁹										
Under 65:										
Private	25.83 (2.77)	17.60 (2.13)	14.78 (2.96)	*1.70 (0.59)	12.05 (1.86)	25.64 (2.79)	5.10 (1.16)	3.40 (0.88)	4.25 (1.08)	11.35 (1.86)
Medicaid	53.78 (7.76)	34.63 (6.33)	13.31 (2.87)	*	19.53 (4.34)	*7.81 (2.59)	*	*6.64 (2.90)	*7.00 (3.12)	*9.29 (3.12)
Other	38.11 (10.87)	*38.66 (15.50)	*	*	*	*48.29 (21.89)	*	-	*	*
Uninsured	25.90 (7.57)	*12.88 (5.13)	*	*	*22.95 (9.13)	*10.22 (3.64)	*	*	*	*6.29 (2.47)
65 and over:										
Private	73.30 (12.61)	51.21 (10.38)	*	*	*	*	*	*	*	*
Medicare and Medicaid	156.49 (43.81)	*91.00 (37.88)	-	-	*	-	-	*	-	*
Medicare only	84.57 (15.74)	32.62 (8.74)	-	*	*10.23 (4.28)	*	*	*	*	*
Other	*94.00 (36.54)	*115.39 (43.66)	-	-	*	-	*	-	*	-
Uninsured	-	-	-	-	-	-	-	-	*	-
Place of residence ¹⁰										
Large MSA	30.14 (2.90)	17.51 (2.23)	11.80 (2.59)	*1.97 (0.69)	9.90 (1.55)	20.38 (2.67)	*3.11 (0.97)	3.70 (0.96)	4.21 (1.03)	9.55 (1.73)
Small MSA	43.71 (4.14)	27.50 (3.59)	12.48 (2.27)	*	16.03 (2.60)	16.67 (2.70)	5.17 (1.52)	*5.30 (1.63)	*4.73 (1.62)	10.32 (2.15)
Not in MSA	37.92 (6.02)	39.25 (6.39)	13.37 (3.83)	*4.14 (1.74)	*17.92 (5.79)	10.48 (2.99)	*7.78 (2.67)	*	*4.91 (1.91)	7.28 (2.02)

Table P-8a. Age-adjusted annualized rate (per 1,000 population) (with standard errors) of medically consulted injury and poisoning episodes, by place of occurrence and selected characteristics: United States, 2014

Selected characteristic	Home (inside) ¹	Home (outside) ¹	School, child care center, or preschool ¹	Hospital or residential institution ¹	Street, highway, sidewalk, or parking lot ¹	Sport facility, recreation area, lake, river, or pool ¹	Industrial, construction, or farm ¹	Trade or service area ¹	Other public building ¹	Other (unspecified) ¹
Region										
Northeast	30.62 (5.27)	22.47 (5.34)	*7.13 (2.54)	*	14.44 (3.62)	21.49 (5.56)	*	*	*5.38 (1.93)	13.66 (3.87)
Midwest	44.45 (5.58)	29.23 (4.51)	*18.94 (5.72)	*	12.61 (2.93)	18.55 (3.48)	*8.40 (2.59)	*	*5.56 (1.91)	8.62 (2.39)
South	32.69 (3.31)	23.29 (2.88)	12.42 (2.09)	*2.44 (0.94)	14.18 (2.67)	15.13 (2.66)	*3.30 (0.99)	4.30 (1.20)	*4.11 (1.33)	9.04 (1.97)
West	36.29 (4.49)	21.61 (3.50)	8.44 (2.05)	*	9.50 (1.76)	19.39 (3.25)	*2.60 (1.02)	*7.20 (2.21)	*3.31 (1.39)	8.37 (1.95)

* Estimates are considered unreliable. Data preceded by an asterisk have a relative standard error (RSE) greater than 30% and less than or equal to 50% and should be used with caution. Data not shown have an RSE greater than 50%.
- Quantity zero.

¹Based on the question, "Where was [person] when the injury/poisoning happened?" Respondents could indicate up to two places. Rates of episodes have been annualized in this table. Estimates from this report should not be compared with estimates from 2003 or earlier.

²Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

³Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

⁴Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

⁵Shown only for persons aged 25 and over. Estimates are age adjusted using the projected 2000 U.S. population as the standard population and using four age groups: 25-44, 45-64, 65-74, and 75 and over.

⁶GED is General Educational Development high school equivalency diploma.

⁷Includes persons who reported a dollar amount or who would not provide a dollar amount but provided an income interval.

⁸"Poor" persons are defined as having income below the poverty threshold. "Near poor" persons have incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons have incomes that are 200% of the poverty threshold or greater.

⁹Based on a hierarchy of mutually exclusive categories. Persons with more than one type of health insurance were assigned to the first appropriate category in the hierarchy. "Uninsured" includes persons who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

¹⁰MSA is metropolitan statistical area. Large MSAs have a population of 1 million or more; small MSAs have a population of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on responses about all persons in the family. Data came from the Person file and Injury and Poisoning Episode file were weighted using the Person weight. Unknowns for the columns were excluded from the denominator when calculating rates. Includes other races not shown separately and persons with unknown education, family income, poverty status, and health insurance characteristics. Unless otherwise specified, estimates are age adjusted using the projected 2000 U.S. population as the standard population and using six age groups: 0-11, 12-17, 18-44, 45-64, 65-74, and 75 and over. Estimates for age groups are not age-adjusted. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>). Suggested citation: Adams PF, Benson V. Tables of Summary Health Statistics for the U.S. Population: 2014 National Health Interview Survey. 2015. Available from: <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: CDC/NCHS, National Health Interview Survey, 2014.

Table P-8b. Annualized frequency (number in thousands) of medically consulted injury and poisoning episodes, by place of occurrence and selected characteristics: United States, 2014

Selected characteristic	Home (inside) ¹	Home (outside) ¹	School, child care center, or preschool ¹	Hospital or residential institution ¹	Street, highway, sidewalk, or parking lot ¹	Sport facility, recreation area, lake, river, or pool ¹	Industrial, construction, or farm ¹	Trade or service area ¹	Other public building ¹	Other (unspecified) ¹
Total	11,496	7,856	3,563	591	4,032	5,330	1,444	1,264	1,441	2,931
Sex										
Male	4,771	3,908	1,826	*273	1,969	3,517	1,310	564	722	1,494
Female	6,725	3,948	1,737	*317	2,064	1,814	*135	700	719	1,437
Age										
Under 12 years	1,675	972	963	*	*181	612	*	*	*	*328
12-17 years	393	726	1,832	-	*528	1,232	*	*	*	*205
18-44 years	2,723	1,328	495	*129	1,771	2,601	669	*533	615	1,395
45-64 years	3,109	2,570	*224	*266	1,188	674	*533	*437	*474	724
65-74 years	1,601	1,139	*	*	*269	*	*179	*	*92	*232
75 years and over	1,996	1,121	-	*	*	*	*	*	*215	*
Race										
One race ²	11,158	7,813	3,502	551	3,905	5,152	1,405	1,264	1,373	2,841
White	9,639	6,797	2,668	547	2,899	4,241	1,285	1,133	1,122	2,417
Black or African American	1,155	685	497	*	722	487	*	*	*	*402
American Indian or Alaska Native	*	*	*176	-	*	*171	-	-	-	-
Asian	*293	*271	*160	-	*	*253	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	-	-	-	-	-	-	-	-	-
Two or more races ³	338	*	*	*	*127	*178	*	-	*	*
Black or African American, white	*140	-	*	*	*	*	-	-	-	*
American Indian or Alaska Native, white	*86	*	*	-	*	*	-	-	-	-
Hispanic or Latino origin ⁴ and race										
Hispanic or Latino	829	768	507	*	513	355	*	*159	*205	*286
Mexican or Mexican American	468	*366	*275	-	246	*294	*	*	*	*162
Not Hispanic or Latino	10,667	7,088	3,056	577	3,519	4,975	1,389	1,104	1,236	2,645
White, single race	8,966	6,057	2,204	533	2,442	3,965	1,229	973	1,025	2,131
Black or African American, single race	1,106	685	481	*	721	487	*	*	*	*402
Education ⁵										
Less than a high school diploma	1,076	912	-	*	458	*	*	*95	*120	*130
High school diploma or GED ⁶	2,783	1,283	-	*	600	*340	*373	*331	*393	674
Some college	2,428	1,766	*	*192	1,117	853	682	*255	*443	814
Bachelor's degree or higher	2,438	1,790	*223	*218	739	1,373	*179	*310	*354	580

Table P-8b. Annualized frequency (number in thousands) of medically consulted injury and poisoning episodes, by place of occurrence and selected characteristics: United States, 2014

Selected characteristic	Home (inside) ¹	Home (outside) ¹	School, child care center, or preschool ¹	Hospital or residential institution ¹	Street, highway, sidewalk, or parking lot ¹	Sport facility, recreation area, lake, river, or pool ¹	Industrial, construction, or farm ¹	Trade or service area ¹	Other public building ¹	Other (unspecified) ¹
Family income ⁷										
Less than \$35,000	4,712	2,771	1,012	*229	1,230	687	*346	*497	*282	739
\$35,000 or more	5,429	3,976	1,964	*213	2,265	4,134	997	667	844	1,635
\$35,000–\$49,999	1,125	940	*311	*	809	*505	*	*132	*391	*484
\$50,000–\$74,999	1,492	1,080	*279	*	*397	857	*185	*124	*	*207
\$75,000–\$99,999	1,001	608	524	-	*187	688	*215	*	*	*224
\$100,000 or more	1,812	1,348	851	*	872	2,085	*520	*223	*231	720
Poverty status ⁸										
Poor	2,203	1,217	788	*	594	*247	*	*104	*	*383
Near poor	2,675	1,988	508	*	754	580	*	*439	*289	506
Not poor	5,711	4,192	1,840	*325	2,418	4,261	1,113	604	836	1,736
Health insurance coverage ⁹										
Under 65:										
Private	4,287	3,131	2,143	*329	2,077	4,037	947	640	779	1,878
Medicaid	2,123	1,611	981	*	737	451	*	*249	*226	*416
Other	579	*507	*	*	*	*353	*	-	*	*
Uninsured	910	*319	*205	*	793	*278	*	*	*	*253
65 and over:										
Private	1,531	1,098	*	*	*	*	*	*	*	*
Medicare and Medicaid	469	*270	-	-	*	-	-	*	-	*
Medicare only	1,319	507	-	*	*169	*	*	*	*	*
Other	*278	*385	-	-	*	-	*	-	*	-
Uninsured	-	-	-	-	-	-	-	-	*	-
Place of residence ¹⁰										
Large MSA	5,156	2,996	1,871	*349	1,746	3,347	*540	637	736	1,632
Small MSA	4,506	2,829	1,176	*	1,523	1,550	527	*524	*462	984
Not in MSA	1,834	2,031	516	*183	*764	*433	*377	*	*243	315

Table P-8b. Annualized frequency (number in thousands) of medically consulted injury and poisoning episodes, by place of occurrence and selected characteristics: United States, 2014

Selected characteristic	Home (inside) ¹	Home (outside) ¹	School, child care center, or preschool ¹	Hospital or residential institution ¹	Street, highway, sidewalk, or parking lot ¹	Sport facility, recreation area, lake, river, or pool ¹	Industrial, construction, or farm ¹	Trade or service area ¹	Other public building ¹	Other (unspecified) ¹
Region										
Northeast	1,663	1,261	*322	*	806	1,059	*248	*	*318	680
Midwest	3,217	2,185	*1,266	*	897	1,254	*604	*	*415	606
South	3,970	2,815	1,392	*288	1,641	1,674	404	497	*475	1,039
West	2,647	1,594	583	*	689	1,344	*188	*526	*234	606

* Estimates are considered unreliable. Data preceded by an asterisk have a relative standard error (RSE) greater than 30% and less than or equal to 50% and should be used with caution. Data not shown have an RSE greater than 50%.

- Quantity zero.

¹Based on the question, "Where was [person] when the injury/poisoning happened?" Respondents could indicate up to two places. Counts of episodes have been annualized in this table. Estimates from this report should not be compared with estimates from 2003 or earlier.

²Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

³Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

⁴Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

⁵Shown only for persons aged 25 and over.

⁶GED is General Educational Development high school equivalency diploma.

⁷Includes persons who reported a dollar amount or who would not provide a dollar amount but provided an income interval.

⁸"Poor" persons are defined as having income below the poverty threshold. "Near poor" persons have incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons have incomes that are 200% of the poverty threshold or greater.

⁹Based on a hierarchy of mutually exclusive categories. Persons with more than one type of health insurance were assigned to the first appropriate category in the hierarchy. "Uninsured" includes persons who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

¹⁰MSA is metropolitan statistical area. Large MSAs have a population of 1 million or more; small MSAs have a population of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on responses about all persons in the family. Data came from the Person file and Injury and Poisoning Episode file and were weighted using the Person weight. Unknowns for the columns were excluded from the frequencies. Includes other races not shown separately and persons with unknown education, family income, poverty status, and health insurance characteristics. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>). Suggested citation: Adams PF, Benson V. Tables of Summary Health Statistics for the U.S. Population: 2014 National Health Interview Survey, 2015. Available from: <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>. SOURCE: CDC/NCHS, National Health Interview Survey, 2014.

Table P-8c. Crude annualized rate (per 1,000 population) (with standard errors) of medically consulted injury and poisoning episodes, by place of occurrence and selected characteristics: United States, 2014

Selected characteristic	Home (inside) ¹	Home (outside) ¹	School, child care center, or preschool ¹	Hospital or residential institution ¹	Street, highway, sidewalk, or parking lot ¹	Sport facility, recreation area, lake, river, or pool ¹	Industrial, construction, or farm ¹	Trade or service area ¹	Other public building ¹	Other (unspecified) ¹
Total	36.72 (2.26)	25.09 (1.96)	11.38 (1.56)	1.89 (0.50)	12.88 (1.41)	17.03 (1.65)	4.61 (0.84)	4.04 (0.75)	4.60 (0.82)	9.36 (1.17)
Sex										
Male	31.18 (2.91)	25.54 (2.74)	11.94 (1.72)	*1.79 (0.76)	12.87 (2.00)	22.98 (2.70)	8.56 (1.66)	3.69 (1.02)	4.72 (1.24)	9.76 (1.74)
Female	42.02 (3.34)	24.67 (2.65)	10.85 (2.56)	*1.98 (0.65)	12.89 (1.85)	11.33 (1.74)	*0.84 (0.39)	4.37 (1.10)	4.49 (1.07)	8.98 (1.58)
Age										
Under 12 years	34.57 (5.81)	20.06 (4.12)	19.88 (3.84)	*	*3.74 (1.69)	12.63 (3.10)	*	*	*	*6.78 (2.58)
12-17 years	15.74 (4.51)	29.07 (7.91)	73.38 (16.51)	-	*21.16 (7.81)	49.35 (8.86)	*	*	*	*8.22 (3.59)
18-44 years	24.28 (3.08)	11.84 (2.12)	4.41 (1.18)	*1.15 (0.57)	15.80 (2.49)	23.20 (3.34)	5.96 (1.57)	*4.75 (1.43)	5.48 (1.50)	12.44 (2.27)
45-64 years	37.65 (4.32)	31.12 (4.44)	*2.71 (1.24)	*3.22 (1.32)	14.38 (2.80)	8.16 (2.00)	*6.46 (2.06)	*5.29 (1.74)	*5.74 (1.86)	8.76 (2.08)
65-74 years	61.08 (10.67)	43.44 (8.54)	*	*	*10.26 (3.68)	*	*6.83 (3.11)	*	*3.52 (1.69)	*8.85 (4.41)
75 years and over	106.62 (15.09)	59.91 (11.92)	-	*	*	*	*	*	*11.48 (5.30)	*
Race										
One race ²	36.46 (2.29)	25.53 (2.01)	11.45 (1.59)	1.80 (0.50)	12.76 (1.42)	16.84 (1.67)	4.59 (0.85)	4.13 (0.77)	4.49 (0.81)	9.28 (1.18)
White	39.38 (2.66)	27.77 (2.37)	10.90 (1.87)	2.23 (0.62)	11.85 (1.50)	17.33 (1.94)	5.25 (1.02)	4.63 (0.94)	4.58 (0.94)	9.88 (1.35)
Black or African American	28.62 (5.10)	16.98 (3.90)	12.33 (3.23)	*	17.90 (4.02)	12.08 (3.44)	*	*	*	*9.95 (3.61)
American Indian or Alaska Native	*	*	*58.92 (27.00)	-	*	*57.08 (24.52)	-	-	-	-
Asian	*16.77 (7.70)	*15.51 (5.51)	*9.19 (3.65)	-	*	*14.51 (6.16)	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	-	-	-	-	-	-	-	-	-
Two or more races ³	47.88 (12.55)	*	*	*	*18.03 (8.31)	*25.22 (10.91)	*	-	*	*
Black or African American, white	*60.44 (26.71)	-	*	*	*	*	-	-	-	*
American Indian or Alaska Native, white	*40.29 (18.55)	*	*	-	*	*	-	-	-	-
Hispanic or Latino origin ⁴ and race										
Hispanic or Latino	15.22 (2.63)	14.10 (3.53)	9.31 (2.16)	*	9.42 (2.12)	6.51 (1.84)	*	*2.93 (1.45)	*3.77 (1.59)	*5.25 (1.60)
Mexican or Mexican American	13.43 (3.09)	*10.51 (3.39)	*7.90 (2.43)	-	7.06 (2.08)	*8.43 (2.63)	*	*	*	*4.66 (1.64)
Not Hispanic or Latino	41.25 (2.66)	27.41 (2.25)	11.82 (1.84)	2.23 (0.60)	13.61 (1.64)	19.24 (1.96)	5.37 (1.01)	4.27 (0.86)	4.78 (0.93)	10.23 (1.37)
White, single race	45.77 (3.24)	30.92 (2.77)	11.25 (2.27)	2.72 (0.76)	12.46 (1.78)	20.24 (2.38)	6.28 (1.26)	4.97 (1.10)	5.23 (1.14)	10.88 (1.62)
Black or African American, single race	29.15 (5.34)	18.04 (4.14)	12.67 (3.41)	*	18.98 (4.27)	12.83 (3.66)	*	*	*	*10.58 (3.84)
Education ⁵										
Less than a high school diploma	39.63 (7.12)	33.59 (7.81)	-	*	16.86 (4.98)	*	*	*3.48 (1.54)	*4.43 (2.14)	*4.80 (1.90)
High school diploma or GED ⁶	50.91 (6.16)	23.47 (4.21)	-	*	10.97 (2.85)	*6.22 (2.28)	*6.83 (2.31)	*6.05 (2.13)	*7.19 (2.53)	12.33 (3.20)
Some college	42.08 (5.50)	30.60 (5.48)	*	*3.32 (1.59)	19.36 (3.83)	14.78 (3.64)	11.83 (3.29)	*4.42 (1.80)	*7.68 (2.37)	14.11 (3.23)
Bachelor's degree or higher	36.96 (4.97)	27.14 (4.33)	*3.38 (1.51)	*3.31 (1.46)	11.21 (2.58)	20.80 (4.08)	*2.72 (1.29)	*4.70 (1.87)	*5.36 (2.15)	8.79 (2.63)

Table P-8c. Crude annualized rate (per 1,000 population) (with standard errors) of medically consulted injury and poisoning episodes, by place of occurrence and selected characteristics: United States, 2014

Selected characteristic	Home (inside) ¹	Home (outside) ¹	School, child care center, or preschool ¹	Hospital or residential institution ¹	Street, highway, sidewalk, or parking lot ¹	Sport facility, recreation area, lake, river, or pool ¹	Industrial, construction, or farm ¹	Trade or service area ¹	Other public building ¹	Other (unspecified) ¹
Family income ⁷										
Less than \$35,000	54.98 (4.82)	32.33 (4.13)	11.81 (2.24)	*2.67 (1.07)	14.35 (2.92)	8.01 (1.94)	*4.03 (1.65)	*5.80 (1.91)	*3.29 (1.24)	8.62 (2.02)
\$35,000 or more	29.84 (2.73)	21.85 (2.36)	10.80 (1.60)	*1.17 (0.51)	12.45 (1.81)	22.72 (2.57)	5.48 (1.19)	3.67 (0.91)	4.64 (1.12)	8.99 (1.48)
\$35,000–\$49,999	33.22 (6.20)	27.75 (6.01)	*9.17 (3.05)	*	23.89 (5.72)	*14.90 (4.51)	*	*3.89 (1.78)	*11.53 (3.92)	*14.30 (4.58)
\$50,000–\$74,999	33.77 (6.06)	24.45 (4.88)	*6.31 (2.30)	*	*8.99 (3.35)	19.39 (4.62)	*4.19 (2.02)	*2.81 (1.37)	*	*4.69 (1.64)
\$75,000–\$99,999	29.63 (6.17)	17.99 (4.37)	15.52 (4.42)	-	*5.52 (2.50)	20.36 (5.34)	*6.35 (2.91)	*	*	*6.64 (2.77)
\$100,000 or more	25.84 (4.12)	19.23 (3.87)	12.14 (2.91)	*	12.44 (2.99)	29.74 (5.00)	*7.42 (2.34)	*3.17 (1.51)	*3.29 (1.43)	10.27 (2.64)
Poverty status ⁸										
Poor	49.21 (6.60)	27.18 (4.86)	17.60 (3.74)	*	13.27 (3.21)	*5.53 (2.33)	*	*2.33 (1.07)	*	*8.55 (2.94)
Near poor	46.74 (5.18)	34.74 (5.47)	8.88 (2.30)	*	13.18 (3.64)	10.13 (2.67)	*	*7.66 (2.80)	*5.04 (1.87)	8.83 (2.37)
Not poor	31.12 (2.77)	22.84 (2.36)	10.03 (1.55)	*1.77 (0.64)	13.18 (1.84)	23.22 (2.57)	6.06 (1.25)	3.29 (0.88)	4.55 (1.09)	9.46 (1.56)
Health insurance coverage ⁹										
Under 65:										
Private	25.41 (2.54)	18.55 (2.23)	12.70 (2.55)	*1.95 (0.70)	12.31 (1.86)	23.93 (2.60)	5.61 (1.27)	3.79 (0.99)	4.62 (1.17)	11.13 (1.76)
Medicaid	42.02 (5.39)	31.89 (5.16)	19.42 (3.53)	*	14.59 (3.02)	8.93 (2.48)	*	*4.93 (2.01)	*4.47 (1.97)	*8.23 (2.55)
Other	55.08 (14.85)	*48.16 (14.55)	*	*	*	*33.52 (14.48)	*	-	*	*
Uninsured	25.81 (5.55)	*9.04 (3.06)	*5.83 (2.69)	*	22.48 (6.10)	*7.90 (2.66)	*	*	*	*7.18 (2.93)
65 and over:										
Private	69.53 (12.02)	49.88 (10.16)	*	*	*	*	*	*	*	*
Medicare and Medicaid	159.22 (44.76)	*91.75 (37.78)	-	-	*	-	-	*	-	*
Medicare only	83.17 (15.63)	31.97 (8.55)	-	*	*10.65 (4.52)	*	*	*	*	*
Other	*79.81 (29.50)	*110.44 (39.23)	-	-	*	-	*	-	*	-
Uninsured	-	-	-	-	-	-	-	-	*	-
Place of residence ¹⁰										
Large MSA	30.27 (2.86)	17.59 (2.25)	10.99 (2.43)	*2.05 (0.73)	10.25 (1.59)	19.65 (2.56)	*3.17 (0.97)	3.74 (0.97)	4.32 (1.07)	9.58 (1.72)
Small MSA	46.19 (4.50)	29.00 (3.81)	12.05 (2.21)	*	15.61 (2.53)	15.89 (2.55)	5.41 (1.61)	*5.37 (1.64)	*4.74 (1.60)	10.09 (2.06)
Not in MSA	40.60 (6.12)	44.95 (6.86)	11.42 (3.23)	*4.06 (1.66)	*16.90 (5.29)	9.59 (2.78)	*8.34 (2.85)	*2.28 (1.13)	*5.37 (1.93)	6.97 (1.96)

Table P-8c. Crude annualized rate (per 1,000 population) (with standard errors) of medically consulted injury and poisoning episodes, by place of occurrence and selected characteristics: United States, 2014

Selected characteristic	Home (inside) ¹	Home (outside) ¹	School, child care center, or preschool ¹	Hospital or residential institution ¹	Street, highway, sidewalk, or parking lot ¹	Sport facility, recreation area, lake, river, or pool ¹	Industrial, construction, or farm ¹	Trade or service area ¹	Other public building ¹	Other (unspecified) ¹
Region										
Northeast	31.34 (4.95)	23.77 (5.21)	*6.07 (2.17)	*	15.19 (3.83)	19.96 (5.13)	*4.68 (2.30)	*	*6.00 (2.16)	12.82 (3.58)
Midwest	45.49 (5.69)	30.90 (4.86)	*17.91 (5.45)	*	12.68 (2.89)	17.73 (3.36)	*8.54 (2.65)	*	*5.86 (2.04)	8.57 (2.32)
South	33.73 (3.43)	23.92 (2.91)	11.83 (1.99)	*2.45 (0.94)	13.94 (2.60)	14.22 (2.48)	3.44 (1.01)	4.23 (1.16)	*4.03 (1.26)	8.83 (1.92)
West	36.96 (4.57)	22.26 (3.63)	8.14 (1.97)	*	9.62 (1.81)	18.76 (3.15)	*2.63 (1.02)	*7.35 (2.25)	*3.26 (1.39)	8.47 (1.96)

* Estimates are considered unreliable. Data preceded by an asterisk have a relative standard error (RSE) greater than 30% and less than or equal to 50% and should be used with caution. Data not shown have an RSE greater than 50%.

- Quantity zero.

¹Based on the question, "Where was [person] when the injury/poisoning happened?" Respondents could indicate up to two places. Rates of episodes have been annualized in this table. Estimates from this report should not be compared with estimates from 2003 or earlier.

²Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

³Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

⁴Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

⁵Shown only for persons aged 25 and over.

⁶GED is General Educational Development high school equivalency diploma.

⁷Includes persons who reported a dollar amount or who would not provide a dollar amount but provided an income interval.

⁸"Poor" persons are defined as having income below the poverty threshold. "Near poor" persons have incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons have incomes that are 200% of the poverty threshold or greater.

⁹Based on a hierarchy of mutually exclusive categories. Persons with more than one type of health insurance were assigned to the first appropriate category in the hierarchy. "Uninsured" includes persons who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

¹⁰MSA is metropolitan statistical area. Large MSAs have a population of 1 million or more; small MSAs have a population of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on responses about all persons in the family. Data came from the Person file and the Injury and Poisoning Episode file and were weighted using the Person weight. Unknowns for the columns were excluded from the denominator when calculating rates. Includes other races not shown separately and persons with unknown education, family income, poverty status, and health insurance characteristics. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>). Suggested citation: Adams PF, Benson V. Tables of Summary Health Statistics for the U.S. Population: 2014 National Health Interview Survey, 2015. Available from: <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: CDC/NCHS, National Health Interview Survey, 2014.