

Table A-20a. Age-adjusted percent distribution (with standard errors) of human immunodeficiency virus testing status among adults aged 18 and over, by selected characteristics: United States, 2017

Selected characteristic	All adults aged 18 and over	Ever tested for HIV ¹	Never tested for HIV ¹
Total	100.0	41.7 (0.47)	58.3 (0.47)
Sex			
Male	100.0	38.6 (0.64)	61.4 (0.64)
Female	100.0	44.9 (0.62)	55.1 (0.62)
Age (years)			
18–44	100.0	48.8 (0.71)	51.2 (0.71)
45–64	100.0	42.1 (0.71)	57.9 (0.71)
65–74	100.0	24.0 (0.87)	76.0 (0.87)
75 and over	100.0	13.0 (0.82)	87.0 (0.82)
Race			
One race ²	100.0	41.6 (0.48)	58.4 (0.48)
White	100.0	39.4 (0.50)	60.6 (0.50)
Black or African American	100.0	60.6 (1.40)	39.4 (1.40)
American Indian or Alaska Native	100.0	35.9 (3.29)	64.1 (3.29)
Asian	100.0	32.1 (1.65)	67.9 (1.65)
Native Hawaiian or Other Pacific Islander	100.0	*	*
Two or more races ³	100.0	48.2 (2.79)	51.8 (2.79)
Black or African American, white	100.0	53.4 (5.92)	46.6 (5.92)
American Indian or Alaska Native, white	100.0	48.7 (4.31)	51.3 (4.31)
Hispanic or Latino origin ⁴ and race			
Hispanic or Latino	100.0	45.3 (1.20)	54.7 (1.20)
Mexican or Mexican American	100.0	40.7 (1.43)	59.3 (1.43)
Not Hispanic or Latino	100.0	41.1 (0.51)	58.9 (0.51)
White, single race	100.0	38.4 (0.55)	61.6 (0.55)
Black or African American, single race	100.0	60.2 (1.44)	39.8 (1.44)
Education ⁵			
Less than a high school diploma	100.0	39.8 (1.41)	60.2 (1.41)
High school diploma or GED ⁶	100.0	40.7 (0.92)	59.3 (0.92)
Some college	100.0	46.5 (0.78)	53.5 (0.78)
Bachelor's degree or higher	100.0	44.1 (0.76)	55.9 (0.76)
Current employment status ⁷			
Employed	100.0	42.3 (0.59)	57.7 (0.59)
Full-time	100.0	43.1 (0.67)	56.9 (0.67)
Part-time	100.0	38.1 (1.28)	61.9 (1.28)
Not employed but has worked previously	100.0	43.9 (0.91)	56.1 (0.91)
Not employed and has never worked	100.0	29.5 (1.78)	70.5 (1.78)

Table A-20a. Age-adjusted percent distribution (with standard errors) of human immunodeficiency virus testing status among adults aged 18 and over, by selected characteristics: United States, 2017

Selected characteristic	All adults aged 18 and over	Ever tested for HIV ¹	Never tested for HIV ¹
Family income ⁸			
Less than \$35,000	100.0	43.2 (0.82)	56.8 (0.82)
\$35,000 or more	100.0	41.4 (0.55)	58.6 (0.55)
\$35,000–\$49,999	100.0	41.7 (1.18)	58.3 (1.18)
\$50,000–\$74,999	100.0	41.3 (1.02)	58.7 (1.02)
\$75,000–\$99,999	100.0	38.8 (1.19)	61.2 (1.19)
\$100,000 or more	100.0	42.6 (0.87)	57.4 (0.87)
Poverty status ⁹			
Poor	100.0	45.0 (1.20)	55.0 (1.20)
Near poor	100.0	42.0 (1.01)	58.0 (1.01)
Not poor	100.0	41.4 (0.55)	58.6 (0.55)
Health insurance coverage ¹⁰			
Under 65:			
Private	100.0	44.7 (0.63)	55.3 (0.63)
Medicaid	100.0	54.3 (1.40)	45.7 (1.40)
Other coverage	100.0	58.3 (2.16)	41.7 (2.16)
Uninsured	100.0	44.0 (1.40)	56.0 (1.40)
65 and over:			
Private	100.0	16.5 (0.79)	83.5 (0.79)
Medicare and Medicaid	100.0	24.6 (2.36)	75.4 (2.36)
Medicare Advantage	100.0	18.0 (1.17)	82.0 (1.17)
Medicare only	100.0	17.8 (1.45)	82.2 (1.45)
Other coverage	100.0	31.4 (2.52)	68.6 (2.52)
Uninsured	100.0	*	*
Marital status			
Married	100.0	41.1 (0.59)	58.9 (0.59)
Widowed	100.0	53.8 (4.03)	46.2 (4.03)
Divorced or separated	100.0	57.6 (1.18)	42.4 (1.18)
Never married	100.0	40.8 (1.04)	59.2 (1.04)
Living with a partner	100.0	52.2 (1.46)	47.8 (1.46)
Place of residence ¹¹			
Large MSA	100.0	44.3 (0.64)	55.7 (0.64)
Small MSA	100.0	39.8 (0.82)	60.2 (0.82)
Not in MSA	100.0	33.7 (1.42)	66.3 (1.42)
Region			
Northeast	100.0	43.5 (1.31)	56.5 (1.31)
Midwest	100.0	35.5 (0.86)	64.5 (0.86)
South	100.0	43.5 (0.82)	56.5 (0.82)
West	100.0	43.4 (0.86)	56.6 (0.86)

Table A-20a. Age-adjusted percent distribution (with standard errors) of human immunodeficiency virus testing status among adults aged 18 and over, by selected characteristics: United States, 2017

Selected characteristic	All adults aged 18 and over	Ever tested for HIV ¹	Never tested for HIV ¹
Hispanic or Latino origin ⁴ , race, and sex			
Hispanic or Latino, male	100.0	41.5 (1.66)	58.5 (1.66)
Hispanic or Latina, female	100.0	49.3 (1.56)	50.7 (1.56)
Not Hispanic or Latino:			
White, single race, male	100.0	35.4 (0.72)	64.6 (0.72)
White, single race, female	100.0	41.5 (0.76)	58.5 (0.76)
Black or African American, single race, male	100.0	57.2 (2.22)	42.8 (2.22)
Black or African American, single race, female	100.0	62.9 (1.64)	37.1 (1.64)

* Estimate is considered unreliable, as specified in National Center for Health Statistics Data Presentation Standards for Proportions (available from: https://www.cdc.gov/nchs/data/series/sr02/sr02_175.pdf), and is not shown.

¹Based on a survey question that asked respondents, "Except for tests you may have had as part of blood donations, have you ever been tested for HIV?" HIV is human immunodeficiency virus. Estimates of HIV testing for 2017 may not be comparable with estimates based on 1997-2010 National Health Interview Survey (NHIS) data due to modifications of the location and wording of the question in the 2011 NHIS survey. The weighted percentage of unknown with respect to HIV testing among adults aged 18 and over was 5.3%.

²Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

³Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

⁴Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

⁵Shown only for adults aged 25 and over. Estimates are age adjusted to the projected 2000 U.S. population as the standard population using four age groups: 25-44, 45-64, 65-74, and 75 and over.

⁶GED is General Educational Development high school equivalency diploma.

⁷"Full-time" employment is 35 or more hours per week. "Part-time" employment is 34 or fewer hours per week.

⁸Includes persons in families that reported either a dollar amount or would not provide a dollar amount but provided an income interval.

⁹"Poor" persons live in families defined as below the poverty threshold. "Near poor" persons live in families with incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons live in families with incomes that are 200% of the poverty threshold or greater.

¹⁰Based on a hierarchy of mutually exclusive categories. Adults with more than one type of health insurance were assigned to the first appropriate category in the hierarchy. "Uninsured" includes adults who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

¹¹MSA is metropolitan statistical area. Large MSAs have a population size of 1 million or more; small MSAs have a population size of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on data from the Sample Adult file and was weighted using the Sample Adult weight. Unknowns for the columns were not included in the denominators when calculating percentages. Percentages may not add to totals due to rounding. "Total" includes other races not shown separately and persons with unknown education, family income, poverty status, and health insurance characteristics. Unless otherwise specified, estimates are age-adjusted using the projected 2000 U.S. population as the standard population and using four age groups: 18-44, 45-64, 65-74, and 75 and over. Estimates for age groups are not age-adjusted. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>).

Suggested citation: Blackwell DL, Villarreal MA. Tables of Summary Health Statistics for U.S. Adults: 2017 National Health Interview Survey. National Center for Health Statistics. 2018.

Available from: <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: NCHS, National Health Interview Survey, 2017.

Table A-20b. Frequencies (in thousands) of human immunodeficiency virus testing status among adults aged 18 and over, by selected characteristics: United States, 2017

Selected characteristic	All adults aged 18 and over	Ever tested for HIV ¹	Never tested for HIV ¹
Total	246,657	95,281	138,369
Sex			
Male	118,990	43,412	69,610
Female	127,667	51,869	68,759
Age (years)			
18–44	113,636	52,947	55,501
45–64	83,494	33,263	45,727
65–74	29,454	6,664	21,060
75 and over	20,073	2,407	16,081
Race			
One race ²	241,760	92,952	136,033
White	192,033	69,141	113,097
Black or African American	30,560	17,631	11,050
American Indian or Alaska Native	2,944	1,071	1,730
Asian	15,675	4,837	9,888
Native Hawaiian or Other Pacific Islander	548	*	*
Two or more races ³	4,897	2,329	2,336
Black or African American, white	1,183	577	527
American Indian or Alaska Native, white	1,863	845	944
Hispanic or Latino origin ⁴ and race			
Hispanic or Latino	39,416	17,744	19,817
Mexican or Mexican American	23,657	9,725	12,946
Not Hispanic or Latino	207,242	77,536	118,552
White, single race	157,443	53,976	95,331
Black or African American, single race	29,127	16,693	10,640
Education ⁵			
Less than a high school diploma	24,473	8,323	14,663
High school diploma or GED ⁶	51,376	18,127	30,269
Some college	61,418	26,229	31,829
Bachelor's degree or higher	78,981	33,483	41,740
Current employment status ⁷			
Employed	154,311	66,311	80,442
Full-time	126,572	55,965	64,539
Part-time	25,582	9,542	14,692
Not employed but has worked previously	79,750	25,433	49,527
Not employed and has never worked	12,466	3,491	8,357

Table A-20b. Frequencies (in thousands) of human immunodeficiency virus testing status among adults aged 18 and over, by selected characteristics: United States, 2017

Selected characteristic	All adults aged 18 and over	Ever tested for HIV ¹	Never tested for HIV ¹
Family income ⁸			
Less than \$35,000	62,681	24,216	34,715
\$35,000 or more	158,267	62,499	88,879
\$35,000–\$49,999	24,774	9,556	14,149
\$50,000–\$74,999	38,018	14,767	21,728
\$75,000–\$99,999	28,310	10,540	16,569
\$100,000 or more	67,166	27,636	36,433
Poverty status ⁹			
Poor	27,569	11,885	13,983
Near poor	39,410	15,195	22,040
Not poor	167,503	64,460	95,316
Health insurance coverage ¹⁰			
Under 65:			
Private	136,430	57,320	72,552
Medicaid	25,831	13,243	11,118
Other coverage	9,334	4,903	3,893
Uninsured	24,357	10,318	13,001
65 and over:			
Private	20,155	3,367	15,769
Medicare and Medicaid	3,643	813	2,416
Medicare Advantage	13,349	2,320	10,176
Medicare only	8,457	1,402	6,325
Other coverage	3,578	1,082	2,259
Uninsured	261	*	*
Marital status			
Married	129,268	46,939	75,820
Widowed	14,492	2,873	10,535
Divorced or separated	27,735	13,170	12,937
Never married	55,574	21,596	31,201
Living with a partner	19,212	10,503	7,759
Place of residence ¹¹			
Large MSA	142,082	59,023	75,147
Small MSA	73,127	26,748	42,725
Not in MSA	31,448	9,509	20,497
Region			
Northeast	45,169	17,679	24,633
Midwest	53,793	17,573	33,558
South	89,318	36,146	48,224
West	58,377	23,883	31,955

Table A-20b. Frequencies (in thousands) of human immunodeficiency virus testing status among adults aged 18 and over, by selected characteristics: United States, 2017

Selected characteristic	All adults aged 18 and over	Ever tested for HIV ¹	Never tested for HIV ¹
Hispanic or Latino origin ⁴ , race, and sex			
Hispanic or Latino, male	19,584	8,155	10,787
Hispanic or Latina, female	19,832	9,589	9,030
Not Hispanic or Latino:			
White, single race, male	76,561	24,999	47,681
White, single race, female	80,881	28,977	47,650
Black or African American, single race, male	13,175	7,148	5,090
Black or African American, single race, female	15,952	9,545	5,551

^{*} Corresponding crude percentage for the frequency is considered unreliable, as specified in National Center for Health Statistics Data Presentation Standards for Proportions (available from: https://www.cdc.gov/nchs/data/series/sr_02/sr02_175.pdf), and is not shown.

¹Based on a survey question that asked respondents, "Except for tests you may have had as part of blood donations, have you ever been tested for HIV?" HIV is human immunodeficiency virus. Estimates of HIV testing for 2017 may not be comparable with estimates based on 1997-2010 National Health Interview Survey (NHIS) data due to modifications of the location and wording of the question in the 2011 NHIS survey. The weighted percentage of unknown with respect to HIV testing among adults aged 18 and over was 5.3%.

²Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

³Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

⁴Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

⁵Shown only for adults aged 25 and over.

⁶GED is General Educational Development high school equivalency diploma.

⁷"Full-time" employment is 35 or more hours per week. "Part-time" employment is 34 or fewer hours per week.

⁸Includes persons in families that reported either a dollar amount or would not provide a dollar amount but provided an income interval.

⁹"Poor" persons live in families defined as below the poverty threshold. "Near poor" persons live in families with incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons live in families with incomes that are 200% of the poverty threshold or greater.

¹⁰Based on a hierarchy of mutually exclusive categories. Adults with more than one type of health insurance were assigned to the first appropriate category in the hierarchy. "Uninsured" includes adults who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

¹¹MSA is metropolitan statistical area. Large MSAs have a population size of 1 million or more; small MSAs have a population size of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on data from the Sample Adult file and was weighted using the Sample Adult weight. Unknowns for the columns were not included in the frequencies, but they are included in the "All adults aged 18 and over" column. "Total" includes other races not shown separately and persons with unknown education, family income, poverty status, and health insurance characteristics. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>).

Suggested citation: Blackwell DL, Villarroel MA. Tables of Summary Health Statistics for U.S. Adults: 2017 National Health Interview Survey. National Center for Health Statistics. 2018. Available from: <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: NCHS, National Health Interview Survey, 2017.

Table A-20c Crude percentages (with standard errors) of human immunodeficiency virus testing status among adults aged 18 and over, by selected characteristics: United States, 2017

Selected characteristic	All adults aged 18 and over	Ever tested for HIV ¹	Never tested for HIV ¹
Total	100.0	40.8 (0.46)	59.2 (0.46)
Sex			
Male	100.0	38.4 (0.62)	61.6 (0.62)
Female	100.0	43.0 (0.61)	57.0 (0.61)
Age (years)			
18–44	100.0	48.8 (0.71)	51.2 (0.71)
45–64	100.0	42.1 (0.71)	57.9 (0.71)
65–74	100.0	24.0 (0.87)	76.0 (0.87)
75 and over	100.0	13.0 (0.82)	87.0 (0.82)
Race			
One race ²	100.0	40.6 (0.46)	59.4 (0.46)
White	100.0	37.9 (0.47)	62.1 (0.47)
Black or African American	100.0	61.5 (1.41)	38.5 (1.41)
American Indian or Alaska Native	100.0	38.2 (3.68)	61.8 (3.68)
Asian	100.0	32.9 (1.72)	67.1 (1.72)
Native Hawaiian or Other Pacific Islander	100.0	*	*
Two or more races ³	100.0	49.9 (2.96)	50.1 (2.96)
Black or African American, white	100.0	52.3 (6.62)	47.7 (6.62)
American Indian or Alaska Native, white	100.0	47.3 (4.26)	52.7 (4.26)
Hispanic or Latino origin ⁴ and race			
Hispanic or Latino	100.0	47.2 (1.25)	52.8 (1.25)
Mexican or Mexican American	100.0	42.9 (1.47)	57.1 (1.47)
Not Hispanic or Latino	100.0	39.5 (0.48)	60.5 (0.48)
White, single race	100.0	36.2 (0.50)	63.8 (0.50)
Black or African American, single race	100.0	61.1 (1.45)	38.9 (1.45)
Education ⁵			
Less than a high school diploma	100.0	36.2 (1.32)	63.8 (1.32)
High school diploma or GED ⁶	100.0	37.5 (0.87)	62.5 (0.87)
Some college	100.0	45.2 (0.78)	54.8 (0.78)
Bachelor's degree or higher	100.0	44.5 (0.78)	55.5 (0.78)
Current employment status ⁷			
Employed	100.0	45.2 (0.59)	54.8 (0.59)
Full-time	100.0	46.4 (0.64)	53.6 (0.64)
Part-time	100.0	39.4 (1.29)	60.6 (1.29)
Not employed but has worked previously	100.0	33.9 (0.65)	66.1 (0.65)
Not employed and has never worked	100.0	29.5 (1.76)	70.5 (1.76)

Table A-20c Crude percentages (with standard errors) of human immunodeficiency virus testing status among adults aged 18 and over, by selected characteristics: United States, 2017

Selected characteristic	All adults aged 18 and over	Ever tested for HIV ¹	Never tested for HIV ¹
Family income ⁸			
Less than \$35,000	100.0	41.1 (0.77)	58.9 (0.77)
\$35,000 or more	100.0	41.3 (0.54)	58.7 (0.54)
\$35,000–\$49,999	100.0	40.3 (1.15)	59.7 (1.15)
\$50,000–\$74,999	100.0	40.5 (0.99)	59.5 (0.99)
\$75,000–\$99,999	100.0	38.9 (1.18)	61.1 (1.18)
\$100,000 or more	100.0	43.1 (0.85)	56.9 (0.85)
Poverty status ⁹			
Poor	100.0	45.9 (1.23)	54.1 (1.23)
Near poor	100.0	40.8 (1.01)	59.2 (1.01)
Not poor	100.0	40.3 (0.53)	59.7 (0.53)
Health insurance coverage ¹⁰			
Under 65:			
Private	100.0	44.1 (0.61)	55.9 (0.61)
Medicaid	100.0	54.4 (1.41)	45.6 (1.41)
Other coverage	100.0	55.7 (1.90)	44.3 (1.90)
Uninsured	100.0	44.2 (1.40)	55.8 (1.40)
65 and over:			
Private	100.0	17.6 (0.84)	82.4 (0.84)
Medicare and Medicaid	100.0	25.2 (2.47)	74.8 (2.47)
Medicare Advantage	100.0	18.6 (1.19)	81.4 (1.19)
Medicare only	100.0	18.1 (1.42)	81.9 (1.42)
Other coverage	100.0	32.4 (2.66)	67.6 (2.66)
Uninsured	100.0	*	*
Marital status			
Married	100.0	38.2 (0.56)	61.8 (0.56)
Widowed	100.0	21.4 (1.18)	78.6 (1.18)
Divorced or separated	100.0	50.4 (0.97)	49.6 (0.97)
Never married	100.0	40.9 (1.01)	59.1 (1.01)
Living with a partner	100.0	57.5 (1.54)	42.5 (1.54)
Place of residence ¹¹			
Large MSA	100.0	44.0 (0.63)	56.0 (0.63)
Small MSA	100.0	38.5 (0.81)	61.5 (0.81)
Not in MSA	100.0	31.7 (1.27)	68.3 (1.27)
Region			
Northeast	100.0	41.8 (1.22)	58.2 (1.22)
Midwest	100.0	34.4 (0.85)	65.6 (0.85)
South	100.0	42.8 (0.80)	57.2 (0.80)
West	100.0	42.8 (0.85)	57.2 (0.85)

Table A-20c Crude percentages (with standard errors) of human immunodeficiency virus testing status among adults aged 18 and over, by selected characteristics: United States, 2017

Selected characteristic	All adults aged 18 and over	Ever tested for HIV ¹	Never tested for HIV ¹
Hispanic or Latino origin ⁴ , race, and sex			
Hispanic or Latino, male	100.0	43.1 (1.74)	56.9 (1.74)
Hispanic or Latina, female	100.0	51.5 (1.62)	48.5 (1.62)
Not Hispanic or Latino:			
White, single race, male	100.0	34.4 (0.68)	65.6 (0.68)
White, single race, female	100.0	37.8 (0.69)	62.2 (0.69)
Black or African American, single race, male	100.0	58.4 (2.25)	41.6 (2.25)
Black or African American, single race, female	100.0	63.2 (1.64)	36.8 (1.64)

* Estimate is considered unreliable, as specified in National Center for Health Statistics Data Presentation Standards for Proportions (available from: https://www.cdc.gov/nchs/data/series/sr02/sr02_175.pdf), and is not shown.

¹Based on a survey question that asked respondents, "Except for tests you may have had as part of blood donations, have you ever been tested for HIV?" HIV is human immunodeficiency virus. Estimates of HIV testing for 2017 may not be comparable with estimates based on 1997-2010 National Health Interview Survey (NHIS) data due to modifications of the location and wording of the question in the 2011 NHIS survey. The weighted percentage of unknown with respect to HIV testing among adults aged 18 and over was 5.3%.

²Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

³Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

⁴Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

⁵Shown only for adults aged 25 and over.

⁶GED is General Educational Development high school equivalency diploma.

⁷"Full-time" employment is 35 or more hours per week. "Part-time" employment is 34 or fewer hours per week.

⁸Includes persons in families that reported either a dollar amount or would not provide a dollar amount but provided an income interval.

⁹"Poor" persons live in families defined as below the poverty threshold. "Near poor" persons live in families with incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons live in families with incomes that are 200% of the poverty threshold or greater.

¹⁰Based on a hierarchy of mutually exclusive categories. Adults with more than one type of health insurance were assigned to the first appropriate category in the hierarchy. "Uninsured" includes adults who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

¹¹MSA is metropolitan statistical area. Large MSAs have a population size of 1 million or more; small MSAs have a population size of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on data from the Sample Adult file and was weighted using the Sample Adult weight. Unknowns for the columns were not included in the denominators when calculating percentages. Percentages may not add to totals due to rounding. "Total" includes other races not shown separately and persons with unknown education, family income, poverty status, and health insurance characteristics. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>).

Suggested citation: Blackwell DL, Villarroel MA. Tables of Summary Health Statistics for U.S. Adults: 2017 National Health Interview Survey. National Center for Health Statistics. 2018.

Available from: <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: NCHS, National Health Interview Survey, 2017.