

Table P-4a. Age-adjusted percent distribution (with standard errors) of limitation in work activity due to health problems among persons aged 18-69, by selected characteristics: United States, 2017

Selected characteristic	All persons aged 18-69	Unable to work ¹	Limited in work ¹	Not limited in work ¹
Total	100.0	6.2 (0.14)	3.2 (0.09)	90.5 (0.18)
Sex				
Male	100.0	6.1 (0.18)	3.2 (0.12)	90.7 (0.21)
Female	100.0	6.3 (0.18)	3.3 (0.12)	90.4 (0.23)
Age				
18-44 years	100.0	3.3 (0.14)	2.1 (0.11)	94.6 (0.18)
45-64 years	100.0	10.6 (0.28)	4.5 (0.17)	84.8 (0.34)
65-69 years	100.0	11.5 (0.56)	7.7 (0.47)	80.8 (0.72)
Race				
One race ²	100.0	6.1 (0.14)	3.2 (0.09)	90.7 (0.18)
White	100.0	6.0 (0.16)	3.2 (0.10)	90.8 (0.20)
Black or African American	100.0	8.7 (0.41)	4.0 (0.27)	87.4 (0.51)
American Indian or Alaska Native	100.0	10.4 (1.68)	3.1 (0.63)	86.5 (1.54)
Asian	100.0	2.2 (0.28)	1.5 (0.23)	96.3 (0.39)
Native Hawaiian or Other Pacific Islander	100.0	*	*	**91.2 (3.50)
Two or more races ³	100.0	11.2 (1.02)	6.3 (0.79)	82.6 (1.20)
Black or African American, white	100.0	14.0 (3.26)	8.4 (2.37)	77.6 (3.43)
American Indian or Alaska Native, white	100.0	13.0 (1.73)	6.9 (1.16)	80.2 (2.10)
Hispanic or Latino origin ⁴ and race				
Hispanic or Latino	100.0	5.6 (0.30)	2.7 (0.21)	91.7 (0.38)
Mexican or Mexican American	100.0	5.8 (0.40)	2.7 (0.27)	91.5 (0.48)
Not Hispanic or Latino	100.0	6.4 (0.16)	3.3 (0.10)	90.3 (0.20)
White, single race	100.0	6.2 (0.18)	3.4 (0.11)	90.4 (0.22)
Black or African American, single race	100.0	8.6 (0.42)	4.0 (0.27)	87.4 (0.52)
Education ⁵				
Less than a high school diploma	100.0	14.9 (0.60)	4.8 (0.35)	80.3 (0.71)
High school diploma or GED ⁶	100.0	9.6 (0.31)	4.3 (0.21)	86.1 (0.37)
Some college	100.0	7.4 (0.27)	4.3 (0.20)	88.3 (0.33)
Bachelor's degree or higher	100.0	2.2 (0.12)	1.9 (0.12)	95.9 (0.18)

Table P-4a. Age-adjusted percent distribution (with standard errors) of limitation in work activity due to health problems among persons aged 18-69, by selected characteristics: United States, 2017

Selected characteristic	All persons aged 18-69	Unable to work ¹	Limited in work ¹	Not limited in work ¹
Family income ⁷				
Less than \$35,000	100.0	16.4 (0.42)	6.0 (0.24)	77.5 (0.47)
\$35,000 or more	100.0	3.2 (0.11)	2.5 (0.10)	94.3 (0.16)
\$35,000–\$49,999	100.0	6.8 (0.41)	4.2 (0.34)	89.0 (0.54)
\$50,000–\$74,999	100.0	4.6 (0.25)	3.5 (0.24)	91.9 (0.37)
\$75,000–\$99,999	100.0	3.0 (0.25)	2.5 (0.24)	94.5 (0.35)
\$100,000 or more	100.0	1.7 (0.12)	1.4 (0.11)	96.9 (0.17)
Poverty status ⁸				
Poor	100.0	20.2 (0.66)	6.0 (0.35)	73.8 (0.74)
Near poor	100.0	12.2 (0.41)	5.4 (0.30)	82.5 (0.49)
Not poor	100.0	3.2 (0.11)	2.5 (0.09)	94.3 (0.15)
Health insurance coverage ⁹				
Under 65:				
Private	100.0	2.2 (0.08)	2.0 (0.09)	95.8 (0.13)
Medicaid or other public	100.0	20.9 (0.65)	7.1 (0.39)	72.0 (0.71)
Other	100.0	23.8 (1.16)	7.5 (0.74)	68.8 (1.36)
Uninsured	100.0	4.6 (0.31)	3.0 (0.27)	92.4 (0.42)
65 and over:				
Private	100.0	5.9 (0.59)	6.0 (0.62)	88.1 (0.83)
Dual eligible	100.0	39.5 (3.35)	13.0 (2.47)	47.5 (3.46)
Medicare Advantage	100.0	10.5 (1.02)	8.7 (0.94)	80.8 (1.36)
Medicare only	100.0	12.9 (1.32)	7.1 (0.93)	80.0 (1.54)
Other coverage	100.0	23.7 (2.73)	12.4 (1.99)	63.9 (3.14)
Uninsured	100.0	*	*	**93.3 (3.43)
Place of residence ¹⁰				
Large MSA	100.0	4.9 (0.17)	2.9 (0.12)	92.2 (0.23)
Small MSA	100.0	7.3 (0.27)	3.6 (0.15)	89.1 (0.32)
Not in MSA	100.0	9.5 (0.52)	3.9 (0.26)	86.5 (0.58)
Region				
Northeast	100.0	5.1 (0.29)	2.9 (0.19)	92.0 (0.34)
Midwest	100.0	6.5 (0.30)	3.5 (0.20)	90.0 (0.40)
South	100.0	7.0 (0.25)	3.2 (0.14)	89.8 (0.30)
West	100.0	5.7 (0.28)	3.3 (0.20)	91.0 (0.37)

Table P-4a. Age-adjusted percent distribution (with standard errors) of limitation in work activity due to health problems among persons aged 18-69, by selected characteristics: United States, 2017

Selected characteristic	All persons aged 18-69	Unable to work ¹	Limited in work ¹	Not limited in work ¹
Hispanic or Latino origin ⁴ , race, and sex				
Hispanic or Latino, male	100.0	5.3 (0.40)	2.8 (0.33)	91.9 (0.50)
Hispanic or Latina, female	100.0	5.9 (0.42)	2.6 (0.27)	91.4 (0.50)
Not Hispanic or Latino:				
White, single race, male	100.0	6.1 (0.23)	3.3 (0.15)	90.6 (0.28)
White, single race, female	100.0	6.4 (0.22)	3.4 (0.16)	90.2 (0.28)
Black or African American, single race, male	100.0	8.9 (0.61)	4.2 (0.42)	86.9 (0.72)
Black or African American, single race, female	100.0	8.4 (0.54)	3.8 (0.36)	87.8 (0.69)
Hispanic or Latino origin ⁴ , race, and poverty status				
Hispanic or Latino:				
Poor	100.0	12.8 (1.09)	4.1 (0.70)	83.1 (1.26)
Near poor	100.0	7.0 (0.65)	3.6 (0.53)	89.4 (0.84)
Not poor	100.0	2.9 (0.30)	1.8 (0.23)	95.3 (0.38)
Not Hispanic or Latino:				
White, single race				
Poor	100.0	25.6 (1.05)	7.1 (0.53)	67.2 (1.11)
Near poor	100.0	15.5 (0.61)	6.6 (0.46)	77.9 (0.70)
Not poor	100.0	3.3 (0.13)	2.6 (0.12)	94.1 (0.18)
Black or African American, single race				
Poor	100.0	20.8 (1.40)	6.4 (0.81)	72.7 (1.57)
Near poor	100.0	12.3 (1.06)	5.5 (0.72)	82.2 (1.16)
Not poor	100.0	3.5 (0.36)	2.8 (0.33)	93.7 (0.51)

^{*}Estimate is considered unreliable, as specified in National Center for Health Statistics Data Presentation Standards for Proportions (available from: https://www.cdc.gov/nchs/data/series/sr_02/sr02_175.pdf), and is not shown.

^{**}Complement of the estimate is considered unreliable, as specified in National Center for Health Statistics Data Presentation Standards for Proportions (available from: https://www.cdc.gov/nchs/data/series/sr_02/sr02_175.pdf).

¹Based on the questions, "Does a physical, mental, or emotional problem now keep [family members 18 years of age and older] from working at a job or business?" and for persons not kept from working, "Are [family members 18 years of age and older] limited in the kind or amount of work they can do because of a physical, mental, or emotional problem?"

²Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

³Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

⁴Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

⁵Shown only for persons aged 25 and over. Estimates are age adjusted using the projected 2000 U.S. population as the standard population and using three age groups: 25-44, 45-64, and 65-69.

⁶GED is General Educational Development high school equivalency diploma.

⁷Includes persons who reported a dollar amount or who would not provide a dollar amount but provided an income interval.

⁸"Poor" persons are defined as having income below the poverty threshold. "Near poor" persons have incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons have incomes that are 200% of the poverty threshold or greater.

⁹Based on a hierarchy of mutually exclusive categories. Persons with more than one type of health insurance were assigned to the first appropriate category in the hierarchy. "Uninsured" includes persons who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

¹⁰MSA is metropolitan statistical area. Large MSAs have a population of 1 million or more; small MSAs have a population of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on responses about persons aged 18-69 in the family. Data came from the Person file and were weighted using the Person weight. Unknowns for the columns were not included in the denominators when calculating percentages. Percentages may not add to totals due to rounding. "Total" includes other races not shown separately and persons with unknown education, family income, poverty status, and health insurance characteristics. Unless otherwise specified, estimates are age-adjusted using the projected 2000 U.S. population as the standard population and using three age groups: 18-44, 45-64, and 65-69. Estimates for age groups are not age-adjusted. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <https://www.cdc.gov/nchs/nhis/SHS/tables.htm>).

Suggested citation: Lucas JW, Benson V. Tables of Summary Health Statistics for the U.S. Population: 2017 National Health Interview Survey. National Center for Health Statistics. 2018. Available from: <https://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: NCHS, National Health Interview Survey, 2017.

Table P-4b. Frequency distribution (number in thousands) of limitation in work activity due to health problems among persons aged 18-69, by selected characteristics: United States, 2017

Selected characteristic	All persons aged 18-69	Unable to work ¹	Limited in work ¹	Not limited in work ¹
Total	213,882	14,533	7,466	191,813
Sex				
Male	104,572	6,910	3,597	94,028
Female	109,310	7,622	3,869	97,785
Age				
18-44 years	113,635	3,726	2,403	107,488
45-64 years	83,511	8,877	3,777	70,815
65-69 years	16,737	1,930	1,286	13,510
Race				
One race ²	209,292	14,052	7,192	187,978
White	164,255	10,935	5,716	147,552
Black or African American	27,686	2,489	1,150	24,032
American Indian or Alaska Native	2,722	289	84	2,350
Asian	14,093	320	218	13,551
Native Hawaiian or Other Pacific Islander	535	*	*	**492
Two or more races ³	4,590	481	274	3,835
Black or African American, white	1,103	70	75	957
American Indian or Alaska Native, white	1,732	238	140	1,354
Hispanic or Latino origin ⁴ and race				
Hispanic or Latino	36,811	1,924	947	33,931
Mexican or Mexican American	22,220	1,181	546	20,490
Not Hispanic or Latino	177,071	12,609	6,518	157,882
White, single race	131,984	9,358	4,910	117,673
Black or African American, single race	26,265	2,373	1,108	22,770
Education ⁵				
Less than a high school diploma	19,379	3,191	1,004	15,184
High school diploma or GED ⁶	44,021	4,641	2,058	37,312
Some college	52,295	4,196	2,444	45,630
Bachelor's degree or higher	66,134	1,597	1,352	63,169

Table P-4b. Frequency distribution (number in thousands) of limitation in work activity due to health problems among persons aged 18-69, by selected characteristics: United States, 2017

Selected characteristic	All persons aged 18-69	Unable to work ¹	Limited in work ¹	Not limited in work ¹
Family income ⁷				
Less than \$35,000	47,332	8,150	3,003	36,167
\$35,000 or more	138,318	4,825	3,650	129,817
\$35,000–\$49,999	19,779	1,389	865	17,522
\$50,000–\$74,999	31,661	1,527	1,167	28,967
\$75,000–\$99,999	24,867	801	657	23,402
\$100,000 or more	62,011	1,107	961	59,926
Poverty status ⁸				
Poor	22,965	4,425	1,325	17,208
Near poor	32,913	4,025	1,774	27,109
Not poor	143,048	5,146	3,913	133,955
Health insurance coverage ⁹				
Under 65:				
Private	135,408	3,344	2,872	129,171
Medicaid or other public	25,616	5,321	1,820	18,469
Other	8,682	2,774	732	5,172
Uninsured	24,947	1,065	705	23,170
65 and over:				
Private	7,182	422	433	6,326
Dual eligible	1,026	405	133	488
Medicare Advantage	4,045	423	351	3,264
Medicare only	2,994	385	213	2,394
Other coverage	1,175	278	145	751
Uninsured	200	*	*	**187
Place of residence ¹⁰				
Large MSA	123,971	6,555	3,749	113,623
Small MSA	63,049	5,053	2,500	55,469
Not in MSA	26,862	2,925	1,216	22,721
Region				
Northeast	39,013	2,185	1,239	35,575
Midwest	46,682	3,307	1,745	41,623
South	77,813	5,983	2,739	69,064
West	50,373	3,058	1,742	45,551

Table P-4b. Frequency distribution (number in thousands) of limitation in work activity due to health problems among persons aged 18-69, by selected characteristics: United States, 2017

Selected characteristic	All persons aged 18-69	Unable to work ¹	Limited in work ¹	Not limited in work ¹
Hispanic or Latino origin ⁴ , race, and sex				
Hispanic or Latino, male	18,475	887	478	17,110
Hispanic or Latina, female	18,335	1,037	470	16,821
Not Hispanic or Latino:				
White, single race, male	65,153	4,494	2,352	58,275
White, single race, female	66,831	4,864	2,559	59,398
Black or African American, single race, male	12,038	1,108	524	10,402
Black or African American, single race, female	14,227	1,265	584	12,367
Hispanic or Latino origin ⁴ , race, and poverty status				
Hispanic or Latino:				
Poor	6,219	693	228	5,298
Near poor	9,480	600	320	8,561
Not poor	18,291	515	326	17,447
Not Hispanic or Latino:				
White, single race				
Poor	9,611	2,416	677	6,515
Near poor	15,444	2,521	1,059	11,859
Not poor	98,655	3,820	2,930	91,882
Black or African American, single race				
Poor	5,016	1,023	315	3,678
Near poor	5,191	651	286	4,255
Not poor	13,672	505	416	12,744

^{*} Corresponding crude percentage for the frequency is considered unreliable, as specified in National Center for Health Statistics Data Presentation Standards for Proportions (available from: https://www.cdc.gov/nchs/data/series/sr_02/sr02_175.pdf), so the frequency is not shown.

^{**} Complement of the corresponding crude percentage for the frequency is considered unreliable, as specified in National Center for Health Statistics Data Presentation Standards for Proportions (available from: https://www.cdc.gov/nchs/data/series/sr_02/sr02_175.pdf).

¹Based on the questions, "Does a physical, mental, or emotional problem now keep [family members 18 years of age or older] from working at a job or business?" and for persons not kept from working,

^{*}Are [family members 18 years of age and older] limited in the kind or amount of work they can do because of a physical, mental, or emotional problem?"

²Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

³Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

⁴Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

⁵Shown only for persons aged 25 and over.

⁶GED is General Educational Development high school equivalency diploma.

⁷Includes persons who reported a dollar amount or who would not provide a dollar amount but provided an income interval.

⁸"Poor" persons are defined as having income below the poverty threshold. "Near poor" persons have incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons have incomes that are 200% of the poverty threshold or greater.

⁹Based on a hierarchy of mutually exclusive categories. Persons with more than one type of health insurance were assigned to the first appropriate category in the hierarchy. "Uninsured" includes persons who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

¹⁰MSA is metropolitan statistical area. Large MSAs have a population of 1 million or more; small MSAs have a population of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on responses about persons aged 18-69 in the family. Data came from the Person file and were weighted using the Person weight. Unknowns for the columns were not included in the frequencies, but they were included in the "All persons aged 18-69" column. "Total" includes other races not shown separately and persons with unknown education, family income, poverty status, and health insurance characteristics. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <https://www.cdc.gov/nchs/nhis/SHS/tables.htm>).

Suggested citation: Lucas JW, Benson V. Tables of Summary Health Statistics for the U.S. Population: 2017 National Health Interview Survey. National Center for Health Statistics. 2018. Available from: <https://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: NCHS, National Health Interview Survey, 2017.

Table P-4c. Crude percent distribution (with standard errors) of limitation in work activity due to health problems among persons aged 18-69, by selected characteristics: United States, 2017

Selected characteristic	All persons aged 18-69	Unable to work ¹	Limited in work ¹	Not limited in work ¹
Total	100.0	6.8 (0.15)	3.5 (0.09)	89.7 (0.19)
Sex				
Male	100.0	6.6 (0.19)	3.4 (0.13)	89.9 (0.23)
Female	100.0	7.0 (0.19)	3.5 (0.13)	89.5 (0.24)
Age				
18-44 years	100.0	3.3 (0.14)	2.1 (0.11)	94.6 (0.18)
45-64 years	100.0	10.6 (0.28)	4.5 (0.17)	84.8 (0.34)
65-69 years	100.0	11.5 (0.56)	7.7 (0.47)	80.8 (0.72)
Race				
One race ²	100.0	6.7 (0.16)	3.4 (0.09)	89.8 (0.20)
White	100.0	6.7 (0.17)	3.5 (0.11)	89.9 (0.22)
Black or African American	100.0	9.0 (0.43)	4.2 (0.29)	86.8 (0.54)
American Indian or Alaska Native	100.0	10.6 (1.61)	3.1 (0.65)	86.3 (1.51)
Asian	100.0	2.3 (0.29)	1.5 (0.24)	96.2 (0.40)
Native Hawaiian or Other Pacific Islander	100.0	*	*	**92.0 (3.40)
Two or more races ³	100.0	10.5 (1.01)	6.0 (0.77)	83.5 (1.21)
Black or African American, white	100.0	6.3 (1.65)	6.8 (1.99)	86.8 (2.29)
American Indian or Alaska Native, white	100.0	13.7 (1.72)	8.1 (1.35)	78.2 (2.23)
Hispanic or Latino origin ⁴ and race				
Hispanic or Latino	100.0	5.2 (0.30)	2.6 (0.21)	92.2 (0.38)
Mexican or Mexican American	100.0	5.3 (0.40)	2.5 (0.25)	92.2 (0.49)
Not Hispanic or Latino	100.0	7.1 (0.17)	3.7 (0.11)	89.2 (0.22)
White, single race	100.0	7.1 (0.20)	3.7 (0.12)	89.2 (0.25)
Black or African American, single race	100.0	9.0 (0.44)	4.2 (0.29)	86.7 (0.56)
Education ⁵				
Less than a high school diploma	100.0	16.5 (0.65)	5.2 (0.35)	78.4 (0.74)
High school diploma or GED ⁶	100.0	10.5 (0.33)	4.7 (0.23)	84.8 (0.40)
Some college	100.0	8.0 (0.29)	4.7 (0.21)	87.3 (0.35)
Bachelor's degree or higher	100.0	2.4 (0.13)	2.0 (0.13)	95.5 (0.19)

Table P-4c. Crude percent distribution (with standard errors) of limitation in work activity due to health problems among persons aged 18-69, by selected characteristics: United States, 2017

Selected characteristic	All persons aged 18-69	Unable to work ¹	Limited in work ¹	Not limited in work ¹
Family income ⁷				
Less than \$35,000	100.0	17.2 (0.47)	6.3 (0.26)	76.4 (0.55)
\$35,000 or more	100.0	3.5 (0.12)	2.6 (0.10)	93.9 (0.17)
\$35,000–\$49,999	100.0	7.0 (0.42)	4.4 (0.35)	88.6 (0.55)
\$50,000–\$74,999	100.0	4.8 (0.26)	3.7 (0.25)	91.5 (0.38)
\$75,000–\$99,999	100.0	3.2 (0.26)	2.6 (0.24)	94.1 (0.36)
\$100,000 or more	100.0	1.8 (0.12)	1.6 (0.11)	96.7 (0.18)
Poverty status ⁸				
Poor	100.0	19.3 (0.73)	5.8 (0.35)	75.0 (0.83)
Near poor	100.0	12.2 (0.44)	5.4 (0.30)	82.4 (0.53)
Not poor	100.0	3.6 (0.12)	2.7 (0.10)	93.7 (0.16)
Health insurance coverage ⁹				
Under 65:				
Private	100.0	2.5 (0.09)	2.1 (0.09)	95.4 (0.14)
Medicaid or other public	100.0	20.8 (0.68)	7.1 (0.39)	72.1 (0.76)
Other	100.0	32.0 (1.27)	8.4 (0.68)	59.6 (1.39)
Uninsured	100.0	4.3 (0.28)	2.8 (0.26)	92.9 (0.39)
65 and over:				
Private	100.0	5.9 (0.59)	6.0 (0.62)	88.1 (0.83)
Dual eligible	100.0	39.5 (3.35)	13.0 (2.47)	47.5 (3.46)
Medicare Advantage	100.0	10.5 (1.02)	8.7 (0.94)	80.8 (1.36)
Medicare only	100.0	12.9 (1.32)	7.1 (0.93)	80.0 (1.54)
Other coverage	100.0	23.7 (2.73)	12.4 (1.99)	63.9 (3.14)
Uninsured	100.0	*	*	**93.3 (3.43)
Place of residence ¹⁰				
Large MSA	100.0	5.3 (0.18)	3.0 (0.12)	91.7 (0.24)
Small MSA	100.0	8.0 (0.30)	4.0 (0.16)	88.0 (0.36)
Not in MSA	100.0	10.9 (0.60)	4.5 (0.30)	84.6 (0.71)
Region				
Northeast	100.0	5.6 (0.31)	3.2 (0.21)	91.2 (0.38)
Midwest	100.0	7.1 (0.33)	3.7 (0.20)	89.2 (0.44)
South	100.0	7.7 (0.28)	3.5 (0.15)	88.8 (0.34)
West	100.0	6.1 (0.30)	3.5 (0.20)	90.5 (0.38)

Table P-4c. Crude percent distribution (with standard errors) of limitation in work activity due to health problems among persons aged 18-69, by selected characteristics: United States, 2017

Selected characteristic	All persons aged 18-69	Unable to work ¹	Limited in work ¹	Not limited in work ¹
Hispanic or Latino origin ⁴ , race, and sex				
Hispanic or Latino, male	100.0	4.8 (0.39)	2.6 (0.30)	92.6 (0.50)
Hispanic or Latina, female	100.0	5.7 (0.41)	2.6 (0.26)	91.8 (0.49)
Not Hispanic or Latino:				
White, single race, male	100.0	6.9 (0.25)	3.6 (0.16)	89.5 (0.31)
White, single race, female	100.0	7.3 (0.24)	3.8 (0.17)	88.9 (0.30)
Black or African American, single race, male	100.0	9.2 (0.64)	4.4 (0.44)	86.4 (0.76)
Black or African American, single race, female	100.0	8.9 (0.57)	4.1 (0.38)	87.0 (0.72)
Hispanic or Latino origin ⁴ , race, and poverty status				
Hispanic or Latino:				
Poor	100.0	11.1 (1.10)	3.7 (0.65)	85.2 (1.29)
Near poor	100.0	6.3 (0.59)	3.4 (0.53)	90.3 (0.82)
Not poor	100.0	2.8 (0.30)	1.8 (0.22)	95.4 (0.38)
Not Hispanic or Latino:				
White, single race				
Poor	100.0	25.1 (1.18)	7.0 (0.54)	67.8 (1.31)
Near poor	100.0	16.3 (0.68)	6.9 (0.48)	76.8 (0.80)
Not poor	100.0	3.9 (0.14)	3.0 (0.12)	93.2 (0.20)
Black or African American, single race				
Poor	100.0	20.4 (1.51)	6.3 (0.81)	73.3 (1.74)
Near poor	100.0	12.5 (1.10)	5.5 (0.74)	82.0 (1.24)
Not poor	100.0	3.7 (0.37)	3.0 (0.36)	93.3 (0.55)

^{*}Estimate is considered unreliable, as specified in National Center for Health Statistics Data Presentation Standards for Proportions (available from: https://www.cdc.gov/nchs/data/series/sr_02/sr02_175.pdf), and is not shown.

^{**}Complement of the estimate is considered unreliable, as specified in National Center for Health Statistics Data Presentation Standards for Proportions (available from: https://www.cdc.gov/nchs/data/series/sr_02/sr02_175.pdf).

¹Based on the questions, "Does a physical, mental, or emotional problem now keep [family members 18 years of age and older] from working at a job or business?" and for persons not kept from working, "Are [family members 18 years of age and older] limited in the kind or amount of work they can do because of a physical, mental, or emotional problem?"

²Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

³Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

⁴Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

⁵Shown only for persons aged 25 and over.

⁶GED is General Educational Development high school equivalency diploma.

⁷Includes persons who reported a dollar amount or who would not provide a dollar amount but provided an income interval.

⁸"Poor" persons are defined as having income below the poverty threshold. "Near poor" persons have incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons have incomes that are 200% of the poverty threshold or greater.

⁹Based on a hierarchy of mutually exclusive categories. Persons with more than one type of health insurance were assigned to the first appropriate category in the hierarchy. "Uninsured" includes persons who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

¹⁰MSA is metropolitan statistical area. Large MSAs have a population of 1 million or more; small MSAs have a population of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on responses about persons aged 18-69 in the family. Data came from the Person file and were weighted using the Person weight. Unknowns for the columns were not included in the denominators when calculating percentages. Percentages may not add to totals due to rounding. "Total" includes other races not shown separately and persons with unknown education, family income, poverty status, and health insurance characteristics. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <https://www.cdc.gov/nchs/nhis/SHS/tables.htm>).

Suggested citation: Lucas JW, Benson V. Tables of Summary Health Statistics for the U.S. Population: 2017 National Health Interview Survey. National Center for Health Statistics. 2018. Available from: <https://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: NCHS, National Health Interview Survey, 2017.