

INTRODUCTION

The latest genomic test international evaluation for dairy production traits took place as scheduled at the Interbull Centre. Data from 29 countries were included in this evaluation.

International genetic evaluations for milk, fat and protein yields of bulls were computed from:
AUS BEL CAN CHE CZE DEU DFS ESP EST FRA GBR HUN IRL ISR ITA JPN KOR LTU LVA NLD NZL POL PRT SVK SVN URY USA ZAF HRV

Holstein breed data were included in this evaluation.

BEL, CAN, DEU, ESP, FRA, AUS, DFS, GBR, ITA, NLD, POL, HUN, CZE submitted GEBVs.

fat: BEL, CAN, DEU, ESP, FRA, AUS, DFS, GBR, ITA, NLD, POL, HUN, CZE
ml: BEL, CAN, DEU, ESP, FRA, AUS, DFS, GBR, ITA, NLD, POL, HUN, CZE
pro: BEL, CAN, DEU, ESP, FRA, AUS, DFS, GBR, ITA, NLD, POL, HUN, CZE

CHANGES IN NATIONAL PROCEDURES

Changes in the national genetic evaluation of production traits are as follows:

ITA (HOL) Decrease in reliability due to changes in bull population
ESP (HOL) Changed the reference genome and the imputing process, new check on genotypes and Interbull Method for gebv reliability. (GEBV test OK)
GBR (HOL) Some animals affected by change in genomic information
AUS (HOL) Some changes due to genotype update, added information for some bulls and/or new information on relatives
INTERBULL CHANGES COMPARED TO THE DECEMBER ROUTINE RUN

No changes in Interbull procedures

DATA AND METHOD OF ANALYSIS

Thirteen Holstein populations sent GEBV data for up to 38 traits, while classical EBVs for the same traits were used in the analyses. Young bull GEBVs from the GEBV providers have been converted to the scales of all countries participating in classical MACE. A bull will get a MACE EBV or a GMACE EBV but not both.
From those thirteen countries, National GEBVs of bulls less than seven years of age and with no classical MACE proofs were included for the breeding value prediction with a further requirement of either a MACE-PA or a GMACE-PA (for young genomic bulls with young genomic sires) being available.

The parameter-space approach is used for the GMACE genetic evaluations (Sullivan, 2016)

SCIENTIFIC LITERATURE

The international genetic evaluation procedure is based on international work described in the following scientific publications:

Sullivan, P.G. 2016. Defining a Parameter Space for GMACE. Interbull Bulletin 50, p 85-93.

VanRaden, P.M. and Sullivan, P.G. 2010. International genomic evaluation methods for dairy cattle. Gen. Sel. Evol. 42:7

Sullivan, P.G. and Jakobsen, J.H. 2012. Robust GMACE for young bulls methodology. Interbull Bulletin 45, Article 1.

Sullivan, P.G. 2012a. GMACE reliability approximation. Report to the GMACE working group of Interbull. GMACE_rels 2013

Sullivan, P.G. 2012b. GMACE variance estimation. Report to the GMACE working group of Interbull. GMACE_vce 2013

Sullivan, P.G. 2012c. GMACE Weighting Factors. Report to the GMACE working group of Interbull. GMACE_gedcs 2013

Jakobsen, J.H. and Sullivan, P.G. 2013. Trait specific computation of shared reference population. Reference sharing Nov 2013

NEXT ROUTINE INTERNATIONAL EVALUATION

