

INTRODUCTION

The latest genomic test international evaluation for workability traits took place as scheduled at the Interbull Centre. Data from 15 countries were included in this evaluation.

International genetic evaluations for workability traits of bulls were computed from: AUS CAN CHE DEU DFS FRA GBR NLD SVN NZL ITA JPN ESP CZE POL
Holstein data were included in this evaluation.

CAN, DEU, FRA, DFS, GBR, NLD, ITA, ESP, POL submitted GEBVs.

msp: CAN, DEU, FRA, DFS, GBR, NLD, ITA, ESP, POL
tem: , DEU, , DFS, GBR, NLD

CHANGES IN NATIONAL PROCEDURES

Changes in the national genomic evaluation of workability traits are as follows:

ESP (HOL)	Base change for trait msp, in line with MACE
HUN (HOL)	Provided new parameters. The software for the estimation of SNP solutions has been updated. New estimation of starting values for estimation of SNPs solutions and to calculate the ratio of residual to genetic variance. The changes triggered an increase in SD of all submitted traits.
ITA (HOL)	Base change for msp, in line with MACE
POL (HOL)	Reduction in size of the reference population.

INTERBULL CHANGES COMPARED TO THE DECEMBER ROUTINE RUN

No changes in Interbull procedures

DATA AND METHOD OF ANALYSIS

Thirteen Holstein populations sent GEBV data for up to 38 traits, while classical EBVs for the same traits were used in the analyses. Young bull GEBVs from the GEBV providers have been converted to the scales of all countries participating in classical MACE. A bull will get a MACE EBV or a GMACE EBV but not both.

From those thirteen countries, National GEBVs of bulls less than seven years of age and with no classical MACE proofs were included for the breeding value prediction with a further requirement of either a MACE-PA or a GMACE-PA (for young genomic bulls with young genomic sires) being available.

The parameter-space approach is used for the GMACE genetic evaluations (Sullivan, 2016)

SCIENTIFIC LITERATURE

The international genetic evaluation procedure is based on international work described in the following scientific publications:

Sullivan, P.G. 2016. Defining a Parameter Space for GMACE. Interbull Bulletin 50, p 85-93.

VanRaden, P.M. and Sullivan, P.G. 2010. International genomic evaluation methods for dairy cattle. Gen. Sel. Evol. 42:7

Sullivan, P.G. and Jakobsen, J.H. 2012. Robust GMACE for young bulls methodology. Interbull Bulletin 45, Article 1.

Sullivan, P.G. 2012a. GMACE reliability approximation. Report to the GMACE working group of Interbull. GMACE_rels 2013

Sullivan, P.G. 2012b. GMACE variance estimation. Report to the GMACE working group of Interbull. GMACE_vce 2013

Sullivan, P.G. 2012c. GMACE Weighting Factors. Report to the GMACE working group of Interbull. GMACE_gedcs 2013

Jakobsen, J.H. and Sullivan, P.G. 2013. Trait specific computation of shared reference population. Reference sharing Nov 2013

NEXT ROUTINE INTERNATIONAL EVALUATION

 Dates for next routine run can be found on <http://www.interbull.org/ib/servicecalendar>

NEXT TEST INTERNATIONAL EVALUATION

 Dates for next routine run can be found on <http://www.interbull.org/ib/servicecalendar>

PUBLICATION OF INTERBULL ROUTINE RUN

 Results were distributed by the Interbull Centre to designated representatives in each country. The international evaluation file comprised international proofs expressed on the base and unit of each country included in the analysis. Such records readily provide more information on bull performance in various countries, thereby minimising the need to resort to conversions.

At the same time, all recipients of Interbull results are expected to honour the agreed code of practice, decided by the Interbull Steering Committee, and only publish international evaluations on their own country scale. Evaluations expressed on another country scale are confidential and may only be used internally for research and review purposes.

Table 1. National evaluation dates in GMACE run August 2022

Country	Date
CAN	20220801
DEU	20220809
DFS	20220809
FRA	20220810
NLD	20220801
GBR	20220704
ITA	20220712
ESP	20220711
POL	20220708

Table 2.

Number of bulls in reference population for		msp
CAN	23831.0	
DEU	6454.0 37327.0	
DFS	4543.0 33798.0 34646.0	
FRA	3643.0 30882.0 30452.0 32437.0	
NLD	3597.0 32280.0 31803.0 30446.0 33582.0	
GBR	20394.0 6913.0 4959.0 3758.0 3945.0 22985.0	
ITA	19383.0 4710.0 3234.0 2911.0 2844.0 18414.0 20003.0	
ESP	5347.0 34781.0 34020.0 30969.0 32324.0 5825.0 3792.0 35723.0	
POL	4153.0 29005.0 28786.0 26517.0 27697.0 4496.0 2932.0 29320.0 30320.0	

 Number of bulls in reference population for tem

DEU	34797.0
DFS	31315.0 32023.0
NLD	29998.0 29443.0 31157.0
GBR	6364.0 4456.0 3582.0 22090.0