

Commenced Publication in 1973

Founding and Former Series Editors:

Gerhard Goos, Juris Hartmanis, and Jan van Leeuwen

Editorial Board

David Hutchison

Lancaster University, Lancaster, UK

Takeo Kanade

Carnegie Mellon University, Pittsburgh, PA, USA

Josef Kittler

University of Surrey, Guildford, UK

Jon M. Kleinberg

Cornell University, Ithaca, NY, USA

Friedemann Mattern

ETH Zurich, Zurich, Switzerland

John C. Mitchell

Stanford University, Stanford, CA, USA

Moni Naor

Weizmann Institute of Science, Rehovot, Israel

C. Pandu Rangan

Indian Institute of Technology Madras, Chennai, India

Bernhard Steffen

TU Dortmund University, Dortmund, Germany

Demetri Terzopoulos

University of California, Los Angeles, CA, USA

Doug Tygar

University of California, Berkeley, CA, USA

Gerhard Weikum

Max Planck Institute for Informatics, Saarbrücken, Germany

More information about this series at <http://www.springer.com/series/7407>

Lusheng Wang · Daming Zhu (Eds.)

Computing and Combinatorics

24th International Conference, COCOON 2018
Qing Dao, China, July 2–4, 2018
Proceedings

Editors

Lusheng Wang
City University of Hong Kong
Hong Kong
China

Daming Zhu
Shandong University
Jinan
China

ISSN 0302-9743 ISSN 1611-3349 (electronic)
Lecture Notes in Computer Science
ISBN 978-3-319-94775-4 ISBN 978-3-319-94776-1 (eBook)
<https://doi.org/10.1007/978-3-319-94776-1>

Library of Congress Control Number: 2018947438

LNCS Sublibrary: SL1 – Theoretical Computer Science and General Issues

© Springer International Publishing AG, part of Springer Nature 2018

This work is subject to copyright. All rights are reserved by the Publisher, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, reuse of illustrations, recitation, broadcasting, reproduction on microfilms or in any other physical way, and transmission or information storage and retrieval, electronic adaptation, computer software, or by similar or dissimilar methodology now known or hereafter developed.

The use of general descriptive names, registered names, trademarks, service marks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

The publisher, the authors and the editors are safe to assume that the advice and information in this book are believed to be true and accurate at the date of publication. Neither the publisher nor the authors or the editors give a warranty, express or implied, with respect to the material contained herein or for any errors or omissions that may have been made. The publisher remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

Printed on acid-free paper

This Springer imprint is published by the registered company Springer International Publishing AG
part of Springer Nature
The registered company address is: Gewerbestrasse 11, 6330 Cham, Switzerland

Preface

This volume contains the papers presented at the 24th International Computing and Combinatorics Conference (COCOON 2018), held during July 2–4, 2018, in Qing Dao, China. COCOON 2018 provided a forum for researchers working in the areas of algorithms, theory of computation, computational complexity, and combinatorics related to computing.

The technical program of the conference included 62 contributed papers selected by the Program Committee from 120 full submissions received in response to the call for papers. All the papers were peer reviewed by at least two (2.83 in average) Program Committee members or external reviewers. The papers cover various topics, including algorithms and data structures, complexity theory and computability, algorithmic game theory, computational learning theory, cryptography, computational biology, computational geometry and number theory, graph theory, and parallel and distributed computing. Some of the papers were selected for publication in special issues of *Algorithmica*, *Theoretical Computer Science (TCS)*, and *Journal of Combinatorial Optimization (JOCO)*, with the journal version of the papers being in a more complete form.

The conference also included three invited presentations, delivered by Michael Segal (Ben-Gurion University of the Negev), Ming Li (University of Waterloo), and Russell Schwartz (Carnegie Mellon University). Abstracts of their talks are included in this volume. We would like to thank all the authors for contributing high-quality research papers to the conference. We express our sincere thanks to the Program Committee members and the external reviewers for reviewing the papers. We thank Springer for publishing the proceedings in the *Lecture Notes in Computer Science* series. We thank the Shandong University for hosting COCOON 2018. We are also grateful to all members of the Organizing Committee and to their supporting staff. electronic Program Committee meetings, and to assist with the assembly of the proceedings.

May 2018

Daming Zhu

Organization

Program Co-chairs

Lusheng Wang City University of Hong Kong, SAR China
Daming Zhu Shandong University, China

Program Committee

Lenwood Heath Virginia Tech University, USA
Valentine Kabanets Simon Fraser University, Canada
Ming-Yang Kao Northwestern University, USA
Donghyun Kim Kennesaw State University, USA
Nam Nguyen Towson University, USA
Desh Ranjan Old Dominion University, USA
Marc Uetz University of Twente, The Netherlands
Bhaskar Dasgupta University of Illinois at Chicago, USA
Raffaele Giancarlo University of Palermo, Italy
Mohammadtaghi Hajiaghayi University of Maryland at College Park, USA
Kazuo Iwama Kyoto University, Japan
Iyad Kanj DePaul University, Illinois, USA
Monaldo Mastrolilli Dalle Molle Institute for Artificial Intelligence,
Switzerland
Youming Qiao University of Technology Sydney, Australia
Ryuhei Uehara Japan Advanced Institute of Science and Technology,
Japan
Jarek Byrka University of Wroclaw, Poland
Rajesh Chitnis Weizmann Institute of Science, Israel
Funda Ergun Indiana University, Indiana, USA
Pinar Heggernes University of Bergen, Norway
Jianxin Wang Central South University, China
Xiuzhen Huang Arkansas State University, USA
Hans-Joachim ETH Zurich, Switzerland
Boeckenhauer
Dennis Komm ETH Zurich, Switzerland
Chee Yap New York University, USA
Dorothea Wagner Karlsruhe Institute of Technology, Germany
Vinod Variyam University of Nebraska-Lincoln, USA
Zhizhong Chen Tokyo Denki University, Japan
Xiaowen Liu Indiana University, USA
Bin Ma University of Waterloo, Canada
Shuaicheng Li City University of Hong Kong, SAR China
Xiaoming Sun Institute of Computing Technology, China

Boting Yang
Zhenhua Duan
Peng Zhang

University of Regina, Canada
Xidian University, China
Shandong University, China

Abstracts of Invited Talks

Privacy Aspects in Data Querying

Michael Segal

Communication Systems Engineering Department,
Ben-Gurion University of the Negev, Beer-Sheva, Israel
segal@bgu.ac.il

Abstract. Vast amounts of information of all types is collected daily about people by governments, corporations and individuals. The information is collected, for example, when users register to or use online applications, receive health related services, use their mobile phones, utilize search engines, or perform common daily activities. As a result, there is an enormous quantity of privately-owned records that describe individuals finances, interests, activities, and demographics. These records often include sensitive data and may violate the privacy of the users if published. The common approach to safeguarding user information, or data in general, is to limit access to the storage (usually a database) by using authentication and authorization protocol. This way, only users with legitimate permissions can access the user data. However, even in these cases some of the data is required to stay hidden or accessible only to a specific subset of authorized users. Our talk focuses on possible malicious behavior by users with both partial and full access to queries over data. We look at privacy attacks that meant to gather hidden information and show methods that rely mainly on the underlying data structure, query types and behavior, and data format of the database. The underlying data structure may vary between graphs, trees, lists, queues, and so on. Each of these behaves differently with regard to data storage and querying, allow for different types of attacks, and require different methods of defense. The data stored in databases can be just about anything, and may be a combination of many different data types such as text, discrete numeric values, coordinates, continuous numeric values, timestamps, and others. We will show how to identify the potential weaknesses and attack vectors for each of these combinations of data structures and data types, and offer defenses against them. This is a joint work with Eyal Nussbaum.

Challenges from Cancer Immunotherapy

Ming Li

School of Computer Science, University of Waterloo
mli@uwaterloo.ca

There are currently two revolutions happening in the scientific world: deep learning and cancer immunotherapy. The former we have all heard, but I believe it is the latter [1–4] that is more closely related to the CPM/COCOON community and personally to each of us.

In principle, cancer immunotherapy is to activate our own defense system to kill cancer cells. When a cell in our bodies (for all vertebrates) becomes sick beyond repair, the MHC complex brings fragments of 8-15 amino acids, or (neo)antigens, from the foreign invader or cancerous proteins, to the surface of the cell inviting the white blood cells to kill that cell.

Short peptide immunotherapy uses these short sequences (of 8-15 amino acids) as the vaccine. One key obstacle for this treatment to become a clinical reality is how to identify and validate these somatic mutation loaded neoantigens (peptides of 8-15 amino acids) that are capable of eliciting effective anti-tumor T-cell responses for each individual. Currently, to treat a patient, we take a biopsy, do exome sequencing, perform somatic mutation analysis and MHC binding prediction. This process is a long, unreliable, and very expensive detour to predicting the neoantigens that are brought to the cancer cell surface [3, 4]. This process potentially can be validated by mass spectrometry (MS) [3–5] or even replaced by MS altogether if MS has sufficient sensitivity to capture the low abundant neoantigens on the cancer cell surface.

There is a promising MS technology called Data-Independent Acquisition (DIA) [6, 7] that has unbiased fragmentation of all precursor ions within a certain range of m/z . In this talk we will present our preliminary work [8] on how to find these mutated peptide sequences (de novo sequencing) from the cancer cell surface using deep learning and DIA data. We will discuss major open problems.

This is joint work with NH. Tran, R. Qiao, L. Xin, X. Chen, C. Liu, X. Zhang, and B. Shan. This work is partially supported by China's National Key R&D Program under grants 2018YFB1003202 and 2016YFB1000902, Canada's NSERC OGP0046506, Canada Research Chair Program, MITACS, and BSI.

References

1. Ott, P.A., et al.: Nature **547**, 217–221 (2017)
2. Sahin, U., et al.: Nature **547**, 222–226 (2017)
3. Editorial: The problem with neoantigen. Nat. Biotech. **35**(2) (2017)

4. Vitiello, A., Zanetti, M.: *Nat. Biotech.* **9**, 35 (2017)
5. Bassani-Sternberg, M., et al.: *Nat. Commun.* **7**, 13404 (2016)
6. Venable, J.D., et al.: *Nat. Methods* **1**, 39–45 (2004)
7. Röst, H.L., et al.: *Nat. Biotechnol.* **32**, 219–223 (2014)
8. Tran, N.H., et al.: De novo peptide sequencing by deep learning. *PNAS* **114**(31) (2017)

Reconstructing Tumor Evolution and Progression in Structurally Variant Cancer Cells

Russell Schwartz

Biological Sciences and Computational Biology, Carnegie Mellon University,
Pittsburg, PA 15213, USA
russells@andrew.cmu.edu

Abstract. Cancer is disease governed by the process of evolution, in which a process of accelerated genomic diversification and selection leads to the formation of tumors and a process of generally increasing aggressiveness over time. As a result, computational algorithms for reconstructing evolution have become a crucial tool for making sense of the immense complexity of tumor genomic data and the molecular mechanisms that produce them. While cancers are evolutionary systems, though, they follow very different rules than standard species evolution. A large body of research known as cancer phylogenetics has arisen to develop evolutionary tree reconstructions adapted to the peculiar mechanisms of tumor evolution and the limitations of the data sources available for studying it. Here, we will explore computational challenges in developing phylogenetic methods for reconstructing evolution of tumors by copy number variations (CNVs) and structural variations (SVs). CNVs and SVs are the primary mechanisms by which tumors functionally adapt during their evolution, but require very different models and algorithms than are used in traditional species phylogenetics. We will examine variants of this problem for handling several forms of tumor genomic data, including particular challenges of working with various bulk genomic and single-cell technologies for profiling tumor genetic variation. We will further see how the resulting models can help us develop new insight into how tumors develop and progress and how we can predict their future behavior.

Contents

Constructing Independent Spanning Trees on Bubble-Sort Networks	1
<i>Shih-Shun Kao, Jou-Ming Chang, Kung-Jui Pai, and Ro-Yu Wu</i>	
Exact Algorithms for Finding Partial Edge-Disjoint Paths.	14
<i>Yunyun Deng, Longkun Guo, and Peihuang Huang</i>	
A Randomized FPT Approximation Algorithm for Maximum Alternating-Cycle Decomposition with Applications	26
<i>Haitao Jiang, Lianrong Pu, Letu Qingge, David Sankoff, and Binhai Zhu</i>	
Contextual Dependent Click Bandit Algorithm for Web Recommendation . . .	39
<i>Weiwen Liu, Shuai Li, and Shengyu Zhang</i>	
LP-Based Pivoting Algorithm for Higher-Order Correlation Clustering.	51
<i>Takuro Fukunaga</i>	
Approximation Algorithms for a Two-Phase Knapsack Problem	63
<i>Kameng Nip and Zhenbo Wang</i>	
More Routes for Evacuation	76
<i>Katsuhisa Yamanaka, Yasuko Matsui, and Shin-ichi Nakano</i>	
Fine-Grained Parameterized Complexity Analysis of Knot-Free Vertex Deletion – A Deadlock Resolution Graph Problem	84
<i>Alan Diêgo Aurêlio Carneiro, Fábio Protti, and Uéverton S. Souza</i>	
Approximating Global Optimum for Probabilistic Truth Discovery	96
<i>Shi Li, Jinhui Xu, and Minwei Ye</i>	
Online Interval Scheduling to Maximize Total Satisfaction.	108
<i>Koji M. Kobayashi</i>	
Properties of Minimal-Perimeter Polyominoes.	120
<i>Gill Barequet and Gil Ben-Shachar</i>	
Computing Convex-Straight-Skeleton Voronoi Diagrams for Segments and Convex Polygons	130
<i>Gill Barequet, Minati De, and Michael T. Goodrich</i>	
Polygon Queries for Convex Hulls of Points	143
<i>Eunjin Oh and Hee-Kap Ahn</i>	

Synergistic Solutions for Merging and Computing Planar Convex Hulls.	156
<i>Jérémy Barbay and Carlos Ochoa</i>	
Cophenetic Distances: A Near-Linear Time Algorithmic Framework	168
<i>Paweł Górecki, Alexey Markin, and Oliver Eulenstein</i>	
Computing Coverage Kernels Under Restricted Settings.	180
<i>Jérémy Barbay, Pablo Pérez-Lantero, and Javiel Rojas-Ledesma</i>	
Weak Mitoticity of Bounded Disjunctive and Conjunctive Truth- Table Autoreducible Sets	192
<i>Liyu Zhang, Mahmoud Quweider, Hansheng Lei, and Fitra Khan</i>	
Approximation Algorithms for Two-Machine Flow-Shop Scheduling with a Conflict Graph	205
<i>Yinhui Cai, Guangting Chen, Yong Chen, Randy Goebel, Guohui Lin, Longcheng Liu, and An Zhang</i>	
On Contact Representations of Directed Planar Graphs	218
<i>Chun-Hsiang Chan and Hsu-Chun Yen</i>	
Computation and Growth of Road Network Dimensions	230
<i>Johannes Blum and Sabine Storandt</i>	
Car-Sharing Between Two Locations: Online Scheduling with Flexible Advance Bookings	242
<i>Kelin Luo, Thomas Erlebach, and Yinfeng Xu</i>	
Directed Path-Width and Directed Tree-Width of Directed Co-graphs	255
<i>Frank Gurski and Carolin Rehs</i>	
Generalized Graph k -Coloring Games	268
<i>Raffaello Carosi and Gianpiero Monaco</i>	
On Colorful Bin Packing Games.	280
<i>Vittorio Bilò, Francesco Cellinese, Giovanna Melideo, and Gianpiero Monaco</i>	
Nonbipartite Dulmage-Mendelsohn Decomposition for Berge Duality	293
<i>Nanao Kita</i>	
The Path Set Packing Problem	305
<i>Chenyang Xu and Guochuan Zhang</i>	
Manipulation Strategies for the Rank-Maximal Matching Problem.	316
<i>Pratik Ghosal and Katarzyna Paluch</i>	

Finding Maximal Common Subgraphs via Time-Space Efficient Reverse Search 328
Alessio Conte, Roberto Grossi, Andrea Marino, and Luca Versari

An FPT Algorithm for Contraction to Cactus 341
R. Krithika, Pranabendu Misra, and Prafullkumar Tale

An Approximation Framework for Bounded Facility Location Problems 353
Wenchang Luo, Bing Su, Yao Xu, and Guohui Lin

Reconfiguration of Satisfying Assignments and Subset Sums: Easy to Find, Hard to Connect 365
Jean Cardinal, Erik D. Demaine, David Eppstein, Robert A. Hearn, and Andrew Winslow

Solving the Gene Duplication Feasibility Problem in Linear Time. 378
Alexey Markin, Venkata Sai Krishna Teja Vadali, and Oliver Eulenstein

An Efficiently Recognisable Subset of Hypergraphic Sequences 391
Syed M. Meesum

Partial Homology Relations - Satisfiability in Terms of Di-Cographs. 403
Nikolai Nøjgaard, Nadia El-Mabrouk, Daniel Merkle, Nicolas Wieseke, and Marc Hellmuth

Improved Algorithm for Finding the Minimum Cost of Storing and Regenerating Datasets in Multiple Clouds 416
Yingying Wang, Kun Cheng, and Zimao Li

Reconfiguring Spanning and Induced Subgraphs. 428
Tesshu Hanaka, Takehiro Ito, Haruka Mizuta, Benjamin Moore, Naomi Nishimura, Vijay Subramanya, Akira Suzuki, and Krishna Vaidyanathan

Generalizing the Hypergraph Laplacian via a Diffusion Process with Mediators 441
T.-H. Hubert Chan and Zhibin Liang

Efficient Enumeration of Bipartite Subgraphs in Graphs. 454
Kunihiro Wasa and Takeaki Uno

Bipartite Graphs of Small Readability 467
Rayan Chikhi, Vladan Jovičić, Stefan Kratsch, Paul Medvedev, Martin Milanič, Sofya Raskhodnikova, and Nithin Varna

Maximum Colorful Cliques in Vertex-Colored Graphs. 480
Giuseppe F. Italiano, Yannis Manoussakis, Nguyen Kim Thang, and Hong Phong Pham

Partial Sublinear Time Approximation and Inapproximation for Maximum Coverage	492
<i>Bin Fu</i>	
Characterizing Star-PCGs	504
<i>Mingyu Xiao and Hiroshi Nagamochi</i>	
Liar’s Dominating Set in Unit Disk Graphs	516
<i>Ramesh K. Jallu, Sangram K. Jena, and Gautam K. Das</i>	
Minimum Spanning Tree of Line Segments	529
<i>Sanjana Dey, Ramesh K. Jallu, and Subhas C. Nandy</i>	
Improved Learning of k -Parities	542
<i>Arnab Bhattacharyya, Ameet Gadekar, and Ninad Rajgopal</i>	
On a Fixed Haplotype Variant of the Minimum Error Correction Problem . . .	554
<i>Axel Goblet, Steven Kelk, Matúš Mihalák, and Georgios Stamoulis</i>	
Non-monochromatic and Conflict-Free Coloring on Tree Spaces and Planar Network Spaces	567
<i>Boris Aronov, Mark de Berg, Aleksandar Markovic, and Gerhard Woeginger</i>	
Amplitude Amplification for Operator Identification and Randomized Classes	579
<i>Debajyoti Bera</i>	
Reconstruction of Boolean Formulas in Conjunctive Normal Form	592
<i>Evgeny Dantsin and Alexander Wolpert</i>	
A Faster FPTAS for the Subset-Sums Ratio Problem.	602
<i>Nikolaos Melissinos and Aris Pagourtzis</i>	
A Linear-Space Data Structure for Range-LCP Queries in Poly-Logarithmic Time	615
<i>Paniz Abedin, Arnab Ganguly, Wing-Kai Hon, Yakov Nekrich, Kunihiko Sadakane, Rahul Shah, and Sharma V. Thankachan</i>	
Non-determinism Reduces Construction Time in Active Self-assembly Using an Insertion Primitive	626
<i>Benjamin Hescott, Caleb Malchik, and Andrew Winslow</i>	
Minimum Membership Hitting Sets of Axis Parallel Segments	638
<i>N. S. Narayanaswamy, S. M. Dhannya, and C. Ramya</i>	
Minimum Transactions Problem	650
<i>Niranka Banerjee, Varunkumar Jayapaul, and Srinivasa Rao Satti</i>	

Heuristic Algorithms for the Min-Max Edge 2-Coloring Problem 662
Radu Stefan Mincu and Alexandru Popa

Geometric Spanners in the MapReduce Model 675
Sepideh Aghamolaei, Fatemeh Baharifard, and Mohammad Ghodsi

SDP Primal-Dual Approximation Algorithms for Directed Hypergraph
Expansion and Sparsest Cut with Product Demands. 688
T.-H. Hubert Chan and Bintao Sun

Lower Bounds for Special Cases of Syntactic Multilinear ABPs 701
C. Ramya and B. V. Raghavendra Rao

Approximation Algorithms on Multiple Two-Stage Flowshops 713
Guangwei Wu and Jianer Chen

Constant Factor Approximation Algorithm for l -Pseudoforest Deletion
Problem. 726
Mugang Lin, Bin Fu, and Qilong Feng

New Bounds for Energy Complexity of Boolean Functions 738
Krishnamoorthy Dinesh, Samir Otiv, and Jayalal Sarma

Hitting and Covering Partially 751
*Akanksha Agrawal, Pratibha Choudhary, Pallavi Jain,
Lawqueen Kanesh, Vibha Sahlot, and Saket Saurabh*

Author Index 765