



QNAP[®]2 Copper Naphthenate RTU With Mineral Spirits Safety Data Sheet

Issue Date: 02-Jun-2021

Revision Date: 03-May-2022

Version 2

1. IDENTIFICATION

Product identifier

Product Name QNAP2 Copper Naphthenate RTU with Mineral Spirits

Other means of identification

SDS # NIS-QNAP2MS

Registration Number(s) EPA Reg. No. 64405-22
UN/ID No NA1993

Recommended use of the chemical and restrictions on use

Recommended Use Kills subterranean termites, wood destroying beetles, powderpost beetles, carpenter ants and decay fungi. Use only according to label directions. It is a violation of Federal law to use this product in a manner inconsistent to label directions.

Details of the supplier of the safety data sheet

Manufacturer Address

Nisus Corporation
100 Nisus Drive
Rockford, TN 37853

Emergency telephone number

Company Phone Number Phone: (800)-264-0870
Fax: (865) 577-5825
Emergency Telephone INFOTRAC 1-352-323-3500 (International)
1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Emergency Overview This chemical is a product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-EPA registered chemicals. Please see Section 15 for additional EPA information.

Appearance Dark, green liquid

Physical state Liquid

Odor Pungent, petroleum distillate

Classification

Specific target organ toxicity (repeated exposure)	Category 1
Aspiration toxicity	Category 1
Flammable liquids	Category 4

Signal Word

Danger

Hazard statements

Causes damage to organs through prolonged or repeated exposure
May be fatal if swallowed and enters airways
Combustible liquid



Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapors/spray
Wash face, hands and any exposed skin thoroughly after handling
Do not eat, drink or smoke when using this product
Keep away from heat/sparks/open flames/hot surfaces. — No smoking
Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

Get medical advice/attention if you feel unwell
IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
Do NOT induce vomiting
In case of fire: Use CO2, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store locked up
Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other hazards

Toxic to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No	Weight-%
Mineral Spirits	8052-41-3	80-90
Copper naphthenate	1338-02-9	17

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

- Eye Contact** Immediately flush victim's eyes with large quantities of water for at least 15-20 minutes, while holding the eyelids apart. Remove contact lenses if easy to do so. Continue rinsing. Get immediate medical attention.
- Skin Contact** Immediately wash skin thoroughly with soap and water for at least 15-20 minutes. Remove contaminated clothing. Get immediate medical attention. Launder clothing before reuse.
- Inhalation** Move victim to fresh air and keep at rest in a position that is comfortable. If breathing is difficult, administer oxygen or administer artificial respiration. Get immediate medical attention.
- Ingestion** Do NOT induce vomiting. Rinse mouth. Do not give anything by mouth to an unconscious person. Get immediate medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms Causes damage to organs through prolonged or repeated exposure. May be fatal if swallowed and enters airways.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Immediate medical attention is required for eye contact, skin contact, inhalation and ingestion. Call a poison center or doctor for further treatment advice. Have the product container or label with you when calling a poison center or doctor or going for treatment. Probable mucosal damage may contraindicated the use of gastric lavage.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use water fog, foam, dry chemical, or carbon dioxide. Cool fire exposed containers and structures with water.

Unsuitable Extinguishing Media A solid stream of water or foam directed into hot, burning liquid can cause frothing.

Specific Hazards Arising from the Chemical

Combustible liquid.

Hazardous combustion products Burning may produce carbon monoxide, carbon dioxide, inorganic copper, and other flammable and toxic gases.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Evacuate spill area and keep unprotected personnel away. Wear appropriate protective clothing as described in Section 8.

Environmental precautions

Environmental precautions Avoid release to the environment. See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Dike and collect liquid or absorb with an inert absorbent and place in appropriate containers for disposal. Large spills should be removed using a vacuum truck. Wash spill area thoroughly. Prevent spill from entering sewers and watercourses. Report releases as required by local, state and federal authorities.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling

Prevent contact with the eyes, skin and clothing. Avoid breathing mists or aerosols. Wear protective clothing and equipment as described in Section 8. Applicators, mixer and other handlers must wear chemical resistant gloves, protective eyewear, long-sleeved shirt, long pants, socks and shoes when handling or applying this product. When applying this product to non-pressure treated wood, blend/spray operators and any individual that applies the product with a brush/roller must wear an organic vapor respirator. Use with adequate ventilation. Wash thoroughly with soap and water after handling. Remove contaminated clothing immediately and wash before reuse. Remove PPE immediately after handling. Wash thoroughly after using and change into clean clothing. Keep containers closed when not in use.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Store in a cool (between 40°F and 90°F), dry, well-ventilated area away from incompatible materials. Keep out of reach of children and pets. Do not store in direct sunlight. Keep containers tightly closed. Protect from physical damage. Keep in locked storage.

Packaging Materials

Nonrefillable container. Do not reuse containers. Product residues in empty containers can be hazardous. Follow all SDS precautions when handling empty containers.

Incompatible Materials

Oxidizers.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Mineral Spirits 8052-41-3	TWA: 100 ppm	TWA: 500 ppm TWA: 2900 mg/m ³ (vacated) TWA: 100 ppm (vacated) TWA: 525 mg/m ³	IDLH: 20000 mg/m ³ Ceiling: 1800 mg/m ³ 15 min TWA: 350 mg/m ³
Copper naphthenate 1338-02-9	TWA: 1 mg/m ³ Cu dust and mist	-	IDLH: 100 mg/m ³ Cu dust and mist TWA: 1 mg/m ³ Cu dust and mist

Appropriate engineering controls

Engineering Controls

Use with adequate general or local exhaust ventilation to maintain exposure levels below the occupational exposure limits. Suitable washing facilities should be available in the work area.

Individual protection measures, such as personal protective equipment

Eye/Face Protection

Wear safety goggles and face shield where splashing is possible.

Skin and Body Protection

Wear impervious gloves such as heavy PVC or butyl-viton. Gloves may be decontaminated by washing with soap and water. Wear long-sleeve shirts, long pants, socks and shoes when using this product.

Respiratory Protection

In operations where exposure levels are exceeded, a NIOSH approved respirator with methylamine or organic vapor cartridges with approved pesticide prefilter or supplied air respirator appropriate for the form and concentration of the contaminants should be used. Selection and use of respiratory equipment must be in accordance with OSHA 1910.134 and good industrial hygiene practice. Refer to the product label for additional information.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	Liquid	Odor	Pungent, petroleum distillate
Appearance	Dark, green liquid	Odor Threshold	Not determined
Color	Dark green		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	Not determined	
Melting point / freezing point	Not determined	
Boiling point / boiling range	121 °C / 249.8 °F	
Flash point	>66 °C / >150.8 °F	
Evaporation Rate	Not determined	
Flammability (Solid, Gas)	Liquid-Not applicable	
Flammability Limit in Air		
Upper flammability or explosive limits	Not determined	
Lower flammability or explosive limits	Not determined	
Vapor Pressure	Negligible	
Vapor Density	Not determined	
Relative Density	0.80-0.85	
Water Solubility	Insoluble in water	
Solubility in other solvents	Soluble in hydrocarbon solvents	
Partition Coefficient	Not determined	
Autoignition temperature	Not determined	
Decomposition temperature	Not determined	
Kinematic viscosity	Not determined	
Dynamic Viscosity	Not determined	
Explosive Properties	Not determined	
Oxidizing Properties	Not determined	

Other information

VOC Content (%) 75-85%

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None known.

Conditions to Avoid

None known.

Incompatible materials

Oxidizers.

Hazardous decomposition products

When heated to decomposition emits carbon monoxide, carbon dioxide and inorganic copper.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact	May cause irritation with redness and tearing.
Skin Contact	May cause skin irritation with redness and pain.
Inhalation	Inhalation of mists may cause irritation of vapors may cause central nervous system effects, dizziness, drowsiness, somnolence, convulsions, tremors, light-headedness, loss of consciousness, impairment of short-term memory, loss of coordination, personality changes, headache, fatigue, stupor and coma.
Ingestion	May be harmful if swallowed. Ingestion of copper salts may produce vomiting, metallic taste, headache, cold sweats, shock, jaundice, swollen liver, kidney damage, CNS depression and death from CNS depression or liver or kidney failure. Whether such effects occur following copper naphthenate ingestion is unknown.

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Mineral Spirits 8052-41-3	-	> 3000 mg/kg (Rabbit)	-
Copper naphthenate 1338-02-9	= 2 g/kg (Rat)	> 2000 mg/kg (Rabbit)	-

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	This material is not known to cause sensitization.
Germ cell mutagenicity	Not expected to cause germ cell mutagenicity.
Carcinogenicity	Chronic exposure to copper salts has produced lung and liver damage which sometimes progressed to cancer.
Reproductive toxicity	Not expected to cause reproductive toxicity.
STOT - repeated exposure	Causes damage to organs through prolonged or repeated exposure.
Chronic toxicity	May cause damage to blood, kidneys, nervous system and peripheral nervous system. Prolonged skin contact may cause defatting, drying, skin ulcers or pruritic eczema. Prolonged inhalation can affect behavior and central nervous system as described under inhalation.
Aspiration hazard	May be fatal if swallowed and enters airways.

Numerical measures of toxicity

Not determined.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Toxic to aquatic life with long lasting effects.

Persistence/Degradability

Not determined.

Bioaccumulation

There is no data for this product.

Mobility

Not determined

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

California Hazardous Waste Status

Chemical name	California Hazardous Waste Status
Copper naphthenate 1338-02-9	Toxic

14. TRANSPORT INFORMATION

Note

Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

DOT

Not regulated if shipped in NON BULK packaging (single containers less than 119 gal/ 882 lbs) by ground transport
 BULK Packaging (single containers larger than 119 gal/ 882 lbs):

UN/ID No

NA1993

Proper Shipping Name

Combustible liquid, n.o.s. (Copper naphthenate, Mineral spirits)

Hazard class

3

Packing Group

III

Marine Pollutant

Yes.

IATA

UN number

UN3082

Proper Shipping Name

Environmentally hazardous substance, liquid, n.o.s. (Copper naphthenate)

Transport hazard class(es)

9

Packing Group

III

Description

Yes

IMDG

UN number UN3082
Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s. (Copper naphthenate)
Transport hazard class(es) 3
Packing Group III
Marine Pollutant Yes

15. REGULATORY INFORMATION

International Inventories

Chemical name	TSCA	TSCA Inventory Status	DSL/NDSL	EINECS/ELI NCS	ENCS	IECSC	KECL	PICCS	AICS
Mineral Spirits	X	ACTIVE	X	X		X	X	X	X
Copper naphthenate	X	ACTIVE	X	X	X	X	X	X	X

Legend:

- TSCA - United States Toxic Substances Control Act Section 8(b) Inventory*
- DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List*
- EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances*
- ENCS - Japan Existing and New Chemical Substances*
- IECSC - China Inventory of Existing Chemical Substances*
- KECL - Korean Existing and Evaluated Chemical Substances*
- PICCS - Philippines Inventory of Chemicals and Chemical Substances*
- AICS - Australian Inventory of Chemical Substances*

US Federal Regulations

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

SARA 311/312 Hazard Categories

Acute Health Hazard Yes
Chronic Health Hazard No
Fire Hazard No
Sudden Release of Pressure Hazard No
Reactive Hazard No

SARA 313

Chemical name	CAS No	Weight-%	SARA 313 - Threshold Values %
Copper naphthenate - 1338-02-9	1338-02-9	10-20	1.0

CWA (Clean Water Act)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Copper naphthenate		X		

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Mineral Spirits 8052-41-3	X	X	X
Copper naphthenate 1338-02-9	X		X

EPA Pesticide Registration Number EPA Reg. No 64405-22

EPA Statement

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

EPA Pesticide Label

Not Available

Difference between SDS and EPA pesticide label

Not Available

16. OTHER INFORMATION

NFPA	Health Hazards	Flammability	Instability	Special Hazards
	1	2	0	Not determined
HMIS	Health Hazards	Flammability	Physical hazards	Personal Protection
	1	2	0	Not determined

Issue Date: 02-Jun-2021
Revision Date: 03-May-2022
Revision Note: SDS sections updated

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.



100 Nisus Drive • Rockford, TN 37853 USA • (800) 264-0870

QNAP and Nisus are registered trademarks of Nisus Corporation. ©2022 Nisus Corporation • #Q2MS-SDS-050322a