



US00D887827S

(12) **United States Design Patent**  
**Chao**

(10) **Patent No.:** **US D887,827 S**

(45) **Date of Patent:** **\*\* Jun. 23, 2020**

(54) **PACKAGE FOR POWERBANK DEVICE**

(71) Applicant: **TwinTech Industry, Inc.**, Cerritos, CA (US)

(72) Inventor: **Hsin-Chia Chao**, Rossmoor, CA (US)

(73) Assignee: **TwinTech Industry, Inc.**, Cerritos, CA (US)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/628,226**

(22) Filed: **Dec. 6, 2017**

(51) **LOC (12) Cl.** ..... **09-03**

(52) **U.S. Cl.**

USPC ..... **D9/414**

(58) **Field of Classification Search**

USPC ..... D9/414, 424, 427, 432, 433, 600, 702, D9/707, 709, 710, 713, 714, 734;  
(Continued)

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D394,605 S \* 5/1998 Skiba ..... D9/709

D602,376 S \* 10/2009 Coulson ..... D9/707

(Continued)

*Primary Examiner* — Wan Laymon

*Assistant Examiner* — Clint A Samuel

(74) *Attorney, Agent, or Firm* — Terrence M. Wyles, Esq.; Startup IP Law, LLC

(57) **CLAIM**

What is claimed is the ornamental design for a package for powerbank device, as shown and described.

**DESCRIPTION**

FIG. 1 depicts the bottom view of the package for powerbank device, wherein said package for powerbank device is configured to resemble the packaging of an edible nutri-

tional-supplement bar. It should be noted that the disclaimed text in broken lines is better shown in FIGS. 3 and 4.

FIG. 2 depicts the top view of the package for powerbank device, wherein said package for powerbank device is configured to resemble the packaging of an edible nutritional-supplement bar. The generic text entry of “Brand” is disclaimed by broken lines.

FIG. 3 depicts a first enlarged portion of the view depicted in FIG. 1 to better show the disclaimed subject matter (that is, certain text components) in broken lines. Specifically, it should be noted that the text entries of “Power Bar 2500,” “2500,” “Power Bar,” “4.20x1.44x0.46 in.,” and “2500” are disclaimed with broken lines.

FIG. 4 depicts a second enlarged portion of the view depicted in FIG. 1 to better show the disclaimed subject matter (certain text components) in broken lines. Specifically, it should be noted that the text entries of “5V/800 mA,” “5V/800 mA,” “4,” “1,” “1,” and “2500” are disclaimed with broken lines.

FIG. 5 depicts the right-side view of the package for powerbank device, wherein said package for powerbank device is configured to resemble the packaging of an edible nutritional-supplement bar.

FIG. 6 depicts the left-side view of the package for powerbank device, wherein said package for powerbank device is configured to resemble the packaging of an edible nutritional-supplement bar.


FIG. 7 depicts the front-end view of the package for powerbank device, wherein said package for powerbank device is configured to resemble the packaging of an edible nutritional-supplement bar.

FIG. 8 depicts the rear-end view of the package for powerbank device, wherein said package for powerbank device is configured to resemble the packaging of an edible nutritional-supplement bar; and,

FIG. 9 depicts the top-isometric view of the package for powerbank device, wherein said package for powerbank device is configured to resemble the packaging of an edible nutritional-supplement bar, the generic text entry of “Brand” is disclaimed by broken lines.

The broken line showing in the drawings is included for the purpose of illustrating unclaimed portions of the package for powerbank device and forms no part of the claimed design.

**1 Claim, 4 Drawing Sheets**



(58) **Field of Classification Search**

USPC ..... D1/199; D14/299, 480.1, 480.2, 483;  
   D24/118  
 CPC ..... B65D 85/54; B65D 85/60; B65D 75/66;  
   B65D 75/68; B65D 65/02; B65B 11/00;  
   B65B 11/02; B65B 11/004; A45C  
   2011/007

See application file for complete search history.

(56) **References Cited**

## U.S. PATENT DOCUMENTS

D619,478	S *	7/2010	Drewnowski	.....	D9/707
D634,644	S *	3/2011	Hofman	.....	D9/707
D643,745	S *	8/2011	Hartley	.....	D9/707
D675,937	S *	2/2013	Stern	.....	D9/707
D688,567	S *	8/2013	Stronski	.....	D9/709
D695,992	S *	12/2013	Wyne	.....	D1/128
D738,224	S *	9/2015	Hogendoorn	.....	D9/710
D756,801	S *	5/2016	Fenech, III	.....	D9/707
D772,724	S *	11/2016	Boekeloo	.....	D9/713
D777,569	S *	1/2017	Boekeloo	.....	D9/416
D812,489	S *	3/2018	Epstein	.....	D9/702
2012/0118783	A1 *	5/2012	Marle	.....	B65D 73/0021 206/476
2012/0152783	A1 *	6/2012	Cheema	.....	B65D 75/545 206/459.5
2013/0344203	A1 *	12/2013	Down	.....	B65D 75/46 426/110
2018/0251283	A1 *	9/2018	Borio	.....	B65D 71/36
2019/0016526	A1 *	1/2019	Hrant	.....	B65D 85/60
2019/0283945	A1 *	9/2019	Branyon	.....	B65D 65/14

\* cited by examiner




FIG. 1




FIG. 2

Power Bar 2500  
Portable Charger with 2500mAh Battery

**Power Bar Facts**

1 Bar Per Container  
Bar size 4.20 x 1.44 x 0.46 in

CHARGE CAPACITY  
Amount Per Bar  
mAh 2500

SPECIFICATIONS  
DC Input 5V/800mA  
DC Output 5V/800mA  
Charge Time\* 4hours  
\*Charge time may vary depending on the available power from the USB source.

WHAT IS INCLUDED  
Power Bar Charges x1  
Micro USB Charging Cable x1

FEATURES  
Safety Mechanism Multi-Layered Redundancy  
Charge Method High-Speed IC-Controlled  
Charge Time\* Auto-Detect

CHARGE FULLY BEFORE FIRST USE  
Charge your portable device with this convenient 2500mAh backup charger. Simply use the USB charging cable that came with your device to power up.

AWESOME FACTORS OF THIS DEVICE

TQA CHECKED UL CE RoHS

FIG. 3

FIG. 4




FIG. 3




FIG. 4



FIG. 5



FIG. 6




FIG. 7



FIG. 8




FIG. 9