



US 20040060234A1

(19) **United States**

(12) **Patent Application Publication**

**Weder**

(10) **Pub. No.: US 2004/0060234 A1**

(43) **Pub. Date: Apr. 1, 2004**

(54) **DECORATIVE ASSEMBLY FOR A FLORAL GROUPING**

(76) Inventor: **Donald E. Weder**, Highland, IL (US)

Correspondence Address:  
**DUNLAP, CODDING & ROGERS P.C.**  
**PO BOX 16370**  
**OKLAHOMA CITY, OK 73113 (US)**

(21) Appl. No.: **10/675,332**

(22) Filed: **Sep. 30, 2003**

**Related U.S. Application Data**

(60) Continuation of application No. 10/375,433, filed on Feb. 27, 2003, now Pat. No. 6,662,498, which is a continuation of application No. 10/158,242, filed on May 28, 2002, now Pat. No. 6,598,342, which is a continuation-in-part of application No. 09/918,320, filed on Jul. 30, 2001, now Pat. No. 6,453,612, which is a continuation of application No. 09/576,789, filed


on May 23, 2000, now abandoned, which is a division of application No. 09/333,333, filed on Jun. 15, 1999, now Pat. No. 6,082,045, which is a division of application No. 08/827,852, filed on Apr. 11, 1997, now Pat. No. 5,937,576.

**Publication Classification**

(51) **Int. Cl.<sup>7</sup>** ..... **A01G 9/02**  
(52) **U.S. Cl.** ..... **47/72**

(57) **ABSTRACT**

A decorative assembly for supporting a floral grouping utilizes a floral holding material, a sheet of material and a band. The decorative assembly is formed by a method which includes the steps of forming the sheet of material about at least a portion of the floral holding material with a forming device such that an upper end of the floral holding material remains substantially uncovered, and thereafter securing the sheet of material about the floral holding material with a band.






FIG. 1




FIG. 2







FIG. 3



**FIG. 4A**



**FIG. 4B**



**FIG. 5**




FIG. 6









FIG. 7





**FIG. 3A**



**FIG. 5**




FIG. 10






FIG. 11





## DECORATIVE ASSEMBLY FOR A FLORAL GROUPING

### CROSS REFERENCE TO RELATED APPLICATIONS

[0001] This application is a continuation of U.S. Ser. No. 10/375,433, filed Feb. 27, 2003; which is a continuation of U.S. Ser. No. 10/158,242, filed May 28, 2002, now U.S. Pat. No. 6,598,342, issued Jul. 29, 2003; which is a continuation-in-part of copending application U.S. Ser. No. 09/918,320, filed Jul. 30, 2001, now U.S. Pat. No. 6,453,612, issued Sep. 24, 2002; which is a continuation of U.S. Ser. No. 09/576,789, filed May 23, 2000, now abandoned; which is a divisional of U.S. Ser. No. 09/333,333, filed Jun. 15, 1999, now U.S. Pat. No. 6,082,045, issued Jul. 4, 2000; which is a divisional of U.S. Ser. No. 08/827,852, filed Apr. 11, 1997, now U.S. Pat. No. 5,937,576, issued Aug. 17, 1999, the entire contents of which are hereby expressly incorporated herein by reference.

### STATEMENT REGARDING FEDERALLY SPONSORED RESEARCH OR DEVELOPMENT

[0002] Not Applicable.

### FIELD OF THE INVENTION

[0003] The present invention relates generally to decorative assemblies for floral groupings and, more particularly, but not by way of limitation, to decorative assemblies for floral groupings formed by a method wherein a sheet of material is formed about at least a portion of an outer peripheral surface of a floral holding material and secured thereabout with a band.

### BRIEF DESCRIPTION OF THE DRAWINGS

[0004] FIG. 1 is a pictorial perspective representation of a sheet of material employed in the construction of a decorative assembly for a floral grouping constructed in accordance with the present invention, the sheet of material having a corner upwardly turned to show a lower surface thereof.

[0005] FIG. 2 is a diagrammatic plan view illustrating a sheet of flexible material employed in the formation of a floral holding material of the decorative assembly of the present invention, the sheet of flexible material depicted in an unassembled, flattened condition.

[0006] FIG. 3 is a partially cutaway, diagrammatic perspective representation of a floral holding material formed from the sheet of flexible material of FIG. 2, wherein a floral grouping is disposed in the floral holding material.

[0007] FIG. 4A is a diagrammatic perspective representation of a floral holding material formed from the sheet of flexible material of FIG. 2 wherein an upper portion of the floral holding material is outwardly flared, and wherein a floral grouping is disposed in the floral holding material.

[0008] FIG. 4B is a partial, diagrammatic perspective representation of the floral holding material formed from the sheet of flexible material of FIG. 2 wherein the upper portion of the floral holding material is disposed in an inwardly direction, and wherein a floral grouping is disposed in the floral holding material.

[0009] FIG. 5 is a diagrammatic perspective representation of another embodiment of a floral holding material employed in the formation of a decorative assembly of the present invention, wherein a floral grouping is disposed in the floral holding material.

[0010] FIG. 6 is a diagrammatic representation, partially in cross section, illustrating the floral holding material of FIG. 3 generally positioned above a sheet of material which is disposed on a forming device for forming the sheet of material about at least a portion of a peripheral sidewall of the floral holding material.

[0011] FIGS. 7 and 7A are diagrammatic representations, partially in cross section, illustrating the floral holding material of FIG. 3 generally positioned in an opening of the forming device of FIG. 6 prior to positioning a band about a portion of the sheet of material to secure same about the floral holding material.

[0012] FIGS. 8 and 8A are diagrammatic perspective representations of a decorative assembly for a floral grouping constructed in accordance with the present invention wherein a sheet of material is formed about at least a portion of the peripheral sidewall of the floral holding material of FIG. 3 and secured thereabout with a band.

[0013] FIG. 9 is a diagrammatic representation, partially in cross section, illustrating the floral holding material of FIG. 5 generally positioned above a sheet of material which is disposed on a forming device for forming the sheet of material about at least a portion of an outer peripheral surface of the floral holding material.

[0014] FIG. 10 is a diagrammatic representation, partially in cross section, illustrating the floral holding material of FIG. 5 generally positioned in an opening of the forming device of FIG. 10 prior to positioning a band about a portion of the sheet of material to secure same about the floral holding material.

[0015] FIG. 11 is a diagrammatic perspective representation of a decorative assembly for a floral grouping constructed in accordance with the present invention wherein a sheet of material is formed about at least a portion of the outer peripheral surface of the floral holding material of FIG. 5 and secured thereabout with a band.

[0016] FIG. 12 is a pictorial view of a roll of material and a cutting apparatus for providing sheets of material which can be employed in the production of the decorative assemblies for floral groupings constructed in accordance with the present invention.

[0017] FIG. 13 is pictorial perspective representation of another embodiment of a sheet of material which can be formed about at least a portion of a floral holding material in accordance with the present invention, the sheet of material having a corner upwardly turned to show a lower surface of the sheet of material.

### DESCRIPTION OF THE PREFERRED EMBODIMENTS

#### Description of FIGS. 1-4

[0018] Shown in FIG. 1, and designated by the general reference numeral 10, is a sheet of material employed in the formation of a decorative assembly for a floral grouping in

accordance with the present invention. The sheet of material **10**, which has an upper surface **12**, a lower surface **14** and an outer periphery **16**, can be constructed from any suitable flexible material that is capable of being wrapped or formed about a floral holding material to provide a decorative assembly for a floral grouping in the manner described herein after. Preferably, the sheet of material **10** is constructed of paper, metal foil, cloth (natural or synthetic or combinations thereof), denim, burlap, polymeric film, cling material, metallized film, or combinations or laminations thereof.

[0019] The term “polymeric film” as used herein means any film made of synthetic or naturally occurring polymers. For example, but not by way of limitation, an example of a synthetic polymeric film is a polypropylene film; and an example of a naturally occurring polymeric film is cellophane.

[0020] The sheet of material **10** may be any size and shape so long as the sheet of material **10** can function as described herein, and a substantially square-shape is shown in **FIG. 1** only by way of example. The sheet of material **10**, for example only, may be circular, rectangular or any other geometric shape, such as heart shaped.

[0021] The sheet of material **10** may be constructed of a single layer of material or a plurality of layers of the same or different types of materials. Any thickness of the sheet of material **10** may be utilized in accordance with the present invention as long as the sheet of material **10** is wrappable about floral holding materials as described herein after. Generally, however, the sheet of material **10** will have a thickness in a range of from about 0.1 mil to about 30 mil, and more desirably from about 0.1 mil to about 5 mil. Additionally, an insulating material such as bubble film, preferably as one of two or more layers, can be utilized in order to provide additional protection and/or insulation for the item supported in the floral holding material. The layers of material forming the sheet of material **10** may be connected together or laminated together or may be separate layers.

[0022] A decorative pattern, such as a color, an embossed pattern, a printed pattern and/or other decorative surface ornamentation may be applied to at least a portion of at least one of the upper surface **12** and the lower surface **14** of the sheet of material **10** including, but not limited to, printed designs, coatings, colors, flocking or metallic finishes. When the decorative pattern includes both an embossed pattern and a printed pattern, the embossed and printed patterns may be in register with one another, out of register with one another, or partially in register and partially out of register with one another. The sheet of material **10** also may be totally or partially clear or tinted transparent material.

[0023] “Cling Wrap or Material” as used herein means any material which is capable of connecting to the sheet of material and/or itself upon contacting engagement during the wrapping process and is wrappable about the decorative assembly formed about the floral holding material whereby portions of the cling material contactingly engage and connect to other portions of the decorative assembly for generally assisting in securing the sheet of material about at least a portion of the floral holding material. This connecting engagement is preferably temporary in that the cling mate-

rial may be easily removed without tearing the sheet of material, i.e., the cling material “clings” to the sheet of material.

[0024] The cling material is constructed and treated if necessary, from polyethylene, such as Cling Wrap made by GLAD®, First Brands Corporation, Danbury, Conn. The thickness of the cling material will, in part, depend upon the thickness of the sheet of material utilized, i.e., generally, the thicker and therefore heavier sheet of material may require a thicker and therefore stronger cling material. The cling material will range in thickness from about 0.2 mil to about 10 mil, and preferably from about 0.5 mil to about 2.5 mil, and most preferably from about 0.6 mil to about 2 mil. However, any thickness of cling material may be utilized in accordance with the present invention which permits the cling material to function as described herein.

[0025] Referring now to **FIG. 2**, a sheet of flexible material **20** employed in the formation of a floral holding material **22** (**FIGS. 3, 4A** and **4B**) is illustrated. The floral holding material **22** is illustrated as having a substantially conically-shaped configuration. However, it should be understood that the floral holding material **22** can have any desirable configuration, such as a tubular or square-shaped configuration, as long as such configuration provides the desired properties to permit same to function as the floral holding material **22**.

[0026] The sheet of flexible material **20** possesses sufficient flexibility to permit the sheet of flexible material **20** to be formed into the floral holding material **22**, while having sufficient strength to provide the floral holding material **22** with required shape-sustaining properties. Thus, the thickness of the sheet of flexible material **20** can vary widely, the only requirements being that the sheet of flexible material **20** have sufficient flexibility and strength to satisfy the above-stated requirements. For reasons which will be herein after described, it may be desirable that the sheet of flexible material **20** be constructed of a sufficiently water resistant material to prevent deterioration of the floral holding material **22** when the floral holding material **22** is contacted with a fluid, such as water. Materials possessing the above-identified properties which may be used as the sheet of flexible material **20** for fabrication of the floral holding material **22** are polymeric materials, metals, cardboard, water-repellent cardboard, poster board, corrugated materials, combinations thereof and the like.

[0027] While the sheet of flexible material **20** has been shown as an individual sheet of material, it should be understood that sheets of flexible material **20** can be stacked so that each individual sheet of flexible material **20** can be removed from the stack and shaped into the desired configuration of the floral holding material **22**; or, the sheets of flexible material **20** can be in the form of a roll of material in which perforations outline the configuration of each sheet of flexible material **20**.

[0028] The sheet of flexible material **20** has an upper side **24** having a centrally disposed recess **26**, a lower side **28**, a first end portion **30** and a second end portion **32** which cooperate to provide the sheet of flexible material **20** with a substantially semi-circular configuration. If desired, a substantially circular-shaped base member (not shown) can be connected to the lower side **28** of the sheet of flexible material **20** substantially as shown and described in U.S. Pat. No. 6,082,045, issued to Weder et al on Jul. 4, 200, the

contents of which are hereby expressly incorporated herein by reference in their entirety. When the sheet of flexible material **20** is provided with a base member, the base member serves to close an open lower end **34** (FIGS. **3** and **4A**) of the floral holding material **22** formed from the sheet of flexible material **20**.

[0029] To stabilize the floral holding material **22** in its desired configuration, the sheet of flexible material **20** can further be provided with a connector assembly **36** for connecting the first end portion **30** of the sheet of flexible material **20** to the second end portion **32** of the sheet of flexible material **20** when the sheet of flexible material **20** is formed into the floral holding material **22** substantially as shown in FIGS. **3**, **4A** and **4B**. The connector assembly **36** comprises a male connector **38** and a plurality of female connectors **40**. The male connector **38** is disposed along the upper side **24** of the sheet of flexible material **20** near the first end portion **30** thereof; and the plurality of female connectors **40** are spatially disposed in the second end portion **32** of the sheet of flexible material **20** near the upper side **24** thereof such that at least one female connector **40** is adapted to matingly engage the male connector **38** and thereby connect the first end portion **30** of the sheet of flexible material **20** to the second end portion **32** of the sheet of flexible material **20**. The male connector **38** is illustrated in FIG. **2** as a tab, and the plurality of female connectors **40** are illustrated in FIG. **2** as spatially disposed slits provided in the second end portion **32** of the sheet of flexible material **20** so that each of the female connectors **40** is alignable with the male connector **38** when the first end portion **30** of the sheet of flexible material **20** is disposed over the second end portion **32** of the sheet of flexible material **20** during formation of the floral holding material **22**. Thus, upon connecting the male connector **38** with a selected female connector **40**, the circumferential dimensions of the floral holding material **22** can be varied.

[0030] While the sheet of flexible material **20** has been illustrated as having only one male connector **38**, it should be understood that a plurality of male connectors **38** could be disposed along the upper side **24** of the sheet of flexible material **20** near the first end portion **30** thereof for mating engagement with the female connectors **40** formed in the second end portion **32** of the sheet of flexible material **20**. Further, the configuration and type of the male connector **38** and the female connector **40** can vary widely, the only requirement being that the male connector **38** be adapted to matingly engage and be connectable to the female connectors **40** so that the first end portion **30** of the sheet of flexible material **20** can be securely connected to the second end portion **32** of the sheet of flexible material **20** so as to form the floral holding material **22**.

[0031] The floral holding material **22** is designed to support and stabilize a floral grouping **41**. As shown in FIG. **3**, the floral holding material **22** is provided with an open upper end **46**, the open lower end **34** and a peripheral sidewall **43** that defines an internal chamber **42** that extends between the open upper end **46** and the open lower end **34** thereof.

[0032] The sheet of flexible material **20** is further provided with a plurality of finger members **48** formed about the centrally disposed recess **26** formed in the upper side **24** of the sheet of flexible material **20** (FIG. **2**). The finger members **48**, which extend inwardly into the sheet of

flexible material **20** from the centrally disposed recess **26**, desirably have a rounded or arcuate shaped or substantially flat distal end **50**. The finger members **48** enhance the stabilization of the floral grouping **41** disposed in the internal chamber **42** of the floral holding material **22** (FIGS. **3**, **4A** and **4B**). The finger members **48** can be flared outwardly to provide a flared neck portion **44** extending about the open upper end **46** of the floral holding material **22** as shown in FIG. **4A**, or the finger members **48** can be pressed inwardly into the open upper end **46** of the floral holding material **22** so as to engage stem portions **52** of the floral grouping **41** disposed within the internal chamber **42** of the floral holding material **22** (FIG. **4B**). It should also be understood that when the finger members **48** are flared outwardly as shown in FIG. **4A**, the stem portions **52** of the floral grouping **41** can be disposed between adjacently disposed finger members **48** to stabilize the floral grouping **41** in the floral holding material **22** and/or to assist in the arrangement of the floral grouping **41**.

#### Description of FIG. 5

[0033] Referring now to FIG. **5**, a floral holding material **60** is illustrated. The floral holding material **60** has an upper end **62**, a lower end **64** and an outer peripheral surface **66**; and the floral holding material **60** is constructed of a material capable of receiving a floral grouping **68** such that the floral grouping **68** is held and supported by the floral holding material **60** without the need of a pot. The floral holding material **60** shown in FIG. **5** has a generally cubical configuration. However, it is to be understood that the floral holding material **60** may have a generally rectangular configuration or may be spherically shaped, semi-spherically shaped, frustum shaped or have any other shape or configuration desired in any particular application.

[0034] The floral holding material **60** may be the type of material commonly referred to in the art as floral foam or Oasis™, or may be soil or artificial soil or other earth composition, so long as the material is capable of holding its predetermined shape and capable of receiving and supporting the floral grouping **68** without a pot. The floral holding material **60** may also be capable of receiving and holding water for supplying water to the floral grouping **68** supported therein.

[0035] It should be understood that the floral holding materials **22** and **60** hereinbefore described are merely representative of materials that can be used in the practice of the present invention and that the term "floral holding material" as used herein encompasses any type of material that is capable of holding its predetermined shape and capable of receiving and supporting a floral grouping without a pot. In addition, such materials are desirably capable of receiving and holding water for supplying water to the floral grouping supported therein.

#### Description of FIGS. 6-8

[0036] Referring now to FIGS. **6** and **7** and designated by the general reference numeral **70** is a forming device used to form the sheet of material **10** about at least a portion of the peripheral sidewall **43** of the floral holding material **22** and to maintain the sheet of material **10** about at least a portion of the peripheral sidewall **43** of the floral holding material **22** during application of a band **74** so as to provide a decorative

assembly 76 for a floral grouping (FIG. 8). The forming device 70 includes a platform 78 having an upper support surface 80 and an opening 82 extending through a portion of the upper support surface 80, the opening 82 being sized and configured to permit at least a portion of the floral holding material 22 and the sheet of material 10 to be positioned there through.

[0037] As more clearly shown in FIG. 6, the sheet of material 10 is placed on the upper support surface 80 of the platform 78 and positioned so that the sheet of material 10 generally is centered over the opening 82 in the platform 78. The floral holding material 22 then is positioned generally above the opening 82 in the platform 78 and above the sheet of material 10. The floral holding material 22 then is moved in a downwardly direction 84 to a position wherein the open lower end 34 of the floral holding material 22 engages a portion of the sheet of material 10, preferably a central portion of the sheet of material 10. The floral holding material 22 then further is moved in the downwardly direction 84 thereby pushing the floral holding material 22, along with a portion of the sheet of material 10, generally in the downwardly direction 84 and through the opening 82 in the platform 78 of the forming device 70. The floral holding material 22 with the sheet of material 10 formed about at least a portion thereof further is moved in the downwardly direction 84 to position the floral holding material 22 at a predetermined position within the opening 82 in the forming device 70 whereby the sheet of material 10 covers the lower end 34 of the floral holding material 22 and is positioned generally about at least a portion of the peripheral sidewall 43 of the floral holding material 22. In this position, as shown in FIG. 7, the sheet of material 10 extends about and covers a substantial portion of the floral holding material 22, leaving the open upper end 46 of the floral holding material 22 substantially uncovered so that a bloom or flower portion 86 of the floral grouping 41 extends outwardly from the open upper end 46 of the floral holding material 22 (FIG. 8).

[0038] The band 74 is applied about the sheet of material 10 and positioned either around a portion of the floral holding material 22 in close proximity to the open upper end 46 of the floral holding material 22 (FIG. 7) or at a position above the floral holding material 22 (FIG. 7A) so as to provide the decorative assembly 76 for the floral grouping 41 (FIGS. 8 and 8A). That is, the decorative assembly 76 is formed from the sheet of material 10 and the floral holding material 22 wherein the sheet of material 10 formed about at least a portion of the peripheral sidewall 43 of the floral holding material 22 such that the open upper end 46 of the floral holding material 22 remains uncovered by the sheet of material 10. After the band 74 has been applied about the sheet of material 10 disposed about at least a portion of the floral holding material 22, the decorative assembly 76 having the floral grouping 41 supported therein is moved in an upwardly direction 88 (FIG. 7) to remove the same from the forming device 70.

[0039] A crimped portion 90 (FIG. 8) is formed in the sheet of material 10 near the open upper end 46 of the floral holding material 22. The crimped portion 90 is formed by crimping together portions of the sheet of material 10 formed about the floral holding material 22. In FIG. 8, the crimped portion 90 is formed below and substantially adjacent the open upper end 46 of the floral holding material 22 by placing the band 74 about a portion of the sheet of

material 10 with the band 74 gathering or bringing together portions of the sheet of material 10. However, it is to be understood that the crimped portion 90 could be formed only in portions of the sheet of material 10, thereby forming circumferentially spaced apart crimped portions, if desired in a particular application; or, the crimped portion 90 could be formed above the open upper end 46 of the floral holding material 22 in the same manner as herein after described with reference to the floral holding material 60 (see FIG. 8A).

[0040] A portion of the sheet of material 10 extends a distance above and beyond the crimped portion 90 to form a skirt 92 (FIG. 8) extending circumferentially about the open upper end 46 of the floral holding material 22 and circumferentially about at least a portion of the stem portion 52 of the floral grouping 41, substantially as shown in FIG. 8.

[0041] The term "band" as used herein means any material which may be positioned about the sheet of material 10 to secure the sheet of material 10 about at least a portion of a peripheral sidewall or outer peripheral surface of a floral holding material, such as the peripheral sidewall 43 of the floral holding material 22 and the outer peripheral surface 66 of the floral holding material 60. Thus, the term "band" as used herein refers to elastic bands or rubber bands and includes any other type of material such as string, ribbon, metal, rubber, or plastic which may be used to secure a sheet of material about a floral holding material to provide a decorative assembly for a floral grouping in accordance with the present invention.

[0042] The band 74 employed to secure the sheet of material 10 about a floral holding material, such as the floral holding materials 22 and 60, can be applied either manually or automatically. For example, the sheet of material 10 can be placed about the floral holding material 22, and then the floral holding material 22 having the sheet of material 10 formed thereabout can be placed in a banding applicator. Thus, after the floral holding material 22 with the sheet of material 10 extended thereabout is placed in the banding applicator, the operator takes a band and positions it about the sheet of material 10.

[0043] Band applicators which may be employed in the practice of the present invention and which are capable of applying a band about the sheet of material 10 to secure the sheet of material 10 about the floral holding material 22 as described herein are commercially available, such as "Band-Master", a band applicator available from Rubber Band Technology Limited of Yakima, Wash.

[0044] To automatically band the sheet of material 10 about the floral holding material 22, the floral holding material 22 with the sheet of material 10 extended thereabout is placed in the banding machine and the banding machine is activated to automatically place the band 74 about the sheet of material 10. A system for automatically placing a band about a sheet of material disposed about a flower pot is disclosed in co-pending application U.S. Ser. No. 09/012,907 filed Jan. 23, 1998, entitled "BAND APPLICATOR FOR APPLYING A BAND ABOUT A SHEET OF MATERIAL AND A POT", the disclosure of which is hereby expressly incorporated herein by reference. This system can be utilized for automatically placing the band 74 about the sheet of material 10 in accordance with the present invention.

[0045] It should also be understood that the sheet of material **10** can be placed about the floral holding material **22**, and then the floral holding material **22** having the sheet of material **10** formed thereabout can be placed in a holding device including a band holder. The floral holding material **22** with the sheet of material **10** extended thereabout is placed in the holding device, and the operator takes a band from the band holder and pulls it over the holding device and onto the sheet of material **10**.

[0046] As shown in **FIG. 8**, the floral grouping **41** has the stem portion **52** and the bloom or flower portion **86**. A portion of the stem portion **52** of the floral grouping **41** extends into the internal chamber **42** of the floral holding material **22**; and the bloom or flower portion **86** of the floral grouping **41** extends a distance above the floral holding material **22**.

[0047] The term “floral grouping” as used herein means cut fresh flowers, artificial flowers, a single flower, other fresh and/or artificial plants or other floral materials and may include other secondary plants and/or ornamentation which add to the aesthetics of the overall floral grouping.

[0048] It is to be understood that while the formation of the decorative assembly **76** about the floral holding material **22** utilizing the sheet of material **10**, the forming device **70** and the band **74** has been described above, the same procedures and devices can be employed to form a decorative cover about the floral holding material **60** or any other typical floral holding material.

#### Description of FIGS. 9-11

[0049] Referring now to **FIGS. 9-11**, the formation of a decorative assembly **100** for a floral grouping (**FIG. 11**) formed about the floral holding material **60** (**FIG. 5**) utilizing the sheet of material **10** (**FIG. 1**) and the forming device **70** (as described previously with respect to **FIGS. 6 and 7**) will now be described. As more clearly shown in **FIG. 9**, the sheet of material **10** is placed on the upper support surface **80** of the platform **78** of the forming device **70** and positioned so that the sheet of material **10** generally is centered over the opening **82** in the platform **78** of the forming device **70**. The floral holding material **60** is then positioned generally above the opening **82** in the platform **78** of the forming device **70** and above the sheet of material **10**. The floral holding material **60** then is moved in the downwardly direction **84** to a position wherein the lower end **64** of the floral holding material **60** engages a portion of the sheet of material **10**, preferably a central portion of the sheet of material **10**. The floral holding material **60** is further moved in the downwardly direction **84**, thereby pushing the floral holding material **60**, along with a portion of the sheet of material **10**, generally in the downwardly direction **84** and through the opening **82** in the platform **78** of the forming device **70** to position the floral holding material **60** at a predetermined position within the opening **82** in the forming device **70** whereby the sheet of material **10** is positioned generally about at least a portion of the outer peripheral surface **66** of the floral holding material **60**. In this position, as shown in **FIG. 10**, the sheet of material **10** extends about and covers a substantial portion of the floral holding material **60**, leaving the upper end **62** of the floral holding material **60** substantially uncovered so that a bloom or flower portion **104** of the floral grouping **68** extends outwardly from the

upper end **62** of the floral holding material **60**; and a lower portion **106** of a stem portion **108** of the floral grouping **68** extends into the floral holding material **60**.

[0050] As shown in **FIG. 11**, a crimped portion **110** is formed above the upper end **62** of the floral holding material **60** by placing the band **74** about a portion of the sheet of material **10** with the band **74** gathering or bringing together portions of the sheet of material **10**. As shown in **FIG. 10**, after the band **74** has been applied about the sheet of material **10** disposed about at least a portion of the floral holding material **60**, the floral holding material **60** having the sheet of material **10** secured thereabout by the band **74** is moved in the upwardly direction **88** to remove the decorative assembly **100** from the forming device **70**.

[0051] Alternatively, the sheet of material **10** can be crimped by hand to form the crimped portion **110**, and thereafter the band **74**, such as a ribbon or string can be tied about the crimped portion **110** so as to provide the decorative assembly **100** for the floral grouping **68**. That is, the sheet of material **10** is disposed about at least a portion of the outer peripheral surface **66** of the floral holding material **60** such that at least a portion of the upper end **62** of the floral holding material **60** remains uncovered by the sheet of material **10**.

[0052] A portion of the sheet of material **10** extends a distance above and beyond the crimped portion **110** and forms a skirt **112** (**FIG. 11**) extending circumferentially about the upper end **62** of the floral holding material **60** and circumferentially about at least a portion of the floral grouping **68** substantially as shown.

[0053] The band **74**, as hereinbefore described, can be applied about the sheet of material **10** to secure same about the floral holding material **60** and thereby provide the decorative assembly **100**, either automatically utilizing the commercially available automatic or semi-automatic banding machines herein before identified, or manually. Further, the band **74** can be disposed about a portion of the sheet of material **10** extending about the outer peripheral surface **66** of the floral holding material **60**; or the band **74** can be applied to a portion of the sheet of material **10** extending above the upper end **62** of the floral holding material **60**, when the band **74** is applied about the portion of the sheet of material **10** extending above the upper end **62** of the floral holding material **60**, care should be exercised to insure that at least a portion of the upper end **62** of the floral holding material **60** remains uncovered by the sheet of material **10**.

#### Description of FIG. 12

[0054] Referring now to **FIG. 12**, a diagrammatic representation of a roll of material **120** and a cutting apparatus **122** is provided which is capable of providing sheets of material **10a** which can be employed in the production of the decorative assemblies for floral groupings constructed in accordance with the present invention. The sheet of material **10a** is similar in construction to the sheet of material **10** herein before described in detail with reference to **FIG. 1**. Thus, no further discussion or characterization of the sheet of material **10a** or its use in accordance with the present invention is believed necessary for one skilled in the art to understand and practice the present invention.

[0055] The roll of material **120** is supported on a shaft **124** such that material **126** can be withdrawn from the roll of

material **120** until a predetermined length of material **126** has been withdrawn. In this position, a portion of the material **126** is disposed under a knife edge **128** of the cutting apparatus **122**. The knife edge **128** is connected to an actuator **130** of the cutting apparatus **122** so that the knife edge **128** can be moved in a first direction **132** and a second direction **134** in response to activation of the actuator **130**. When the predetermined length of material **126** has been withdrawn from the roll of material **120**, the actuator **130** is actuated to move the knife edge **128** in the first direction **132** to a position wherein the knife edge **128** severingly engages the material **126** to cut same from the roll of material **120** and thereby provide the sheet of material **10a**. After the knife edge **128** has cuttingly severed the sheet of material **10a** from the roll of material **120**, the actuator **130** is actuated to move the knife edge **128** in the second direction **134** to a storage position disposed above the material **126**. It should be understood that the cutting apparatus **122** may further include a hydraulic or pneumatic cylinder or gear arrangement suitable for moving the knife edge **128** in the first and second direction **132** and **134**, respectively.

#### Description of FIG. 13

[0056] Referring now to FIG. 13, shown therein is a sheet of material **10b** which is similar to the sheet of material **10** shown and described herein before with reference to FIG. 1, except the sheet of material **10b** has a bonding material **140** disposed thereon. Thus, the sheet of material **10b** has an upper surface **12b**, a lower surface **14b**, and an outer periphery **16b**. The bonding material **140** is disposed on at least a portion of the upper surface **12b** of the sheet of material **10b**. The bonding material **140** may extend circumferentially about the sheet of material **10b**; or, the bonding material **140** may be substantially centrally disposed on the upper surface **12b** of the sheet of material **10b**; or, a portion of the bonding material **140** may extend circumferentially about the sheet of material **10b** and another portion of the bonding material **140** may be substantially centrally disposed on the upper surface **12b** of the sheet of material **10b**. It should be noted that, although the bonding material **140** may be in the form of spots or spaced apart strips, and the spots or strips may be of any geometric shape desired in a particular application.

[0057] The term "bonding material" as used herein means an adhesive, preferably a pressure sensitive adhesive, or a cohesive. Where the bonding material is a cohesive, a similar cohesive material must be placed on the adjacent surface of the floral holding material, such as the floral holding material **22** and **60**, for bondingly contacting and bondingly engaging with the cohesive material. The term "bonding material" also includes materials which are heat sealable and, in this instance, the adjacent portions of the material must be brought into contact and then heat must be applied to effect the seal. The term "bonding material" as used herein also means a heat sealing lacquer which may be applied to the sheet of material and, in this instance, heat also must be applied to effect the sealing. The term "bonding material" as used herein means any type of material or thing which can be used to effect the bonding or connecting of the two adjacent portions of the material or sheet of material to effect the connection or bonding described herein.

[0058] In operation, the sheet of material **10b** is formed about at least a portion of a peripheral sidewall or an outer

peripheral surface of a floral holding material in the same manner that the sheet of material is formed about the peripheral sidewall **43** of the floral holding material **22** and the outer peripheral surface **66** of the floral holding material **60** herein before described. However, when the sheet of material **10b** is formed about a floral holding material, overlapping portions of the sheet of material **10b**, as well as the crimped portion formed in the sheet of material during the formation of the decorative assembly (such as the decorative assemblies **76** and **100** herein before described) are bonded via the bonding material **140**.

[0059] Changes may be made in the construction and the operation of the various components, elements and assemblies described herein and changes may be made in the steps or the sequence of steps of the methods described herein without departing from the spirit and scope of the invention as defined in the following claims.

What is claimed is:

1. A decorative assembly for supporting a floral grouping having a stem portion and a bloom portion, the decorative assembly comprising a floral holding material, a sheet of material and a band, the decorative assembly formed by a method comprising the steps of:

providing a floral holding material having an open upper end, an open lower end and a peripheral sidewall defining an internal chamber extending between the open upper end and the open lower end thereof, the floral holding material being capable of maintaining a predetermined configuration as well as being capable of receiving and supporting the floral grouping;

providing a sheet of material;

providing a forming device adapted to form the sheet of material about the open lower end and at least a portion of the peripheral sidewall of the floral holding material;

forming the sheet of material about the open lower end and at least a portion of the peripheral sidewall of the floral holding material with the forming device whereby the sheet of material encompasses the open lower end and at least a portion of the peripheral sidewall of the floral holding material;

providing a band; and

positioning the band about the sheet of material so as to secure the sheet of material about the open lower end and at least a portion of the peripheral sidewall of the floral holding material.

2. The decorative assembly of claim 1 wherein, in the step of positioning the band about the sheet of material, the band is automatically positioned about a portion of the sheet of material disposed about the peripheral sidewall of the floral holding material.

3. The decorative assembly of claim 2 wherein the open upper end of the floral holding material remains substantially uncovered by the sheet of material.

4. The decorative assembly of claim 1 wherein, in the step of positioning the band about the sheet of material, the band is automatically positioned about a portion of the sheet of material disposed above the open upper end of the floral holding material.

5. The decorative assembly of claim 4 wherein the band is automatically positioned a portion of the sheet of material disposed about a portion of the stem portion of the floral grouping.

6. The decorative assembly of claim 1 wherein, in the step of positioning the band about the sheet of material, the band is positioned about a portion of the sheet of material disposed about the peripheral sidewall of the floral holding material.

7. The decorative assembly of claim 6 wherein the open upper end of the floral holding material remains substantially uncovered by the sheet of material.

8. The decorative assembly of claim 1 wherein, in the step of positioning the band about the sheet of material, the band is positioned about a portion of the sheet of material disposed above the open upper end of the floral holding material.

9. The decorative assembly of claim 8 wherein the band is positioned about a portion of the sheet of material disposed about a portion of the stem portion of the floral grouping.

10. The decorative assembly of claim 1 wherein a portion of the stem portion of the floral grouping is disposed within the internal chamber of the floral holding material such that the bloom portion of the floral grouping extends above the open upper end of the floral holding material and wherein the portion of the stem portion of the floral grouping is disposed within the internal chamber of the floral holding material prior to forming the sheet of material about at least a portion of the peripheral sidewall of the floral holding material.

11. The decorative assembly of claim 1 wherein a portion of the stem portion of the floral grouping is disposed within the internal chamber of the floral holding material such that the bloom portion of the floral grouping extends above the open upper end of the floral holding material and wherein the portion of the stem portion of the floral grouping is disposed within the internal chamber of the floral holding material after positioning the band about the sheet of material.

12. The decorative assembly of claim 1 wherein, in the step of providing a sheet of material, the sheet of material is further defined as being substantially fluid impermeable.

13. The decorative assembly of claim 12 wherein fluid is disposed into the internal chamber of the floral holding material and retained therein by the sheet of fluid impermeable material.

14. The decorative assembly of claim 1 wherein, in the step of providing a forming device, the forming device is further defined as comprising a platform having an upper support surface and an opening extending through at least a portion of the upper support surface.

15. The decorative assembly of claim 14 wherein the step of forming the sheet of material about the open lower end and at least a portion of the peripheral sidewall of the floral holding material with the forming device is further defined as comprising the steps of:

disposing the sheet of material upon the upper support surface of the forming device such that a portion of the sheet of material is disposed over the opening in the forming device; and

moving the floral holding material into engagement with the sheet of material and through the opening in the

forming device for forming the sheet of material about the open lower end and at least a portion of the peripheral sidewall of the floral holding material.

16. A decorative assembly for supporting a floral grouping having a stem portion and a bloom portion, the decorative assembly comprising a floral holding material, a sheet of material and a band, the decorative assembly formed by a method comprising the steps of:

providing a floral holding material having an open upper end, an open lower end and an outer peripheral surface, the floral holding material having a predetermined configuration and the floral holding material capable of maintaining its predetermined configuration as well as being capable of receiving and supporting a floral grouping;

providing a sheet of material;

providing a forming device adapted to form the sheet of material about the open lower end and at least a portion of the outer peripheral surface of the floral holding material;

forming the sheet of material about the open lower end and at least a portion of the outer peripheral surface of the floral holding material with the forming device whereby the sheet of material encompasses the open lower end and at least a portion of the outer peripheral surface of the floral holding material;

providing a band; and

positioning the band about the sheet of material so as to secure the sheet of material about at least the open lower end and at least a portion of the outer peripheral surface of the floral holding material.

17. The decorative assembly of claim 16 wherein, in the step of positioning the band about the sheet of material, the band is automatically positioned about a portion of the sheet of material disposed about the open lower end and the outer peripheral surface of the floral holding material.

18. The decorative assembly of claim 17 wherein the open upper end of the floral holding material remains substantially uncovered by the sheet of material.

19. The decorative assembly of claim 16 wherein, in the step of positioning the band about the sheet of material, the band is automatically positioned about a portion of the sheet of material disposed above the open upper end of the floral holding material.

20. The decorative assembly of claim 19 wherein the band is automatically positioned about a portion of the sheet of material disposed about a portion of the stem portion of the floral grouping.

21. The decorative assembly of claim 16 wherein, in the step of positioning the band about the sheet of material, the band is positioned about a portion of the sheet of material disposed about the outer peripheral surface of the floral holding material.

22. The decorative assembly of claim 21 wherein the open upper end of the floral holding material remains substantially uncovered by the sheet of material.

23. The decorative assembly of claim 16 wherein, in the step of positioning the band about the sheet of material, the band is positioned about a portion of the sheet of material disposed above the open upper end of the floral holding material.

**24.** The decorative assembly of claim 23 wherein the band is positioned about a portion of the sheet of material disposed about a portion of the stem portion of the floral grouping.

**25.** The decorative assembly of claim 16 wherein a portion of the stem portion of the floral grouping is disposed in the floral holding material prior to forming the sheet of material about the open lower end and at least a portion of the outer peripheral surface of the floral holding material.

**26.** The decorative assembly of claim 16 wherein a portion of the stem portion of the floral grouping is disposed in the floral holding material after positioning the band about the sheet of material.

**27.** The decorative assembly of claim 16 wherein, in the step of providing a forming device, the forming device is further defined as comprising a platform having an upper support surface and an opening extending through at least a portion of the upper support surface.

**28.** The decorative assembly of claim 27 wherein the step of forming the sheet of material about the open lower end and at least a portion of the peripheral sidewall of the floral holding material with the forming device is further defined as comprising the steps of:

disposing the sheet of material upon the upper support surface of the forming device such that a portion of the sheet of material is disposed over the opening in the forming device; and

moving the floral holding material into engagement with the sheet of material and through the opening in the forming device for forming the sheet of material about the open lower end and at least a portion of the peripheral sidewall of the floral holding material.

**29.** A decorative assembly for supporting a floral grouping having a stem portion and a bloom portion, the decorative assembly comprising a floral holding material, a sheet of material and a band, the decorative assembly formed by a method comprising the steps of:

providing a floral holding material having an open upper end, an open lower end and a peripheral sidewall defining an internal chamber extending between the open upper end and the open lower end thereof, the floral holding material having a substantially conically-shaped predetermined configuration and the floral holding material capable of maintaining its predetermined configuration as well as being capable of receiving and supporting the floral grouping;

providing a sheet of material;

forming the sheet of material about the open lower end and at least a portion of the peripheral sidewall of the floral holding material whereby the sheet of material encompasses the open lower end and at least a portion of the peripheral sidewall of the floral holding material;

providing a band; and

positioning the band about the sheet of material so as to secure the sheet of material about the open lower end and at least a portion of the peripheral sidewall of the floral holding material.

**30.** The decorative assembly of claim 29 wherein, in the step of positioning the band about the sheet of material, the

band is positioned about a portion of the sheet of material disposed about the peripheral sidewall of the floral holding material.

**31.** The decorative assembly of claim 30 wherein the open upper end of the floral holding material remains substantially uncovered by the sheet of material.

**32.** The decorative assembly of claim 29 wherein, in the step of positioning the band about the sheet of material, the band is positioned about a portion of the sheet of material disposed above the open upper end of the floral holding material.

**33.** The decorative assembly of claim 32 wherein the band is positioned about a portion of the sheet of material disposed about a portion of the stem portion of the floral grouping.

**34.** The decorative assembly of claim 29 wherein a portion of the stem portion of the floral grouping is disposed within the internal chamber of the floral holding material such that the bloom portion of the floral grouping extends above the open upper end of the floral holding material and wherein the portion of the stem portion of the floral grouping is disposed within the internal chamber of the floral holding material prior to forming the sheet of material about at least a portion of the peripheral sidewall of the floral holding material.

**35.** The decorative assembly of claim 29 wherein a portion of the stem portion of the floral grouping is disposed within the internal chamber of the floral holding material such that the bloom portion of the floral grouping extends above the open upper end of the floral holding material and wherein the portion of the stem portion of the floral grouping is disposed within the internal chamber of the floral holding material after positioning the band about the sheet of material.

**36.** The decorative assembly of claim 29 wherein a portion of the stem portion of the floral grouping is disposed in the floral holding material prior to forming the sheet of material about the open lower end and at least a portion of the peripheral sidewall of the floral holding material.

**37.** The decorative assembly of claim 29 wherein a portion of the stem portion of the floral grouping is disposed in the floral holding material after positioning the band about the sheet of material.

**38.** The decorative assembly of claim 29 wherein, in the step of providing a sheet of material, the sheet of material is further defined as being substantially fluid impermeable.

**39.** The decorative assembly of claim 38 wherein fluid is disposed into the internal chamber of the floral holding material and retained therein by the sheet of material.

**40.** A decorative assembly for supporting a floral grouping having a stem portion and a bloom portion, the decorative assembly comprising a floral holding material, a sheet of material and a band, the decorative assembly formed by a method comprising the steps of:

providing a floral holding material having an open upper end, an open lower end and an outer peripheral surface, the floral holding material having a predetermined configuration and the floral holding material capable of maintaining its predetermined configuration as well as being capable of receiving and supporting a floral grouping;

providing a sheet of material;



forming the sheet of material about the open lower end and at least a portion of the outer peripheral surface of the floral holding material whereby the sheet of material encompasses the open lower end and at least a portion of the outer peripheral surface of the floral holding material;

providing a band; and

positioning the band about the sheet of material so as to secure the sheet of material about at least the open lower end and at least a portion of the outer peripheral surface of the floral holding material.

**41.** The decorative assembly of claim 40 wherein, in the step of positioning the band about the sheet of material, the band is positioned about a portion of the sheet of material disposed about the outer peripheral surface of the floral holding material.

**42.** The decorative assembly of claim 41 wherein the open upper end of the floral holding material remains substantially uncovered by the sheet of material.

**43.** The decorative assembly of claim 40 wherein, in the step of positioning the band about the sheet of material, the band is positioned about a portion of the sheet of material disposed above the open upper end of the floral holding material.

**44.** The decorative assembly of claim 43 wherein the band is positioned about a portion of the sheet of material disposed about a portion of the stem portion of the floral grouping.

**45.** The decorative assembly of claim 40 wherein a portion of the stem portion of the floral grouping is disposed in the floral holding material prior to forming the sheet of material about the open lower end and at least a portion of the outer peripheral surface of the floral holding material.

**46.** The decorative assembly of claim 40 wherein a portion of the stem portion of the floral grouping is disposed in the floral holding material after positioning the band about the sheet of material.

**47.** The decorative assembly of claim 40 wherein a portion of the stem portion of the floral grouping is disposed within the floral holding material such that the bloom portion of the floral grouping extends upwardly therefrom and wherein the portion of the stem portion of the floral grouping is disposed within the floral holding material prior to forming the sheet of material about at least a portion of the peripheral sidewall of the floral holding material.

**48.** The decorative assembly of claim 40 wherein a portion of the stem portion of the floral grouping is disposed within the floral holding material such that the bloom portion of the floral grouping extends upwardly therefrom and wherein the portion of the stem portion of the floral grouping is disposed within the floral holding material after positioning the band about the sheet of material.

\* \* \* \* \*