



US00D609476S

(12) **United States Design Patent**
Hinnen

(10) **Patent No.:** **US D609,476 S**

(45) **Date of Patent:** **** Feb. 9, 2010**

(54) **SEAL CONTROL SHEET**

(75) Inventor: **Anneli Hinnen**, Lahti (FI)

(73) Assignee: **Wipak Oy**, Nastola (FI)

(**) Term: **14 Years**

(21) Appl. No.: **29/281,827**

(22) Filed: **Jul. 3, 2007**

(30) **Foreign Application Priority Data**

May 16, 2007 (EM) 000723960

(51) **LOC (9) Cl.** **05-06**

(52) **U.S. Cl.** **D5/60; D5/99**

(58) **Field of Classification Search** D5/1-8,
D5/11, 12, 15, 18, 19, 20, 23-26, 30, 32,
D5/33, 35, 39, 41, 43, 45, 47-54, 56, 57,
D5/59-66, 99; D6/582, 583, 595, 596, 603-606,
D6/608, 613, 616, 617, 619, 622; D24/124-126;
D25/142, 152; 5/413 AM, 709; 139/416,
139/417, 424; 156/148, 209; 428/17, 18,
428/154, 156, 171, 178, 187, 198, 199, 542.2,
428/542.6, 190, 904.4, 919; 116/206; 52/311.1-311.3;
66/193, 202; 206/459.1; D9/703, 707

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D105,961 S * 9/1937 Mallinson D6/582
- 2,826,073 A * 3/1958 Huyck et al. 374/102
- 3,132,039 A * 5/1964 Wildi 428/535
- 3,533,548 A * 10/1970 Taterka 206/459.1
- 3,685,720 A * 8/1972 Brady 206/439
- 3,827,625 A * 8/1974 Miller 383/211
- 3,866,822 A * 2/1975 Faltin et al. 229/69
- 4,091,921 A * 5/1978 Lewis 206/363
- 4,176,746 A * 12/1979 Kooi 206/438
- 4,596,696 A * 6/1986 Scoville, Jr. 422/61
- D286,622 S * 11/1986 de Oliveira D10/57
- 5,096,813 A * 3/1992 Krumhar et al. 435/28
- 5,642,855 A * 7/1997 Michlin 229/305

- D428,266 S * 7/2000 Bergin D5/60
- 6,279,745 B1 * 8/2001 Huynen et al. 206/439
- 6,315,448 B1 * 11/2001 Thrall 383/205

(Continued)

FOREIGN PATENT DOCUMENTS

DE M9400726 * 7/1994

(Continued)

OTHER PUBLICATIONS

“Reliable validation of the sealing process”, image and article describing the Striking Seal Control Sheet SC250, p. 6, Wepak Magazine, dated Feb. 2007 found at: http://www.wipak.com/stc/wipakcom/magazines/wepak2007_2en/# in a search dated Jun. 3, 2009 of Wipak Medical Products.*

Primary Examiner—Robert M Spear

Assistant Examiner—Karen Acker

(74) *Attorney, Agent, or Firm*—Alston & Bird LLP

(57) **CLAIM**

The ornamental design for a seal control sheet, as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of a seal control sheet showing my new design; and,

FIG. 2 is a top plan view of another embodiment thereof.

The broken lines in the drawings represent unclaimed environmental subject matter.

1 Claim, 2 Drawing Sheets



US D609,476 S

Page 2

U.S. PATENT DOCUMENTS

6,452,873 B1 * 9/2002 Holt et al. 368/327
6,530,602 B1 * 3/2003 Stenzel et al. 283/114
6,676,901 B1 * 1/2004 Hatakeyama et al. 422/58
7,163,101 B2 * 1/2007 Harper 206/210
7,464,518 B2 * 12/2008 Ansinn 53/451
2002/0153273 A1 * 10/2002 Mallik et al. 206/459.1
2003/0047477 A1 * 3/2003 Nygardh et al. 206/459.1
2003/0119203 A1 * 6/2003 Wei et al. 436/514
2006/0032774 A1 * 2/2006 Norrby et al. 206/459.1

2009/0123332 A1 * 5/2009 Whitehead et al. 422/27

FOREIGN PATENT DOCUMENTS

DE 40004746 * 5/2000
DE 102004031203 A1 * 1/2006
EM 186028-0001 * 6/2004
EP 117390 A2 * 9/1984
FI 19960116 * 12/1996
FI 20070090 * 10/2007

* cited by examiner




FIG. 1




FIG. 2