




(22) Date de dépôt/Filing Date: 1991/03/05
 (41) Mise à la disp. pub./Open to Public Insp.: 1991/09/13
 (45) Date de délivrance/Issue Date: 2001/09/11
 (30) Priorités/Priorities: 1990/03/12 (2-60768) JP;
 1990/09/27 (2-259834) JP

(51) Cl.Int.⁵/Int.Cl.⁵ A61F 13/15
 (72) Inventeurs/Inventors:
 Sasaki, Tohru, JP;
 Shimakawa, Taiji, JP;
 Nomura, Hironori, JP;
 Igaue, Takamitsu, JP
 (73) Propriétaire/Owner:
 Uni-Charm Corporation, JP
 (74) Agent: SWABEY OGILVY RENAULT

(54) Titre : VETEMENT DE TYPE PANTALON, JETABLE
 (54) Title: DISPOSABLE GARMENTS OF PANTS TYPE



(57) Abrégé/Abstract:
 Disposable garments of pants type having a waist-opening with a first elastic member, a pair of leg-openings with second elastic members and a pair of cuff members with third elastic members which are inwardly spaced from said second elastic members, respectively and thereby said leg-openings are provided with double elastically stretchable seal structures.

A B S T R A C T

Disposable garments of pants type having a waist-opening with a first elastic member, a pair of leg-openings with second elastic members and a pair of cuff members with third elastic members which are inwardly spaced from said second elastic members, respectively and thereby said leg-openings are provided with double elastically stretchable seal structures.

DISPOSABLE GARMENTS OF PANTS TYPE

BACKGROUND OF THE INVENTION

The present invention relates to disposable garments of pants type and more particularly to such garments such as baby training pants having respective leg-openings provided with double elastically stretchable seal structures, respectively.

The disposable baby training pants are well known, in which the waist-opening and the pair of leg-openings are provided with the elastic members. However, young children wearing such training pants are generally active in their walking and movements, so excretion leak often occurs around the leg-openings.

Accordingly, it is an object of the invention to provide disposable garments of pants type further including cuff members containing therein elastic members inwardly spaced from the outer edges of the respective leg-openings so that the above-mentioned problem is eliminated.

SUMMARY OF THE INVENTION

The object set forth above is achieved, in accordance with the present invention, by disposable garments of pants type having a waist-opening provided with a first elastic member and a pair of leg-openings provided with ring-like

second elastic members, wherein there are provided a pair of cuff members inwardly spaced from the respective second elastic members and said cuff members are adapted to rise toward the user's skin under a contractile force of third elastic members contained therein.

In a preferable embodiment, with the garments unfolded and respective opposed side edges of front and rear bodies thereof being still not bonded together, said second elastic members for the respective leg-openings are positioned to be curved inward while said third elastic members for the cuff members are positioned substantially in parallel to the longitudinal axis of the garments so that, once put on the user's body, elastically stretchable lines defined by said second elastic members partially intersect elastically stretchable lines defined by said third elastic members.

Preferably, an inner sheet forming an inner surface of the garments comprises an elastically stretchable, water-permeable sheet, an outer sheet forming an outer surface of the garments comprises an elastically stretchable, water-impermeable sheet and said cuff members comprise moisture-permeable sheets.

With the garments of the invention constructed as has been described above, the cuff members inwardly spaced from the respective second elastic members are adapted to rise against the user's skin under the contractile force of

the third elastic members contained therein and thus the respective leg-openings are provided with the inner and outer seals. In this manner, excretion leak possible occurring around said leg-opening is effectively prevented thereby, even if walk and movements of the user is active.

The elastically stretchable lines defined by said second elastic members partially intersect the elastically stretchable lines defined by said third elastic members. This feature is effective to prevent said cuff members from being laid down outward so that said cuff members can effectively serve as barriers against excretion. In other words, said cuff members hold excretion inside them. Accordingly, prevention of excretion leak around the leg-openings is further enhanced.

Said inner and outer sheets forming the inner and outer surfaces of the garments, respectively, comprise the elastically stretchable material so said inner and outer sheets are adapted for expansion and contraction to accommodate movement of the user. Such feature provides comfortableness and fitness when the user has it on.

BRIEF DESCRIPTION OF THE DRAWINGS

An embodiment of the garments constructed according to the invention is illustrated by the accompanying drawings, in which:

Fig. 1 is a perspective view of this embodiment;

Fig. 2 is a developed perspective view showing the same with front and rear bodies being separated from each other;

Fig. 3 is an exploded perspective view of the same;

Fig. 4 is a sectional view taken along a line IV - IV in Fig. 2;

Fig. 5 is a side view of the same; and

Fig. 6 is a perspective view showing another embodiment of the outer sheet.

PREFERRED EMBODIMENT OF THE INVENTION

The present invention will be described by way of embodiments in reference with the accompanying drawings.

As shown by Figs. 1 and 2, the garments 1 have a waist-opening 2 and a pair of leg-openings 3, these openings being provided along regions adjacent their edges with associated elastic members 4, 5 fixed therein. The garments 1 further comprise cuff members 6 extending along the respective leg-openings 3 inwardly spaced from the respective elastic members 5 and each of the cuff members 6 wraps therein an elastic member 7. Referring to Fig. 2 showing a laminate 11

as being unfolded, front and rear bodies 9, 10 of this laminate 11 may be bonded together along their opposite side edges except respective leg-openings defining portions 8 to form the garments of pants type.

Referring to Figs. 3 and 4, the laminate 11 comprises an inner sheet 12 made of elastic, water-permeable non-woven fabric to form an inner surface of the garments, an outer sheet 13 made of elastic, water-impermeable elastomer sheet 13b such as plastic or rubber sheet laid on the inner surface of non-woven fabric 13a which is substantially similar to said non-woven fabric sheet 12 to form an outer surface of the garments 1, and a mat- or sheet-like sandglass-shaped absorbent core 14 molded from a mixture of fluff pulp, thermoplastic fibres and water-insoluble, super water-absorptive polymer powder.

Said elastic, water-permeable non-woven fabric may be obtained preferably by carding heat crimped fibres having a basic weight of 25 to 45g/m² and a fineness of 0.5 to 3 d to form web and then heat treating this web so as to present a sheet-like form.

The elastomer sheet 13b preferably has an elastic strength (stretch stress) higher than those of the non-woven fabric 12, 13a. However, these components may have substantially same elastic strength.

A crotch zone defined between the front and rear bodies

9, 10 each including the inner and outer sheets 12, 13 is formed along opposite side edges with inwardly curved notches corresponding to the previously mentioned respective leg-opening defining portions 8. The waist-opening defining portions extending along longitudinal ends of the front and rear bodies 9, 10 and the respective leg-opening defining portions 8 are provided adjacent the edges thereof with the respective elastic members 4, 5 so as to be sandwiched between the inner sheet 12 and the elastomer sheet 13b. The elastic members 4 for the waist-opening are bonded with hot melt adhesive and under a stretched condition to the outer sheet 12 and/or the elastomer sheet 13b in parallel to the longitudinal ends of the front and rear bodies 9, 10. The elastic members 5 for the leg-openings comprise a first members 5A and a second members 5B. The first and second members 5A, 5B intersect each other at points therealong adjacent opposite ends of the respective members 5A, 5B and sections 5A₁, 5B₁ extending outward from the respective intersecting points are bonded also with hot melt adhesive and under a stretched condition to the inner surface(s) of the inner sheet 12 and/or the elastomer sheet 13b along the edges of the respective leg-opening defining portions 8. Intermediate sections 5A₂, 5B₂ extending between said intersecting points are bonded neither to these sheets nor to the core 14 and merely positioned on the underside of

said core 14 in a central zone thereof.

The core 14 has its top surface fixed to the inner sheet 12 with dots of hot melt adhesive. Thereby, not only any movement of the core 14 can be minimized but also it can be avoided that absorption of liquid excretion through the inner sheet 12 into the core 14 would be more or less obstructed when the inner sheet 12 floats off from the top surface of the core 14. Furthermore, any interference with elastic expansion and contraction of the inner and outer sheets 12, 13 can be also thereby minimized.

The inner sheet 12 is provided on its top surface with the cuff members 6 inwardly spaced from the end sections 5A₁, 5B₁ of the elastic members 5, substantially in parallel to the longitudinal axis of the laminate 11. Each of the cuff members 6 comprises a single sheet of moisture-permeable but water-impermeable non-woven fabric folded into a sleeve. One side edge of this sleeve wraps therein the elastic member 7 being bonded thereto under a stretched condition with hot melt adhesive and the other side edge is bonded also with hot melt adhesive to the top surface of the inner sheet 12. The cuff member thus constructed is laid down outward and bonded at longitudinally opposite ends to the top surface of the inner sheet 12 with hot melt adhesive. However, it is also possible that the cuff member 6 is laid down inward and bonded at the longitudinally

opposite ends to the top surface of the inner sheet 12. No matter which direction the cuff member 6 is laid down, the cuff member 6 rises under a contractile force of the elastic member 7 even after the cuff member 6 has been bonded at the longitudinally opposite ends to the top surface of the inner sheet 12. It is also obviously possible to bond the cuff member 6 onto the top surface of the inner sheet 12 by means of welding process.

In this laminate 11, the inner and outer sheets 12, 13 are provided in zones of the front and rear bodies 9, 10 extending outside the respective cuff members 6 (i.e., zones in which the core 14 is absent) with a plurality of vent holes 15. These vent holes 15 each having a diameter of 0.2 to 2 mm are formed by a group of heating needles or projections arranged at given intervals preferably so that non-woven fabric 12, 13a exposed along the inner periphery of each vent hole are welded together by material of the elastomer sheet 13b which is also exposed along said inner periphery of each vent hole.

The inner sheet 12 and the outer sheet 13 may be bonded together along their outer peripheries, if desired, by means of heat seal, sonic seal or hot melt adhesive.

The laminate 11 constructed in this manner is folded in two along the longitudinally middle line, then the respectively opposed side edges of the front and rear bodies

9, 10 are heat- or sonic sealed to form the garments 1 as shown in Fig. 1. This seal is adapted to avoid that said respective opposed side edges of the front and rear bodies 9, 10 might be accidentally torn off during its use, but to be easily torn off when the garments are taken off. Preferably, such seal may be inermittently provided along said respectively opposed side edges of the front and rear bodies 9, 10.

Referring to Fig. 5 showing the completely assembled garments 1, the elastically stretchable lines defined by the end sections 5A₁, 5B₁ of the elastic member 5 extending along the leg-opening 3 intersect the elastically stretchable line defined by the elastic member 7 in the associated cuff member 6 inwardly spaced from said end sections 5A₁, 5B₁ and thereby function to bias the opposite ends of the cuff member 6 inward while the intersecting point 16 of the end sections 5A₁, 5B₁ or the intermediate sections 5A₂, 5B₂ of the elastic member 5 functions to bias a practically middle portion of the cuff member 6 inward. Once put on the user's body, the garments 1 may be somewhat deformed with respect to the condition as shown by Fig. 5, but the above-mentioned biasing effect is maintained, i.e., the outer portion containing the elastic member 5 inwardly biases the associate cuff member 6.

Obviously, the elastic members 5, 7 independently

function. Specifically, the elastic members 5 bias the outer edges of the respective openings 3 against the user's skin and the elastic members 7 bias the respective cuff members 6 against the user's skin. However, the above-mentioned cooperation of the elastically stretchable lines defined by the elastic members 5, 7 respectively, enhances the reliability with which the cuff members 6 are biased against the user's skin. Accordingly, the cuff members 6 effectively block excretion leak and, even if any quantity of excretion leaks outward beyond the cuff members 6, this can be blocked by the portions of the respective leg-openings containing therein the elastic members 5.

Interposition of said elastomer sheet 13b is advantageous in that, even if fibre-entanglement or fibre-bond in non-woven fabric as basic material of the inner and outer sheets 12, 13 are loosened when the laminate is stretched, the elastomer sheet prevents the elastic strength, particularly the contractile stress from rapidly decreasing and maintains a desired contractile stress of the laminate as well as a desired fitness of the garments to the user's body.

Fig. 6 is a perspective view of another embodiment of the outer sheet 13. According to this embodiment, the outer sheet 13 consists of a single layer of elastically stretchable, water-impermeable elastomer sheet such as a

plastic or rubber sheet and the elastic members for the respective leg-openings extend only around the respective legs. The remainder is similar to the previously described embodiment. This embodiment advantageously saves material of the outer sheet and the elastic members 5 in comparison with the previous embodiment and thereby can reduce the manufacturing cost of the garments correspondingly.

CLAIMS:

1. Disposable garments of pants type having a waist-opening provided with a first elastic member and a pair of leg-openings provided with ring-like second elastic members, wherein there are provided a pair of cuff members inwardly spaced from said second elastic members, respectively, and these cuff members are adapted to rise toward the user's skin under a contractile force of third elastic members contained in these cuff members, respectively,

2. Disposable garments of pants type as recited in claim (1), wherein, with the garments unfolded and respective opposed side edges of front and rear bodies thereof being still not bonded together, said second elastic members for the respective leg-openings are positioned to be curved inward while said third elastic members for the cuff members are positioned substantially in parallel to a longitudinal axis of the garments so that, once put on the user's body, elastically stretchable lines defined by said second elastic members partially intersect elastically stretchable lines defined by said third elastic members.

3. Disposable garments of pants type as recited in claim (1), wherein an inner sheet forming an inner surface of the garments comprise an elastically stretchable, water-permeable sheet, an outer sheet forming an outer surface of the garments comprise an elastically stretchable, water-impermeable sheet and said cuff members comprise a moisture-permeable sheets.

FIG. 1






FIG. 2



PATENT AGENTS

Swabe, Gilroy, Renault

FIG.3



PATENT AGENTS

Darby Gilroy Kenault

FIG.4






FIG.5



PATENT AGENTS

Darby Gilroy Renault

FIG.6



PATENT AGENTS

Harvey Gilroy Rowlett

