(19) DANMARK

(10) DK/EP 2632096 T3



(12)

Oversættelse af europæisk patentskrift

Patent- og Varemærkestyrelsen

(51) Int.Cl.: H 04 L 12/58 (2006.01) G 06 Q 10/10 (2012.01)

- (45) Oversættelsen bekendtgjort den: 2017-06-12
- (80) Dato for Den Europæiske Patentmyndigheds bekendtgørelse om meddelelse af patentet: 2017-03-08
- (86) Europæisk ansøgning nr.: 12382060.7
- (86) Europæisk indleveringsdag: 2012-02-21
- (87) Den europæiske ansøgnings publiceringsdag: 2013-08-28
- (84) Designerede stater: AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR
- (73) Patenthaver: Lleidanetworks Serveis Telemàtics S.A, Parque Tecnólogico Agroalimentario, Edificio H1, 2ª planta, 25003 Lleida, Spanien
- (72) Opfinder: Sapena Soler, Francisco, Lleidanetworks Serveis Telemàtics S.A., Parque Tecnólogico Agroalimentario, Edificio H1, 2ª planta, 25003 Lleida, Spanien
- (74) Fuldmægtig i Danmark: Orsnes Patent ApS, Forskerparken 10, 5230 Odense M, Danmark
- (54) Benævnelse: Fremgangsmåde til certificering af levering af elektroniske meddelelser
- (56) Fremdragne publikationer:

US-A- 5 815 555

US-A1- 2004 177 048

US-A1- 2005 289 078

US-A1- 2007 174 402

US-A1- 2008 278 740

DESCRIPTION

OBJECT OF THE INVENTION

[0001] The object of the invention is a method so that a telecommunications operator can receive, forward and send electronic mail from a transmitting user to one or several recipients, generating proof of all the transactional operations to, finally, sign it digitally and submit a certificate to the transmitting user as the operator and trusted third party.

BACKGROUND OF THE INVENTION

[0002] It is known that, currently, electronic communications have become an essential and indispensable tool for any operation, both legal and illegal. Communications are used for all kinds of transactions, call and message generation, etc., from a source to a destination.

[0003] Telecommunications operators are the ones providing the infrastructures that manage, direct and store a large part of this traffic. These telecommunications operators are subjected to regulations, among others, for the use of the radio spectrum, which is limited, or for the use of telephone numbering resources, which are also finite.

[0004] Telecommunications operators, in addition, keep records of the transactions performed by users with the objective, among others, of pricing, registration of the numbers associated with them, billing references, as well as the record of any transactional data used in billing the user. These records are preserved for further verification of pricing and/or follow-up of the traffic on the part of the user.

[0005] Occasionally, judicial authorities request the telecommunications operators the recorded data of electronic transactions that were carried out, since they consider them trusted third parties for the purpose of providing these data, as well as any data that could help to determine the physical or legal persons that have done the act in question.

[0006] However, the search for data requested to the telecommunications operator is usually complicated by the fact that it is performed on records of high volume activity, normally designed for billing more than for the follow-up of data traceability. Therefore, the above mentioned search of the requested data may consume an enormous amount of resources for the telecommunications operator.

[0007] Once the data requested by the judicial authorities is located, the operator issues a certificate in which it explicitly states the transactional data requested, the frequency, destinations, as well as any information that was requested by the relevant judicial authority.

[0008] Also, there is among users this same need to have the capability of requesting this information to the communications operators in order to know and certify the transaction data itself, e.g. the transmitted data, the date, the receiving data or any other information useful to the user. This need could be motivated by the request from a third party to the user of the previously mentioned transactional data.

[0009] Various methods and systems are known in the current state of the art for the verification of transmission as well as of the integrity of the data contained in an electronic mail. These known methods normally provide proofs and contents of delivery and reception of electronic mails based on a technological solution that allows verifying the transmission.

[0010] However, the methods known in the current state of the art have the disadvantage that they implement algorithms and verifications that modify the contents of the message and they also require the comparison of the digital signature of the generated document to the digital signature stored in the server. These verifications are electronic and online, which may be a disadvantage for some third parties requesting this service.

[0011] To that end, in case a transmitting user wishes to certify an electronic mail message, the message passes through a second route that implies the delivery of the message to the recipient through the server of a certifying entity, instead of the traditional route for delivery to the recipient. However, this presents a

disadvantage since the message is manipulated in this delivery through the certifying entity's server so that the message that is finally received by the recipient is not really the original sent by the sender, but the one transformed by the certifying entity.

1

[0012] Besides the above mentioned, the methods known in the current state of the art file a unique cryptographic algorithm associated to each message, i.e., the digital signature. Later, in case the message needs to be verified, the digital signature of a generated document must be compared to the digital signature stored in the server of the certifying entity and, again, a comparison algorithm must be made between the cryptographic algorithm, which is the data generated and stored by the system known in the current state of the art, and the above comparison must be carried out using a comparison algorithm.

[0013] As a special case, in which proof of the delivery to the recipient is needed, there is the delivery of the invoices issued by a generating user to be able to show that, subsequently to the reception of the provision of services or products, a receiving user gets the invoice for those services, thus avoiding that the receiving users of a product or service claim non-receipt of the corresponding invoice to avoid or delay payment of the same.

[0014] The methods known in the current state of the art for official notification, such as the telegram, office fax or registered letter have several disadvantages such as the non-mechanization of the process, which results in an elevated time consumption as well as a high cost. For example US2007174402 describes a system and a method verifying delivery and integrity of electronic mails where a server transmits a message from a sender to a destination address. During transmission, the server and the destination address have a dialog constituting an attachment, via a particular one of SMTP and ESMTP protocols, concerning the message, the server and the destination address. The message passes through servers between the server and the destination address. This passage is included in the attachment. Verifiers are provided for the message and for the attachments. The verifiers may constitute encrypted hashes of the message and of the attachment. The sender receives the message, the attachments and the verifications from the server before authentication and transmits the message, the attachments and the verifiers to the server to obtain authentication by the server.; The server operates on the message and the message verifier to authenticate the message and operates on the attachments and the attachments' verifier to verify the attachments. In US2008278740 is described a method, a system and, a computer program product for bulk communication of information to recipients via multiple delivery media are disclosed. The media include facsimile, email, surface mail, SMS messaging, and archiving (and is adapted for new media types in the future). A single interface is used to receive information for distribution including one or more template documents and data specific to each recipient. At least one document based on the received information is transmitted using a specified delivery for each recipient based on the recipients' delivery preferences. Escalating transmission of the document may occur using a different delivery media for any recipients for whom transmission by the specified delivery media fails.; The escalating step may depend upon status information from a carrier regarding delivery of the document to each recipient. In US5815555 is disclosed a method of certifying delivery of an E-mail transmission through a telephonic network. The method includes the steps of detecting a request for an E-mail certification from an originating computer to a destination computer by a controller of the telephonic network and storing a copy of the E-mail transmission in the controller. The method further includes the step of certifying delivery of the E-mail transmission by matching a copy of the E-mail transmission received by the destination computer with the stored copy. Finally US2004177048 unveils a method and apparatus for sorting, prioritizing, identifying, managing, and otherwise controlling (collectively, "controlling") a communication. A frank may be used to associate a value and a class with a communication. The communication may be associated with the frank through the method of selecting a frank associated with a value from among a plurality of frank types, each of the frank types having a pre-assigned value, associating the frank with the communication, and initiating transmission of the franked communication across a network. Value may include anything important of having meaning to the parties, including, for example, money, credit (or a promise to pay), frequent flier miles, and so forth. "Franking" a communication generally associates some indicia of value and/or a service class with a communication.

DESCRIPTION OF THE INVENTION

[0015] The invention object of this application provides a solution to the previously explained disadvantages through a simple certification method as described in claim 1.

DESCRIPTION OF THE DRAWINGS

[0016] To complement the description being made and in order to help better understand the features of the invention, according to a preferred embodiment thereof, a set of drawings is attached as an integral part of said description, wherein the following is shown as way of illustration but not limited to:

Figure 1.- Shows a flow diagram of a preferred embodiment of the method object of this invention.

- Figure 2.- Shows a flow diagram of a preferred embodiment of the creation of a digital certificate.
- Figure 3.- Shows a flow diagram of a preferred embodiment of the method in case the copy of the electronic mail may not be delivered to the recipient.
- Figure 4.- Shows a flow diagram of a preferred embodiment of the authentication method of the transmitting user.

PREFERRED EMBODIMENT OF THE INVENTION

[0017] Figure 1 shows a preferred embodiment of the electronic mail certification method object of the invention, which comprises the delivery of an electronic mail from a transmitting user (1) to a recipient (2).

[0018] The transmitting user (1), which is a client of the certifying entity, sends the electronic mail he/she whishes to certify to the destination electronic address, i.e., to the recipient (2) through an initial route (3) which is the conventional route for the delivery of electronic mails, and also sends a copy to the certifying entity, i.e. through a second route (10) different from the first route (3) in which an incoming mail server (11) receives the aforementioned copy. In the preferred embodiment being shown, the data processing unit (11) that manages the certification process coincides with the incoming mail server (11).

[0019] Therefore, the transmitting user (1) uses their usual electronic mail provider, delivering the electronic mail to the recipient or recipients (2). To that end, an initial mail server (5) will send a copy of the electronic mail to each of the destination addresses specified by the transmitting user (1) and a destination mail server (6) collects the electronic mail so that the recipient (2) is finally able to read it, with this electronic mail not suffering any manipulation by the certifying entity or the certifying system.

[0020] Additionally, the method may comprise the step of storing a copy of the electronic mail in a database (12) or even the processing unit (11) can previously decompose the copy of the electronic mail in the different objects that make it up: origin, destination(s), attached files, classification of the attached files and finally the numbering of all the objects with their assignation to the transmitting user (1).

[0021] As a preferred embodiment of the attached files, these may constitute an invoice, in this case wishing to certify that the invoice has been delivered to its recipient (2).

[0022] Once all its parts are decomposed, indexed and classified, the copy of the electronic mail is sent inserting a particular indication, which may be to include the following text in the electronic mail: CERTIFIED ELECTRONIC MAIL or even more specifically CERTIFIED INVOICE, if certification is desired for the contents of an invoice included in the attached data. Later, a new copy is made in a second database (13) and it is sent to the certification system's outgoing mail server (14). The outgoing mail server (14) will deliver it to the destination server (6) where it will be available for the recipient (2).

[0023] Therefore, the recipient (2) receives two electronic mails. One is the original electronic mail from the transmitting user (1) which uses his/her own servers (5, 6), therefore, through an initial route (3), and the other one is an electronic mail that is re-sent by the certifying entity's certification system through a second route (10) with the particular certification indication, e.g., CERTIFIED ELECTRONIC MAIL or CERTIFIED INVOICE.

[0024] If the copy of the electronic mail had a correct electronic mail address and was able to be delivered to the server (6) it continues the certification process, whose preferred embodiment is shown in figure 2. In case it was unable to be delivered or the address did not exist, the certification process continues according to the preferred embodiment included in figure 3.

[0025] Once the copy of the electronic mail has been delivered to the server (6) the outgoing mail server (14) receives the notification data relative to the delivery to the transmission of the electronic mail copy and sends it to the processing unit (11) which manages the certification process.

[0026] Once the delivery directions, steps, incidences or any information that may be useful for the certification process have been received, the processing unit (11) creates, in the preferred embodiment shown in figure 2, an electronic document in, for example, a PDF format which includes the transmitting user's (1) data, date of issuance, contents, attached files if any, and finally the date and time of delivery of the electronic mail copy.

[0027] Once the electronic document has been created, it is digitally signed through a digital signature algorithm for the creation of a certificate (4).

[0028] In addition, a digital sum of all the previous contents may be done, i.e., of the electronic document and the digital signature, and it is sent to a trusted timestamping (20) in order to obtain an electronic document with two electronic signatures from two companies in order to provide the certificate (4) itself with greater legal reinforcement.

[0029] Once the final file or certificate (4) is available, it is sent to the transmitting user (1) first withdrawing the cost from their credit account and is then delivered to the outgoing mail server (14). This server (14) sends an electronic mail to the transmitting user (1) including the certificate (4).

[0030] Figure 3 shows a preferred embodiment of a flow chart in which the copy of the electronic mail may not be delivered to the recipient (2). If the electronic mail cannot be delivered, either because the recipient (2) does not exist, or because the domain is inoperative, it is attempted again during a period of for example 24 hours.

[0031] If it is finally able to be delivered, it continues the process according to what was previously explained, but if it can not be delivered, the outgoing mail server (14) of the certifying entity's certification system receives the data from the transactions made, which are sent to the processing unit (11).

[0032] Once the delivery indications, the steps, the incidences and any information that might be useful to the certification process are received, the processing unit (11) creates, in the preferred embodiment shown in figure 3, an electronic document in, for example, a PDF format including the transmitting user's (1) data, the date of transmission, the contents, the attached files if any and finally the time and date of the delivery attempt of the copy of the electronic mail.

[0033] Once this electronic document has been created, it is signed digitally through a digital signature algorithm, creating a certificate (4).

[0034] In addition, a digital sum of all the previous contents may be done, i.e., of the electronic document and the digital signature, and it is sent to a trusted timestamping (20) in order to obtain an electronic document with two electronic signatures from two entities in order to provide the certificate (4) itself with greater legal reinforcement.

[0035] Once the final file or certificate (4) is available, it is sent to the transmitting user (1) first withdrawing the cost from their credit account and is then delivered to the outgoing mail server (14). This server (14) sends an electronic mail to the transmitting user (1) including the certificate (4).

[0036] Figure 4 shows a preferred embodiment of the previous step in which the transmitting user (1) initiates the connection with the certifying entity's processing unit (11).

[0037] This transmitting user (1) may enter with different access systems, e.g., a personal computer, a tablet, a Smartphone or any device allowing navigation through the Internet.

[0038] In the preferred embodiment shown, the transmitting users (1) access a web control access system. This system has access to a database where the transmitting users' (1) information files are located with the certification capacity and the number of certifications they have available, as well as their operational capacity.

[0039] The transmitting user (1) enters his/her user name and password, if it is not correct, he/she gets redirected to a system help with an explanation on how to sign up, and reentry into the authentication system.

[0040] If the user is correctly authenticated, he/she may access a menu where, the characteristics regarding how the certificate (4) to be issued must be made and from which addresses the certification of electronic mails is allowed, can be specified. Once these parameters have been defined, the transmitting user (1) may request a certification processing timeframe and adjust its schedule. In other words, from a specific moment it authorizes the certification system to let electronic mails in and begin the certification process.

[0041] Finally, if when the process is initiated, the transmitting user (1) is in the delivery timeframe for the mail to be certified, it will begin the processes. Otherwise, the mail is returned indicating that it is outside the timeframe or that it is an unknown transmitting user (1).

[0042] As an alternative, the user may otherwise request a witness or encrypted token to carry out certification requests without the need to open a window via the Web.

REFERENCES CITED IN THE DESCRIPTION

This list of references cited by the applicant is for the reader's convenience only. It does not form part of the European patent document. Even though great care has been taken in compiling the references, errors or omissions cannot be excluded and the EPO disclaims all liability in this regard.

Patent documents cited in the description

- US2007174402A [0014]
- US2008278740A [0014]
- <u>US5815555A [0014]</u>
- US2004177048A [0014]

Patentkrav


- 1. Fremgangsmåde til certificering af levering af e-mail fra en afsendende bruger (1) til en modtager (2), hvilken fremgangsmåde omfatter udførelse i et certificeringssystem til levering af e-mail, der er implementeret af en telekommunikationsoperatør, hvor den afsendende bruger (1) er en kunde i certificeringssystemet til levering af e-mail, hvilket certificeringssystem til levering af e-mail omfatter mindst en databehandlingsenhed (11), der kan fungere mindst som en indgående mailserver (11) og en udgående mailserver (14), der er forbundet med hinanden, af følgende trin:
 - afsendelse af en e-mail fra den afsendende bruger (1) til mindst én elektronisk destinationsadresse for modtageren (2) via en første vej (3) ved angivelse af en første mailserver (5) og en destinationsmailserver (6),
 - afsendelse, fra den afsendende bruger (1), af en kopi af e-mailen sendt i det foregående trin til certificeringssystemet til levering af e-mail via en anden vej (10),
 - modtagelse af kopien af e-mailen på certificeringssystemets indgående mailserver (11),
 - indsætning af en særlig indikation i kopien af e-mailen ved hjælp af behandlingsenheden (11), hvor den særlige indikation omfatter ordene BEKRÆFTET FAKTURA,
 - afsendelse via den udgående mailserver (14) af en anden e-mail, der omfatter kopien af e-mailen med den særlige angivelse,
 - levering til destinationsmailserveren (6) af den anden e-mail, der omfatter kopien af e-mailen med den særlige angivelse,
 - levering til modtageren (2) af:
 - e-mailen via den første vej (3),
 - kopien af e-mailen via den anden vej (10),

hvor kopien af e-mailen omfatter den særlige indikation,

- modtagelse i den indgående mailserver (11) af data vedrørende levering af den anden e-mail fra den udgående mailserver (14),
- generering i behandlingsenheden (11) af et elektronisk dokument, der omfatter data relateret til de foregående trin,
- påsætning af en digital signatur på det elektroniske dokument fra det forrige trin for oprettelse af et elektronisk certifikat (4),
- afsendelse fra den udgående mailserver (14) af det elektroniske dokument til en tredjepart for påsætning af en anden digital signatur, og

- aflevering af det elektroniske certifikat (4) til den afsendende bruger (1) fra behandlingsenheden (11).
- **2.** Fremgangsmåde til certificering af levering af e-mail ifølge krav 1, **kendetegnet ved,** at den endvidere omfatter trinnet med lagring, i en database (12), af kopien af e-mailen.
- **3.** Fremgangsmåde til certificering af levering af e-mail ifølge krav 2, **kendetegnet ved, at,** før lagring heraf i databasen (12), behandlingsenheden (11) udfører en opdeling af kopien af den første e-mail i mindst: oprindelse, destination, vedhæftede filer.
- **4.** Fremgangsmåde til certificering af levering af e-mail ifølge krav 3, **kendetegnet ved,** at, behandlingsenheden (11) endvidere nummererer samtlige elementer, hvori kopien af den første e-mail er opdelt, og tildeler dem til den afsendende bruger (1).
- **5.** Fremgangsmåde til certificering af levering af e-mail ifølge et hvilket som helst af de foregående krav, **kendetegnet ved, at** behandlingsenheden (11) trækker et beløb fra den afsendende brugers (1) konto.
- **6.** Fremgangsmåde til certificering af levering af e-mail ifølge et hvilket som helst af de foregående krav, **kendetegnet ved, at** den omfatter det første trin med autentificering af den afsendende bruger (1) i certificeringssystemet.

DRAWINGS



1

