



(19) **United States**

(12) **Patent Application Publication**  
Acres

(10) **Pub. No.: US 2002/0010015 A1**

(43) **Pub. Date: Jan. 24, 2002**

(54) **REVERSE KENO WITH VIRTUAL ODDS**

(57)

**ABSTRACT**

(76) Inventor: **John Acres**, Corvallis, OR (US)

Correspondence Address:

**PERKINS COIE LLP**  
**PATENT-SEA**  
**P.O. BOX 1247**  
**SEATTLE, WA 98111-1247 (US)**

(21) Appl. No.: **09/845,740**

(22) Filed: **Apr. 30, 2001**


**Related U.S. Application Data**


(63) Non-provisional of provisional application No. 60/200,947, filed on May 1, 2000. Non-provisional of provisional application No. 60/248,176, filed on Nov. 13, 2000.

**Publication Classification**

(51) **Int. Cl.<sup>7</sup>** ..... **A63F 9/24**  
(52) **U.S. Cl.** ..... **463/18**

A method and system for playing reverse keno. In one embodiment, the reverse keno system allows users to play reverse keno while they are visiting various web sites. The reverse keno system allows a user to select an initial set of numbers from a larger set of numbers. The reverse keno system then highlights the selected numbers on a reverse keno board, which may be very similar to a keno board. After the user selects the numbers, the reverse keno system then identifies a group of numbers from the numbers 1 to 80. The reverse keno system then removes the identified numbers on the reverse keno board. If any of the selected numbers have been removed, then the reverse keno game is over and the user may be awarded a consolation prize. If, however, all selected numbers remain, then the game continues. The reverse keno system then identifies and removes another set of numbers. If none of the identified numbers match the selected numbers (that is, all the selected numbers remain), then the game continues. The reverse keno system may determine whether a user should win based on probabilities that are independent of the number of numbers remaining and the number of selected numbers.






*Fig. 1*


<p align="center"><b>OneK PROGRESSIVE JACKPOT</b></p> <p align="center"><b>\$17,482,931.45</b></p>		
<b>Remaining Spots</b>	<b>7 Matches Pays</b>	<b>Members Only Consolation</b>
8	<b>PROGRESSIVE</b>	\$1,000,000.00
9	\$2,000,000.00	\$250,000.00
10	\$500,000.00	\$100,000.00
11	\$200,000.00	\$50,000.00
12	\$100,000.00	\$15,000.00
13	\$30,000.00	\$1,500.00
17	\$3,000.00	\$150.00
22	\$300.00	\$10.00
32	\$20.00	-
42	300 Credits	-
52	50 Credits	-
62	20 Credits	-
72	10 Credits	-

*Fig. 2*




*Fig. 3*

401




**Fig. 4**


500



**Fig. 5**



**Fig. 6**



**Fig. 7**








Fig. 8





**Fig. 10**

## REVERSE KENO WITH VIRTUAL ODDS

### CROSS-REFERENCE TO ALL RELATED APPLICATIONS

[0001] This application is related to U.S. patent application Ser. No. 60/200,947, entitled "METHOD AND SYSTEM FOR PLAYING A GAME," filed on May 1, 2000 (Attorney Docket No. 336018003US); and U.S. patent application Ser. No. 60/248,176, entitled "REVERSE KENO WITH VIRTUAL ODDS," filed on Nov. 13, 2000 (Attorney Docket No. 336018005US), the disclosures of which are incorporated herein by reference.

### TECHNICAL FIELD

[0002] The described technique relates to game playing.

### BACKGROUND

[0003] Because it facilitates electronic communications between vendors and purchasers, the Internet is increasingly being used to conduct "electronic commerce." The Internet comprises a vast number of computers and computer networks that are interconnected through communication channels. Electronic commerce refers generally to commercial transactions that are at least partially conducted using the computer systems of the parties to the transactions. For example, a purchaser can use a personal computer to connect via the Internet to a vendor's computer. The purchaser can then interact with the vendor's computer to conduct the transaction. The World Wide Web portion of the Internet is especially conducive to conducting electronic commerce. Many web servers have been developed through which vendors can advertise and sell product through a web site. The products can include items (e.g., music) that are delivered electronically to the purchaser over the Internet and items (e.g., books) that are delivered through conventional distribution channels (e.g., a common carrier). A server computer system may provide an electronic version of a catalog that lists the items that are available. A user, who is a potential purchaser, may browse through the catalog using a browser and select various items that are to be purchased. When the user has completed selecting the items to be purchased, the server computer system then prompts the user for information to complete the ordering of the items. This order information may include the purchaser's name, the purchaser's credit card number, and a shipping address for the order. The server computer system then typically confirms the order by sending a confirm web page to the client computer system and schedules shipment of the items.

[0004] The profitability of an e-commerce web site depends in large part on the number of users who visit that web site. To encourage users to visit a web site, the web site may be advertised extensively. The web site may be advertised through traditional media, such as television, radio, and newspaper. The web site may also be advertised on web pages (e.g., via banner ads) generated by another web site. An advertiser may pay a displaying web site that displays their advertisement a certain amount each time that a user accesses a web page of the displaying web site that includes the advertisement. In addition, the advertiser may pay the displaying web site an additional amount each time a user clicks through the advertisement to access a web page of the advertised web site. Finally, the advertiser may pay the

displaying web site a referral fee that is a percentage of the price of a purchase that resulted from the click through.

[0005] The displaying of advertisements can be very lucrative for a displaying web site. Indeed, some organizations may even pay users to browse the web while advertisements are displayed on a portion of user's display device. These organizations may collect demographic or other information about users so that the advertisements that are appropriate for each user can be selected. The organization may be compensated for each advertisement displayed, for each advertisement that is clicked through, and for each resulting transaction. Such organizations may also encourage users to refer friends and family to sign up with the organization. The referring user may be paid additional amounts if their referred friends and family browse the web while the organizations advertisements are displayed.

[0006] The compensation that a web site may receive for displaying an advertisement may be based in part on the perceived appropriateness of the advertisement to the user. For example, an advertisement for an automotive web site may not be appropriate for a ten-year old, but may be appropriate for a 21-year old. The advertisement for the automotive web site may be particularly appropriate to a 21-year old who has just purchased an automobile. Thus, an advertiser would be willing to pay more for advertisement whose appropriateness can be evaluated. Thus, to increase their revenues, organizations collect extensive information about users so that more appropriate advertisements can be presented to the users. The organizations may collect personal data such as age, occupation, gender, income, address, preferences, and shopping habits. These organizations may track the identity of a user using a sign on identification or a cookie stored on the user's computer. This information is so important that some organizations provide incentives (e.g., cash) for users to provide the information, which is then sold to other organizations.

[0007] Some web sites offer games (e.g., poker) that users can play to encourage users to visit the web site. As the users play the games, advertisements are displayed. Such gaming web sites may offer substantial prizes to encourage users to play the games and to provide personal information. These gaming web sites may even offer prizes to encourage users to click through the advertisements so that the gaming web site will receive a referral fee.

[0008] It would be desirable to have a new game in which users would enjoy playing and thus would visit a web site through which the game can be played.

### BRIEF DESCRIPTION OF THE DRAWINGS

[0009] FIG. 1 illustrates the display of the reverse keno board.

[0010] FIG. 2 is a table that illustrates the various awards as reverse keno is played.

[0011] FIG. 3 is a block diagram illustrating virtual probability tables in one embodiment.

[0012] FIG. 4 illustrates a sample electronic mail message used to encourage a person to play during a certain time.

[0013] FIG. 5 is a block diagram illustrating display of a web page in which the prize is a based on the web site visited.

[0014] FIG. 6 is a block diagram illustrating tables used by the reverse keno system to select a prize based on the side visited.

[0015] FIG. 7 is a block diagram illustrating components used to implement the reverse keno system in one embodiment.

[0016] FIG. 8 is a flow diagram illustrating the playing of reverse keno.

[0017] FIG. 9 is a flow diagram illustrating a routine for selecting spots using virtual probabilities.

[0018] FIG. 10 is a flow diagram illustrating processing of routine for selecting a prize based on the Web site visited.

#### DETAILED DESCRIPTION

[0019] A method and system for playing reverse keno is provided. In one embodiment, the reverse keno system allows users to play reverse keno while they are visiting various web sites. (Reverse keno can, however, be played independently of the Internet and independently of any computer system.) The reverse keno system allows a user to select an initial set of numbers from a larger set of numbers. For example, a user may initially select 7 numbers from the numbers 1 to 80. The reverse keno system then displays the selected numbers on a reverse keno board, which may be very similar to a keno board. The reverse keno system may indicate which numbers are selected by the user by displaying those numbers in a certain color (e.g., red). After the user selects the numbers, the reverse keno system then identifies a group of numbers from the numbers 1 to 80. Numbers are also referred to as "spots." The reverse keno system then indicates the identified numbers on the reverse keno board. These identified numbers may be considered to be removed. These identified numbers may be indicated in a color that is different from the color used to indicate the numbers selected by the user or may be overlaid by an "X." If any of the selected numbers have been removed, then the reverse keno game is over and the user may be awarded a consolation prize. If, however, all selected numbers remain, then the game continues. The reverse keno system then identifies and displays another set of numbers. If none of the identified numbers match the selected numbers (that is, all the selected numbers remain), then the game continues. The process of identifying spots and comparing to the selected numbers is referred to as a "level" of the game. At each level, the reverse keno system may ask the user whether they want to continue playing. If the user does not want to continue playing, then the reverse keno system awards a prize to the user based on the number of spots that have been identified. If the user wants to continue playing, then the potential prize is increased. If the reverse keno system does find a match (i.e., a selected number is removed), then it may award a consolation prize to the player.

[0020] In an alternate embodiment, the player is not given a chance to stop or continue after each level, rather the game continues to the next level until a selected number is removed. When a selected number is removed, the player is awarded a prize based on the current level. The game may end at that point or may continue onto another aspect of the game known as a final round. In the final round, the user is given an opportunity to win the award, lose the award, or win an enhanced award. For example, a grid of numbers may

be displayed with numbers being assigned to win the award, lose the award, or win the enhanced award. The assignments may be indicated by different colors. The system then selects (e.g., randomly) one of the numbers and displays the number to the user. If the selected number matches a number assigned to win the award, then the user wins the current award. If the selected number matches a number assigned to lose the award, then the user does not win the current award. If the selected number matches a number assigned to win the enhanced award, then the user wins an enhanced award (e.g., 100 times the current award). The game then ends. The odds of winning in the final round can be varied by the assignment of more or less numbers to the win, lose, or enhanced win categories.

[0021] In the following, one embodiment of reverse keno, called oneK, is described. The game works like keno in reverse, hence the name. A player plays reverse keno by first selecting 7 numbers. An 80 number grid then appears, which is much like the traditional game of keno. In reverse keno though, the game begins with all 80 numbers showing. One by one, spots are removed. A player wins if all 7 of the selected numbers are within the remaining spots.

[0022] The prize for the first level includes credits which may be redeemed for cash, merchandise or additional free games. Each credit has a nominal value of about 1-cent. The first award opportunity is offered after 8 of the 80 spots have been removed (72 spots remain). If all 7 of the selected numbers are still showing, an award of 10 credits is offered (about half of all games played will win this first level award). The player then chooses to take the 10 credits or risk them for a larger award.

[0023] Presuming the player keeps playing, 10 more spots are taken away at the second level leaving 62. If any of the selected 7 numbers are among those removed, the game is over and the player has won nothing. If the 7 selected numbers remain, the player has won 20 credits (about 1 player in 3 that won the first round will also win the second). Again, the player can collect and end the game or risk all 20 credits for a chance to win more. Another 10 spots are removed at the third level. If all of the selected numbers remain, the player has won 50 credits which the player can keep or risk to win 300.

[0024] The award at the fourth level is 1,000 credits and \$20 cash (32 spots remain) and it is the player's last all-or-nothing hurdle. Presuming the player is an eligible "member," the player is guaranteed consolation prizes of half the cash risked.

[0025] At the next level (22 spots remain), the award is \$300 if the player wins and \$10 (plus 1,000 credits if the player loses). There remain 7 levels (17, 13, 12, 11, 10, 9 and 8 spots remaining) to achieve with cash prizes of \$3,000, \$30,000, \$100,000, \$200,000, \$500,000, \$2,000,000 and finally the \$15 million plus progressive jackpot.

[0026] FIG. 1 illustrates the display of the reverse keno board. This reverse keno board may be displayed alongside and advertiser's web page and the reverse keno game may be played while the user views the web page. In this displayed example, the player selected the numbers that are in white (1, 20, 25, 50, 57, 63, and 67). The identified spots are shown in black on white. In this example, eight numbers have been identified (2, 7, 24, 29, 43, 62, 72, and 75). The

player already has 10 credits and needs to decide whether to keep the credits or to wager them to try to win more. If the player decides to wager, 10 more numbers are identified. The reverse keno board may take on various different shapes and labeling. In addition, the various selected numbers and identified numbers may be shown in different ways. For example, the board may initially display all 80 numbers with the select numbers in a different color. The reverse keno system may then remove the numbers as they are identified. If a selected number is identified, it may be displayed in a flashing mode to notify the player that the game is over.

[0027] FIG. 2 is a table that illustrates the various awards as reverse keno is played. As the number of spots remaining decreases, the size of the prize increases. In this example, if 22 spots remain and all seven of the selected numbers remain, then the reverse keno system awards a prize of \$300. One skilled in the art would appreciate that the levels can be set at different numbers of remaining spots and that those shown are merely exemplary. In addition, reverse keno can be played with any number of numbers or, more generally, items. For example, an item can be a letter (e.g., "A," "B"), or any other unique symbol such as a shape.

[0028] The probability of removing one of the selected numbers at a level is based on the number of selected numbers, the number of identified spots and the number of remaining spots. For example, if 1 number is selected, if 10 spots are identified, and if 80 spots remain, then the probability that the selected number will be removed is approximately 12 percent (e.g., 10/80). In one embodiment, the reverse keno system allows the probability of removing a selected number at a level to be independent of the number of selected numbers, the number of identified numbers, and the number of remaining numbers. Because of this independence, the probabilities are referred to as "virtual probabilities" or "virtual odds." The reverse keno system may assign a probability to each level. The reverse keno system determines whether the player will either win or lose at that level based on the probability associated with that level. For example, if the probability at the first level is 75 percent, then the reverse keno system will determine that the player will win 75 percent of the time at that level. When the reverse keno system determines that a player will win at that level, then the system identifies the numbers to remove from a group of the remaining numbers so that the group does not include any number selected by the player. When the reverse keno system determines that a player will lose at that level, then the system includes in the group to remove at least one of the numbers selected by the player. One skilled in the art will appreciate that virtual probabilities can be used with many different games, such as keno itself. For example, prior to picking numbers, a keno system can determine whether the player will win or lose based on a virtual probability and then pick numbers to affect the determined outcome.

[0029] In one embodiment, the reverse keno system uses a table of probabilities that includes a probability of winning for each level. To determine whether a player is to win or lose, the reverse keno system retrieves the probability for the current level from the probability table. The reverse keno system then randomly selects a probability (e.g., a random number between 0 and 1). If the randomly selected probability is less than or equal to the retrieved probability, then the system determines that the player has won at that level.

The reverse keno system may use different tables of probabilities based on various conditions. For example, the reverse keno system may use different tables of probabilities during peak and non-peak operating hours. The table of probabilities for the non-peak operating hours may include a higher probability of winning at at least one level to encourage players to play during non-peak operating hours. Different probabilities can be used to encourage playing reverse keno under various conditions. For example, the probabilities can be based on demographic information of the player (e.g., age, gender, or occupation) to encourage players with certain characteristics to play reverse keno. In addition, the reverse keno system may give players with certain characteristics an increased probability of winning based on the type of web site visited while playing reverse keno. For example, the reverse keno system may give a 21-year old who just purchased an automobile an increased probability of winning when the 21-year old plays reverse keno while visiting an automotive web site. The reverse keno system may also award prizes based on the probability of winning at a certain level. For example, although the probability of winning at a certain level may be increased, the actual value of the prize for winning at that level may be correspondingly decreased.

[0030] FIG. 3 is a block diagram illustrating virtual probability tables in one embodiment. Virtual probability table 301 contains the standard probabilities of winning, and virtual probability table 302 contains the enhanced probabilities of winning. As indicated by these tables, the standard probability of winning at the first level is .95, and the enhanced probability of winning at the first level is .99. In this example, the probability of winning is reduced at each succeeding level. To determine whether a player is to win at the third level when using the enhanced probability table, the reverse keno system randomly selects a probability, for example, .7. Since the probability in the enhanced probability table for the third level is .6, the reverse keno system will determine that the player will lose at the third level because .7 is greater than .6. If, however, the randomly selected probability was .3, then the reverse keno system would determine that the player would win at the third level because .3 is less than .6.

[0031] In another embodiment, the reverse keno system encourages players to play under certain conditions, such as non-peak operating hours. When users are encouraged to play during non-peak operating hours, the overall capacity of the reverse keno system is more fully utilized. The reverse keno system may notify a player that they will receive an enhanced benefit (e.g., better probabilities of winning or enhanced prizes) when they play the game under the certain conditions. The notification may be an electronic mail message, a voice message, and so on. In addition, the reverse keno system may include an advertisement in the notification to further increase revenue. The offering of the enhanced benefits may increase the chances that the recipient of the notification will actually read the notification (e.g., electronic mail message) and click through an advertisement. The reverse keno system may provide a winning hint along with the notification. For example, the notification may indicate that the player will receive an enhanced benefit if the number "7" is played between 6 and 8 AM. The certain conditions for enhanced benefits may include the visiting of a certain web site or categories of web sites. For example, the reverse keno system may notify a 21-year old who just

purchased an automobile that an enhanced benefit will be provided when that 21-year-old visits an automotive web site.

[0032] FIG. 4 illustrates a sample electronic mail message used to encourage a person to play during a certain time. The electronic mail message 401 includes an identification area 402 and a hint area 403. The hint area indicates that the player will have increased odds of playing reverse keno when they select the number of "7" between 6 and 8 AM on the following day. In addition, the hint area includes a link to a web site at which reverse keno can be played. The link may include a code to indicate that the player is entitled to the increased odds. Alternatively, the reverse keno system may store the information necessary to increase the probability when that player plays during 6 and 8 AM. The reverse keno system may use cookies stored on the player's computer to identify the player. The electronic mail message may also include an advertisement area 404. The reverse keno system may send the message so that it is timed to arrive between 6 and 8 AM.

[0033] In one embodiment, the reverse keno system awards prizes, including consolation prizes, based on characteristics of the player. The reverse keno system may award a prize based on the web site currently being visited by the player, demographics of the player, historical web site access patterns of the player, past purchases of the player, preferences identified by the player, and so on. For example, the player who is currently visiting, or often visits, an automotive web site may receive an automotive-related consolation prize. FIG. 5 is a block diagram illustrating the display of a web page in which the prize is based on the web site visited. Web page 500 includes a game area 501 and a web site area 502. The player may visit the reverse keno web site to start playing the game. The player may also indicate the web site to be visited while the game is being played. The reverse keno system then displays the game area along with the web page from the indicated web site in web site area. The web site area may be implemented as a separate frame from the game area. In this example, the grand prize for winning the game is a Volkswagen beetle, and the web site visited is "Autos of America," which describe automobiles available in the United States. The reverse keno system selected the grand prize of an automobile because the web site visited was automotive related. FIG. 6 is a block diagram illustrating tables used by the reverse keno system to select a prize based on the web site visited. The reverse keno system uses a prize category table 601, a prizes table 602, and a prize probability table 603. The prize category table maps various web domains to associated categories. For example, the "Autos of America" domain is mapped to the "cars" category as indicated by entry 604. The prizes table maps prize categories to the current grand prize to be awarded in that category. For example, the "cars" category has a Volkswagen beetle prize associated with it as indicated by entry 605. Each prize category may also have prizes for each level identified. The prize probability table maps various prizes to the probability table to be used when offering that prize. For example, when the Volkswagen beetle is offered, then a probability table identified as "odd2" is used to determine the probabilities when playing reverse keno as indicated by entry 606.

[0034] A computer-based referral method and system is also provided to encourage people to play the games, such

as keno or reverse keno, at a casino. The referral system awards benefits to those people who refer other people to play games at a casino. When the referred person plays a game at the casino, the referral system awards a benefit to the referring person. The benefits awarded can take many forms, such as a percentage of the amount of money wagered by or lost by the referred person. The referral system receives the identification of the referred person when the game is to be played. The referred person may identify the referring person at that time, or the referral system may maintain a table of mappings between referred persons and referring persons. The referral system then tracks the games played by the referred person and related statistics such as money wagered, money lost, and money won. If the referred person is playing the slot machines, then the referred person may have a magnetic identification card that is inserted into the slot machine at the start of play. In this way, the referred person is identified to the referral system. The referral system then tracks the activity at that slot machine until the magnetic identification card is removed. The insertion and removal of the identification card may delimit a game playing "session." When the session is complete, the referral system stores the characteristics of the session for awarding the benefit to the referring person.

[0035] A consumer's value to advertisers is enhanced when a personal profile is available for each individual. With this detail, each consumer can be matched to advertisers within their range of interest, which makes the experience more enjoyable for the consumer and more cost-effective for the advertiser. In addition, advertisers will likely pay more for each visit if they are confident that the consumer has an interest in their product.

[0036] The reverse keno system may offer membership to each player who completes a personal profile. For security purposes, all players may be requested provide name and address data and establish a password to play the game.

[0037] By taking a few moments to complete the survey, players become eligible for consolation prizes on all cash awards. Consolation prizes make it much easier for players to gamble on winning a larger prize. Instead of the all-or-nothing proposition offered to nonmembers, eligible members are given an award equal to half of their original prize even if they try for the next level of prize and fail. For example, a user who has played reverse keno for several months and tonight has been lucky enough to win \$300 can keep the award or risk it and try for \$3,000. Non-members end up with nothing if their gamble fails. As a member, the user gets a consolation prize of \$150, which takes much of the sting out of the loss.

[0038] To be eligible, a user first completes the user profile. But a user may also be required to visit regularly. If it has been more than, for example, 72 hours since the user's last game, the user is not eligible to win consolation prizes. If the user loses eligibility, the user can automatically recover it by playing a second session within the 72-hour time.

[0039] The reverse keno system encourages members to recruit new members by offering a multi-level series of incentives. If a member sponsors someone else to become a member, then that sponsoring member may be eligible to win 20% of any cash awards that new member wins. If that

new member recruits other members and they win, in the sponsoring member may get 5% of their winnings. Each winner gets a full payment of the advertised awards— incentives are simply paid as additional bonuses.

[0040] FIG. 7 is a block diagram illustrating components used to implement the reverse keno system in one embodiment. The client computers 710 and the reverse keno server computer 720 are interconnected via the Internet 730. The computers may include a central processing unit, memory, input devices (e.g., keyboard and pointing devices), output devices (e.g., display devices), and storage devices (e.g., disk drives). The memory and storage devices are computer-readable media that may contain instructions that implement the advertisement system. In addition, the data structures and message structures may be stored or transmitted via a data transmission medium, such as a signal on a communications link. Various communications channels other than the Internet may be used, such as a local area network, a wide area network, or a point-to-point dial-up connection. The reverse keno server 720 includes a server engine 721, the reverse keno game program 722, an player database 723, and a game database 724. The server engine receives HTTP requests and coordinates the sending of the HTTP response messages corresponding to the displays of reverse keno. The player database contains information relating to each user who is registered to play reverse keno. The game database contains information describing the current state of the games being played by the users.

[0041] FIG. 8 is a flow diagram illustrating the playing of reverse keno. Reverse keno may be played manually or may be played under the control of a computer. In block 801, the system inputs and displays the user's selection of the numbers. In blocks 802-407, the system loops playing each level of the game. In block 802, the system identifies and displays the spots that are to be removed for the next level. In decision block 803, if the game is over (e.g., the last level has been played and the selected numbers still remain), then the system continues at block 809, else the system continues at block 804. In decision block 804, if the user has won the current level (e.g., the selected numbers still remain), then the system continues at block 805, else the system continues at block 811. In block 805, the system outputs a level won notification and indicates the spots that have been removed. In block 806, the system asks the user whether they want to continue playing or take the award for that level. In decision block 807, if the user wants to continue, the system loops to block 802 to select the next level, else the system continues at block 808. In block 808, the system records the results and completes. In decision block 809, if the game has been won, then the system continues at block 810, else the system continues at block 811. In block 810, the system outputs a game won notification and then continues at block 808. In decision block 811, if the user is a member, then the system continues at block 812, else the system continues at block 808. In block 812, the system output an indication of the consolation prize that the member has won and then continues at block 808.

[0042] FIG. 9 is a flow diagram illustrating an example routine for selecting spots using virtual probabilities. This routine may be passed an indication of the current level, an indication of the currently selected numbers, and an indication of the removed numbers. The routine identifies new numbers and returns them. In block 901, the routine selects

a probability table. The probability table may be selected based on various characteristics as discussed above. In block 902, the routine selects a randomly generated probability, which is a number between 0 and 1. In decision block 903, if the randomly generated probability is greater than the probability at the passed level, then the routine sets the outcome to lose in block 904, else the routine sets the outcome to win in block 905. In blocks 906-910, the routine loops identifying random numbers to be removed to effect the desired outcome. In block 906, the routine identifies a random number. In decision block 907, if the identified number is already removed, then the routine loops to identify another number in block 906, else the routine continues at block 908. In decision block 908, if the outcome is to win and the identified number is the same as one of the numbers selected by the player, then the routine loops to block 906 to identify another number, else the routine continues to block 909. In block 909, the routine adds the identified number to the list of newly identified numbers and to the list of already removed numbers. In decision block 910, if enough new numbers have already been selected, then the routine returns, else the routine loops to block 906 to identify another number.

[0043] FIG. 10 is a flow diagram illustrating processing of an example routine for selecting a prize based on the web site visited. The routine is passed an indication of the domain of the web site and returns an indication of the selected prize. In block 1001, the routine selects a prize category based on the passed domain using the prize category table. In decision block 1002, if no prize category was found for the passed domain, then the routine selects a default prize category in block 1003. In block 1004, the routine selects a prize based on the selected prize category from the prize table. In block 1005, the routine identifies the probability table to use for the selected prize. The routine then returns.

[0044] From the foregoing it will be appreciated that although specific embodiments of the game have been described herein for purposes of illustration, various modifications may be made without deviating from the spirit and scope of the invention. Accordingly, the invention is not limited except by the appended claims.

1. A method of playing a game, comprising:

receiving a selection of target items selected from a plurality of items;

determining an outcome of the game based on a probability; and

when the outcome indicates success,

identifying a subset of the plurality of the items that does not include any of the target items; and

indicating success at the game.

2. The method of claim 1 wherein the determining of the outcome includes selecting a random number within a range wherein the determined outcome is based on whether the selected random number is within a portion of that range, the portion being based on the probability.

3. The method of claim 2 wherein the portion is based on multiplying the range by the probability.

4. The method of claim 1 including:

when the outcome indicates lack of success,



identifying a subset of the plurality of items that include at least one of the target items; and

indicating lack of success at the game.

5. The method of claim 4 including providing a visual indication of each item in the identified subset wherein the visual indication of a target item that is in the identified subset is provided last.

6. The method of claim 1 including, after indicating success at the game, repeating the receiving of the selection of target items and determining an outcome using a different probability.

7. The method of claim 1 including selecting the probability based on probability criterion.

8. The method of claim 7 wherein the probability criterion is based on time of day.

9. The method of claim 7 wherein the probability criterion is based on demographic information.

10. The method of claim 1 wherein a prize is awarded based on the probability.

11. The method of claim 1 wherein the game is reverse Keno.

12. A computer-based method for playing a game, comprising:

receiving a selection of a target item from a plurality of target items;

until lack of success is indicated,

determining an outcome based on a probability;

when the outcome indicates success,

identifying a subset of the plurality of the items that does not include any of the selected target items; and

indicating success at the game; and

when the outcome indicates lack of success,

identifying a subset of the plurality of items that include at least one of the selected target items; and

indicating lack of success at the game.

13. The method of claim 12 wherein the probability decreases with each successive determining.

14. The method of claim 12 including after indicating success at the game determining whether a player of the game want to continue playing the game.

15. The method of claim 14 wherein when it is determined that the player does not want to continue playing the game awarding a prize based on the last determined probability.

16. The method of claim 12 wherein the indicating lack of success at the game includes awarding a consolation prize.

17. A computer-based method of encouraging a player to play a game during a designated time interval, comprising:

notifying the player of a benefit that the player will receive when the player plays the game during the designated time interval; and

when the player plays the game during that designated time interval, providing the benefit to the player.

18. The method of claim 17 wherein the benefit is an increased probability of being successful at the game.

19. The method of claim 17 wherein the benefit is an enhanced prize.

20. The method of claim 17 wherein the notifying includes sending an electronic mail message to the player.

21. The method of claim 20 wherein the electronic mail message includes an advertisement.

22. The method of claim 17 wherein the notifying is by a voice message.

23. The method of claim 17 wherein the notifying includes providing an advertisement.

24. The method of claim 17 wherein the notifying includes providing a hint that if followed when playing the game will result in the benefit.

25. The method of claim 24 wherein the game is reverse Keno and the hint is a number that when selected by the player will result in the benefit.

26. A computer-based method for encouraging a person to visit a web site under a certain condition, the method comprising:

notifying the person of a benefit that the person will receive when the person plays a game while visiting the web site under the certain condition; and

when the person plays the game while visiting the web site under the certain condition, providing the benefit to the person.

27. The method of claim 26 wherein the certain condition is a time period.

28. The method of claim 27 wherein the time period is selected based on number of visits to the web site.

29. The method of claim 26 wherein the certain condition is when number of visits to the web site is anticipated to be low.

30. The method of claim 26 wherein the benefit is an increased probability of being successful at the game.

31. The method of claim 26 wherein the benefit is an enhanced prize.

32. A method in a computer system for identifying a prize for a player of reverse Keno, comprising:

coordinating the playing of reverse Keno by the player; and

when the player has not been successful at playing reverse Keno,

identifying a characteristics of the player; and

awarding a consolation prize based on the identified characteristic.

33. The method of claim 32 including not awarding a consolation prize based on the identified characteristic.

34. The method of claim 32 wherein the identified characteristic is a web site selected by the player.

35. The method of claim 32 wherein the identified characteristic is based on demographic information of the player.

36. The method of claim 32 wherein the identified characteristic is based on web site access patterns of the player.

37. A method in a computer system for identifying a prize for playing a game, the game being provided by a game web site for playing while visiting another web site, comprising:

receiving from a player of the game a selection of the other web site;

determining a prize for playing the game based on selected web site; and

notifying the player of the determined prize.

38. The method of claim 37 wherein web sites that can be visited by players are categorized and the determining of a

prize includes identifying the category associated with the selected web site and selecting a prize associated with the identified category.

**39.** The method of claim 37 wherein the game is reverse Keno.

**40.** The method of claim 37 including coordinating the playing of the game and awarding the determined prize when the game is successfully played.

**41.** A method in a computer system for encouraging a game to be played in a casino, comprising:

- identifying a player of a game at the casino;
- when the player has finished playing the game,
- determining a characteristic of the played game; and
- storing an indication of the determined characteristics; and

providing a benefit to another person who referred the player to play a game at the casino based on the stored indication.

**42.** The method of claim 41 wherein the determined characteristic is amount of money wagered by the player.

**43.** The method of claim 41 wherein the determined characteristic is amount of money lost by the player.

**44.** The method of claim 41 wherein the determined characteristic is based on the number of games played.

**45.** The method of claim 41 wherein the determined characteristic is based on length of time played.

**46.** The method of claim 41 wherein the benefit is based on the amount of money lost by the player.

**47.** The method of claim 41 wherein the benefit is based on the amount of money wagered by the player.

**48.** The method of claim 41 wherein the benefit is enhanced probability of being successful at a game.

**49.** A computer-readable medium containing instructions for controlling a computer system to play a game, by a method comprising:

- receiving a selection of target items selected from a plurality of items;
- determining an outcome of the game; and
- when the determined outcome indicates success,
- identifying a subset of the plurality of the items that does not include any of the target items; and
- indicating success at the game.

**50.** The computer-readable medium of claim 49 wherein the determining of the outcome includes selecting a random number within a range wherein the determined outcome is based on whether the selected random number is within a portion of that range.

**51.** The computer-readable medium of claim 50 wherein the portion is based on multiplying the range by a probability.

**52.** The computer-readable medium of claim 49 including:

- when the outcome indicates lack of success,

identifying a subset of the plurality of items that include at least one of the target items; and

indicating lack of success at the game.

**53.** The computer-readable medium of claim 52 including providing a visual indication of each item in the identified subset wherein the visual indication of a target item that is in the identified subset is provided last.

**54.** The computer-readable medium of claim 49 wherein the outcome is determined based on a probability criterion.

**55.** The computer-readable medium of claim 54 wherein the probability criterion is based on time of day.

**56.** The computer-readable medium of claim 54 wherein the probability criterion is based on demographic information.

**57.** The computer-readable medium of claim 49 wherein a prize is awarded based on a probability of the outcome.

**58.** The computer-readable medium of claim 49 wherein the game is reverse Keno.

**59.** A computer system containing playing a game, comprising:

means for receiving a selection of target items selected from a plurality of items;

means for determining an outcome of the game;

means for identifying a subset of the plurality of the items that does not include any of the target items when the determined outcome indicates success; and

means for indicating success at the game when the determined outcome indicates success.

**60.** The computer system of claim 59 wherein the means for determining of the outcome includes selecting a random number within a range wherein the determined outcome is based on whether the selected random number is within a portion of that range.

**61.** The computer system of claim 60 wherein the portion is based on multiplying the range by a probability.

**62.** The computer system of claim 59 including means for identifying a subset of the plurality of items that include at least one of the target items when the outcome indicates lack of success and means for indicating lack of success at the game when the outcome indicates lack of success.

**63.** The computer system of claim 62 including means for providing a visual indication of each item in the identified subset wherein the visual indication of a target item that is in the identified subset is provided last.

**64.** The computer system of claim 59 wherein the outcome is determined based on a probability criterion.

**65.** The computer system of claim 64 wherein the probability criterion is based on time of day.

**66.** The computer system of claim 64 wherein the probability criterion is based on demographic information.

**67.** The computer system of claim 59 wherein a prize is awarded based on a probability of the outcome.

**68.** The computer system of claim 59 wherein the game is reverse Keno.

\* \* \* \* \*