#### (12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

#### (19) World Intellectual Property **Organization**

International Bureau





(10) International Publication Number WO 2017/184196 A1

- (43) International Publication Date 26 October 2017 (26.10.2017)
- (51) International Patent Classification: **G06F 17/30** (2006.01)
- (21) International Application Number:

PCT/US2016/055397

(22) International Filing Date:

05 October 2016 (05.10.2016)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:

15/131,013 17 April 2016 (17.04.2016) US 15/131,010 17 April 2016 (17.04.2016) US

- (71) Applicant: STREETOGRAPHY, INC. [US/US]; 226 Yale Road, Menlo Park, CA 94025 (US).
- (72) Inventors: LANZA, Michael; 226 Yale Road, Menlo Park, CA 94025 (US). VARIK, Konstantin; Zapadny, 45-3, Serebryanye Prudy, Moskovskaya Obl., 142970 (RU).
- (74) Agent: SMITH, Andrew, V.; SF Bay Area Patents, LLC, 805 Watson Canyon Ct., #265, San Ramon, CA 94582 (US).
- (81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BN, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DJ, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN,

HR, HU, ID, IL, IN, IR, IS, JP, KE, KG, KN, KP, KR, KW, KZ, LA, LC, LK, LR, LS, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PA, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SA, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, ST, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, RU, TJ, TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, KM, ML, MR, NE, SN, TD, TG).

- with international search report (Art. 21(3))
- with amended claims (Art. 19(1))

(57) Abstract: Regional shapes are generated that respectively enclose geographic regions

determined within a map area on the display screen. A pattern of vertices is generated within the map area as a set of intersections of map features. Regional shapes are formed by connecting subsets of vertices to form closed shapes. Data sets corresponding to the regional shapes are transmitted to a processor based device that is programmed to render the map area on a display screen with photo overlays that match the regional shapes.

#### (54) Title: A DIGITALLY GENERATED SET OF REGIONAL SHAPES FOR PRESENTING INFORMATION ON A DISPLAY **SCREEN**





Figure 5A





1

# A DIGITALLY GENERATED SET OF REGIONAL SHAPES FOR PRESENTING INFORMATION ON A DISPLAY SCREEN

5

15

20

25

30

#### PRIORITY AND RELATED APPLICATION

This application claims priority to United States patent application no. 15/131,010, filed April 17, 2016; and this application claims priority to United States patent application no. 15/131,013, filed April 17, 2016, each of which are incorporated by reference.

10 BACKGROUND

Maps generally include geographic features such as rivers, lakes and mountains, as well as man-made architectural structures such as streets and roads, and boundaries defined between regions such as countries and states. Subsets of larger map areas can be provided in accordance with a selected zoom setting as geographic regions that can be displayed on a screen of a processor-based digital device that has a limited area and a limited number of pixels.

Figures 1A-1C schematically illustrate three example zoom settings that feature geographic regions that differ in the real area but occupy a similar pixel area on a display screen. Figures 1A-1C illustrate screen shots of a same location on a map at three zoom levels referred to in this example as blocks, neighborhoods and cities. For a same geographic location and display screen size, regions of greater zoom are generally included within lower zoom regions, while greater zoom regions typically include more details and features per unit of real area than lower zoom regions. In the example of Figures 1A-1C, the regions featured in the screen shot corresponding to the highest of three example zoom settings are the city blocks of Figure 1A, while regions of lesser zoom may feature the neighborhoods illustrated at Figure 1B, and regions of still lesser zoom may feature the cities of Figure 1C.

Geographic regions of various sizes and locations can have subjective, objective or commercial meanings that conventional maps do not convey. It is desired to have a map that is configured to convey meanings associated with geographic regions on a map. As described in accordance with example embodiments below, meanings may be conveyed by associating digital images with geographic map regions.

2

#### BRIEF DESCRIPTION OF THE DRAWINGS

Figures 1A-1C schematically illustrate three example geographic regions corresponding to a location on a map at three zoom levels referred to, respectively, as cities, neighborhoods, and blocks in accordance with certain embodiments.

Figure 2 schematically illustrates some of the vertices of an example block in the example map region illustrated at Figure 1C.

5

10

15

20

25

30

Figures 3A-3C schematically illustrate an example method of overlaying a regional shape onto the map that is schematically illustrated at Figure 1C.

Figures 4A-4C schematically illustrate how to overlay a pictorial subset of a selected digital image on top of a regional shape based on features appearing within a map region in accordance with certain embodiments.

Figures 5A-5C schematically illustrate overlaying one or more pictorial subsets, such as in the example of Figures 4A-4C, onto regional shapes, such as in the example of Figures 1A-1C, in accordance with certain embodiments.

### DETAILED DESCRIPTION OF THE EMBODIMENTS

A method is provided herein for generating digital representations that match the shapes of geographic regions appearing within a map area on a display screen. The digital representations may be used to create informational overlays from data associated with the geographic regions for rendering within the map area on the display screen. The method includes selecting a map area that includes one or more geographic regions for rendering by a processor on a display screen. Map data are downloaded corresponding to map features appearing within the map area. A pattern of vertices of intersecting map features is collected from the map data. One or more regional shapes is/are generated that respectively enclose the one or more geographic regions on the display screen based on the pattern of vertices. Data sets corresponding to the one or more regional shapes are transmitted to a processor based device that is programmed to present information associated with the one or more geographic regions to a user by rendering said map area on a display screen with said presented information overlayed within said one or more geographic regions.

The method may include rendering the map area on a display screen including photo overlays and/or other presentations of subsets of the associated information matching respective geographic regions.

One or more regional shapes may be formed by connecting one or more subsets of vertices to form one or more continuous boundaries for one or more geographic regions. The continuous

3

boundaries may include polygons including pairs of adjacent sides that intersect at a vertice within the collected pattern of vertices.

Intersecting map features may include boundaries of real areas represented by one or more geographic regions configured for rendering on the display screen. Intersecting map features may include streets, water, parks, neighborhoods, or legislative or jurisdictional borders, or combinations thereof.

5

10

15

20

25

30

Digital image data associated with one or more geographic regions may be retrieved and shaped by a processor to match one or more geographic regions. In certain embodiments, a digital image is cut out to match the size and shape of a geographic region. Digital image data may include photo overlays and/or pictorial subsets of photographs that are respectively associated with and sized and shaped to match one or more geographic regions.

A map area may be selected based on point location and zoom inputs. The one or more geographic regions and regional shapes may be updated based on received point location updates and/or zoom level changes.

A predetermined number of regional shapes may be defined within the map area for generating matching photo overlays from the digital image data.

Intersecting map features may include one or more segments that intersect other intersecting map features at each end defining two of the vertices within the collection of vertices.

The one or more regional shapes may include polygonal or curved shapes or a combination thereof.

The method may include receiving one or more sets of image data respectively associated with the one or more geographic regions. One or more of the selected photo overlays is/are generated from the sets of image data to respectively match one or more regional shapes for rendering one or more pictorially overlayed geographic regions within the map area on the display screen.

A processor-based device is also provided that includes a processor, a port for sending and receiving data over a network, and one or more digital storage devices having embedded therein code for programming the processor to perform a method of generating geographic regional shapes for creating matching photo overlay subsets from associated image data to render within a map on a display screen in accordance with any of the embodiments or examples described herein or structural or function equivalents thereof.

One or more processor-readable digital storage devices is/are also provided with code embedded therein for programming a processor to perform a method of generating geographic regional shapes for creating matching pictorial overlays from associated image data to render WO 2017/184196

5

10

15

20

25

30

4

within a map on a display screen in accordance with any of the embodiments or example described herein or structural or function equivalents thereof.

A method of displaying digital images within features on a map is also provided. The method includes receiving data identifying a geographic location and zoom setting. One or more geographic regions is/are selected within a map area to be rendered on a display screen based on the geographic location, the zoom setting and map feature data for the map area. One or more received digital images is/are associated with one or more geographic regions. One or more photo overlay subsets is/are generated from the one or more digital images that respectively match one or more shapes of the one or more geographic regions within the map area to be rendered on the display screen. Rendering the map area on the display screen may include overlaying one or more matching pictorial subsets respectively onto one or more geographic regions within the map area.

The one or more digital images may be selected from one or more digital files. The one or more digital images may be selected based on metadata associated with the one or more digital images or the one or more digital files or both. The one or more digital images may be selected based on metadata associated with a particular map user. The one or more digital images may be selected based on most likes, most views, most comments, most recent image submitted or most recent image captured, or combinations thereof.

The one or more digital images may be selected based on locations, e.g., latitude and longitude or gps location, that are associated with the digital images. For example, these locations may be the locations of the camera when the digital images were captured or the locations of scenes or objects in the captured images, or locations where the digital images were uploaded to the internet or where the photographer lives or works.

Multiple images may overlay a same geographic region. Multiple photo overlay subsets may be associated with a same geographic region. Multiple images may be selected to alternately overlay a same geographic region. Multiple photo overlay subsets may be combined in a collage overlay of a geographic region within the map area on the display screen.

The one or more geographic regions may include a city, a neighborhood or a block. In certain embodiments, the geographic regions do not overlap each other on the map.

A zoom setting may be selected based on tracked user data or manual input from a user or a combination thereof.

A set of multiple digital images may be selected to respectively overlay a set of multiple non-overlapping geographic regions on a map area rendered on a display screen.

Multiple sets of digital images may be associated and shaped to overlay multiple respective geographic regions or multiple types of regions or combinations thereof. Multiple

5

types of geographic regions may correspond to different zoom values and/or different geographic locations. Geographic locations may include locations discerned from gps having latitude and longitude coordinates.

The one or more photo overlay subsets may be sized to respectively match one or more sizes of one or more geographic regions within the map area to be rendered on the display screen.

5

10

15

20

25

30

A processor-based device is also provided including a processor, a port for sending and receiving data over a network, and one or more digital storage devices having embedded therein code for programming the processor to perform a method of displaying digital images within features on a map in accordance with any of the embodiments or examples described herein or structural or function equivalents thereof.

One or more processor-readable digital storage devices is/are also provided that have embedded therein code for programming a processor to perform a method of displaying digital images within features on a map in accordance with any of the embodiments or example described herein or structural or function equivalents thereof.

## EXAMPLES OF BLOCK POLYGON OR OTHER GEOGRAPHIC REGION GENERATION AND SERVING TO CLIENT

Digital maps may be rendered on any display screen that is part of or coupled to a processor-based device, or digital device, that is programmed to render map images on the screen. The digital device may retrieve map data from a server that is connected on the same network as the digital device. The map data may be continuously accessed over the network connection or certain map data may be downloaded onto the digital device or another device on a local area network that the device is connected within. For example, Open Street Maps data may be downloaded and utilized for rendering map areas that may be centered at or near a certain gps location. In certain embodiments, data derived from Open Street Maps may be used to create image overlays that are placed on top of maps derived from non-Open Street Maps mapping systems such as Google Maps or Apple Maps or other mapping systems, particularly those tending to be consistent for geographies of interest.

The size of the real area that is represented on the display screen map depends on a zoom setting for the map and can range from a several meters to several thousands of kilometers. Zooming in or out may be actuated in accordance with a default method of an underlying digital mapping technology, and/or by pinch zooming such as on a touch screen display screen and/or by actuating a continuous or quasi continuous linear slider that may be configured to zoom in or out by a certain increment in the magnification or reduction multiplier or set of multipliers.

5

10

15

20

25

30

6

The geographic region type may change at when a certain zoom level is crossed while increasing or decreasing zoom. For example, referring to Figures 1A-1C, three geographic region types may be defined such as cities, neighborhoods and blocks or countries, states and cities or galaxies, star clusters and solar systems. Other examples of geographic region types that may depend on zoom level include counties, states, provinces, regions, countries, or continents, or if the map is of a theme park, then certain roller coasters may be regions or food, rides, games, water park and zoo may be five geographic regions that may appear on a map area on a display, or a shopping mall may have stores or groups of stores as regions, or a seating chart may have certain price levels for tickets as regions and pictorial subsets of persons within each region may overlay the region on the map area on the display screen and/or may have a same size and/or shape as the region, or a company regional management map may include geographic regions where the company does business each headed by a manager whose face appear as a pictorial overlay on the geographic region, or a game device map of quests or levels, or anything else about which one may benefit from having a map that may include one or more distinct regions that may be associated with a photograph and overlayed with a pictorial crop or combination of crops or thumbnails or other subsets of photographic pixels.

In certain embodiments, when the map's zoom level changes, the level of geographic entity changes. As it may not be feasible or at least not desirable in certain embodiments to provide too many blocks in a view of a large city, e.g., due to overcrowding of the map as it appears on a display screen of limited size, in these embodiments, the software system (server + client) is protected from a huge burden of downloading and rendering too many images in real time. Thus, in these embodiments, the right level of geographical entity is displayed for a current zoom level, which advantageously enhances software performance.

In one example process, Open Street Maps (OSM) data may be downloaded for a country. For example, United States OSM data may be downloaded.

Street segments may be generated and stored, particularly for maps of cities or regions within cities. In certain embodiments, street segments inside a park may be ignored. Segments may be composed of two vertices and a street segment having a commonly understood street name.

Park border segments may be generated and stored along with the street segments.

New water-related vertices may be added. In certain embodiments, the following example may be followed to create blocks, polygons or geographic regions within map areas having linear and/or curved segments that border water, such as at beaches, lakes, river banks and dams.

7

Water polygons or water regions may be converted in certain embodiments into water border line strings.

5

10

15

20

25

30

Street vertices near water objects may be selected if within a determined distance, e.g., 500 meters or less in accordance with certain embodiments.

In certain example embodiments, a point on a water border closest to one or more street vertices may be found. A new "pseudo street" segment may be created from each of these street vertices to that point on the water border. When there are two pseudo street segments that cross one another, an example method may include deleting the one that has a smaller angle with water, where a maximum angle may be 90 degrees. The remaining new points on the water border may form new vertices, such that new segments on the water border are formed. Pseudo street segments may be added to a database containing geographic regions for multiple zoom levels, multiple gps locations, multiple street segments intersecting other streets at vertices defined at both ends, and other map feature data, digital image data, photo overlay or pictorial subset data, associations, metadata, tags and other indicia that relate certain geographic regions or other regions of an map area rendered on a digital display screen controlled by a processor-based device.

In certain embodiments, vertices are created from publicly or privately generated map data that show actual real world borders of roads, water, parks and/or other map features. The basis for these vertices and polygons or other regional shapes is based on real map data that represent real geographic features.

Certain types of street data may be ignored in certain embodiments and/or not used to generate a pattern of vertices nor geographic regions within a map area and/or not stored to the database. One example is a "dead end," while another is a "cul-de-sac", and any other street segment that does not intersect other map features at one or both ends.

Figure 2 schematically illustrates a pattern of vertices 22 of intersecting map features generated based on features appearing within the example geographic map region that is schematically illustrated at Figure 1A.

#### CLIENT REQUEST TO THE SERVER

A block, neighborhood, or city surrounding a given point "A" may be requested by a client computer, mobile device or other processor-based device. The example point A may be a gps location defined by both a latitude and a longitude, and in certain embodiments height data or distance from the center of the earth or another third dimensional measure of position relative to the Earth. If a block or geographic region within a map area rendered on a display screen that contains this example location or point "A" is already stored in the database, then in certain

10

15

20

25

30

embodiments the stored region is returned to the client, while in other embodiments, one or more additional regions may be generated that may vary is some large or small way from the stored region or distribution of regions within the map area, such that multiple regional distribution option may be selected from. If there is no geographic region stored in the database for the point A, then the region may be generated dynamically, returned to the client, and stored in the database in certain embodiments.

In either case, once a server in accordance with certain embodiments gets the block polygon or geographic region, the block or region is returned by the server to the client. For example, a JSON formatted stream may be provided as a set of points, in latitude + longitude space (e.g. "37.1121, -122.4532").

#### **BLOCK OR REGION GENERATION EXAMPLES**

For the example point A, a smallest closed polygon 24 of segments that surrounds A may be defined by connecting proximate vertices with continuous lines or curved segments. In one example, vertices 22 within 1 km from A may be used for a particular zoom level setting, while vertices 22 further away are not used. In other words, no vertice 22 further than 1km from A in this example will be used or considered to generate a block or geographic region or other closed or quasi-closed shape within a map area to be rendered with photo overlays in accordance with certain embodiments. This example rule limits the size of a block in certain embodiments, which may be particularly relevant for rural areas or oceans or polar regions or deserts or other sparse or feature barren regions. In certain embodiments, points in many rural areas may generate no block and have no geographic region to overlay with a pictorial subset or photo overlay.

Referring to Figure 3A, finding a vertice B0 closest to the given point A is illustrated.

Referring to Figure 3B, finding a segment B0\_B1 with minimal angle A\_B0\_B1 is illustrated.

Referring to Figure 3C, find a segment B1\_B2 with minimal angle B0\_B1\_B2 is illustrated.

Certain embodiments may include one or more iterations (e.g., not more than 100 times) of finding segment BN BN+1 with minimal angle BN-1 BN BN+1 until vertice BN+1 = B0.

If the found polygon is too small, e.g., less than 1000 square meters, then it may be rejected in certain embodiments.

Of course, the amount of detail that is available within a map area represented on a display screen per unit of real area increases with higher zoom but everything outside the area that is rendered on the screen does not appear at all unless the gps location is adjusted or the zoom is reduced. Suffice it to say that certain zoom settings are more useful for certain applications than

9

for others, and a single use of a digitally-rendered map can involve multiple gps location and/or zoom setting adjustments before the user gets a satisfactory answer to a question or a sufficient amount of information.

5

10

15

20

25

30

A map area rendered on a display screen of a digital device may include words, geographic symbols or colors representing landscape features such as mountains and rivers as well as manmade features such as streets, highways, parks, commercial or government buildings, public transit lines and even advertisements. Jurisdictional, legislative or zoning region boundaries may be indicated on a map even if there is no natural nor man-made feature associated with all of part of these boundaries.

In certain embodiments, distinctions and boundaries between a small few to several geographic regions that may be large enough to view on a single display screen may be downloaded from an authoritative or commercial source or from a past experience of the user or a family member, friend or trusted colleague of associate. In certain embodiments, geographic regions can be determined from the map data in accordance with an advantageous process involving collecting certain feature data from the map data appearing on the display screen or user-defined, user-preferred or otherwise subjective inputs from the owner or user of the digital device, or meta-data associated with places or objects on the map that might set geographic regions apart yet might not be viewable, e.g., the price of a home in a certain area or the average rent or the zoning restrictions or demographics of areas.

In certain embodiments, certain common features such as streets, parks, rivers and lakes are selected, particularly common features such as these examples that intersect other common features. Points of intersection of the selected map features, e.g., where perpendicular streets on a city grid meet or where a street meets a river or a park, are collected as a pattern of vertices 22 overlaying the map area. The pattern of vertices 22 may include a reasonable number of vertices 22 spaced apart by between 5mm and 5 cm depending on the size of the display screen and/or the density or diversity of discernible and relevant differences between subsets of the map area on the display screen.

In certain embodiments, geographic regions can be selectively or arbitrarily generated by providing continuous linear or curved segments between adjacent or closest vertices 22 and/or connecting vertices 22 in a manner designed to generate the largest number of closed shapes or more or less some reasonable number such as 5, 10 or 15 regions in the displayed map area, or selecting smallest sized, closed polygons or curved or arbitrarily shaped geographic regions formed by including the fewest number of vertices 22 without skipping or a fewest number of smallest segments between vertices 22 or picking a rotation direction always turning 90 degrees in

10

a same direction toward a closest next vertice 22, or another set of rules such as these that produces reliably a satisfactory number of not too many and not too few closed shapes on the display screen. These one or more regional shapes are generated in certain embodiments such as to respectively enclose one or more geographic regions on the display screen based on the pattern of vertices 22.

5

10

15

20

25

30

In certain embodiments, trusted social network friends or any designated group of people may use subjective preferences or favorites, perceived objective knowledge, or commercial data such as may have been purchased by a person or company with a business agenda to draw up the geographic region distribution of a map area, or rules or process steps to be followed, in certain embodiment, for collecting feature data, or feature intersection data, to generate the pattern of vertices 22 from which the regions are drawn by connecting the dots, or to directly or by freehand (without the dots) draw shapes that follow common sense boundaries or preferentially selected boundaries or boundary segments based on map feature data, meta data or user experiences where pictures may have been taken including the user and certain friends in a group picture or the user alone in a selfie or an object or music group or idea that in certain embodiments a user may wish to associate with a certain geographic region by attaching a tag to the image data identifying the geographic region or by tagging the region with identifying digital image indicia. A collection of vertices 22, or dots, in accordance with certain embodiments, provides a framework for generating closed shapes such as polygons, or ellipses or other curved shapes that photo overlay images may be placed on top of within the map. Such association of a geographic region with a digital image may be used during the process of generating the geographic regions or selecting region shapes and/or sizes and/or such association may occur after the geographic regions are determined or otherwise may be independent of the process that resulted in creation of the pattern of vertices 22 and/or geographic regional shapes within the map area.

Regardless, a digital image may be associated with a geographic region within a map area on a digital device screen display by the owner of the device or a designated proxy such as a favorite social network page or other web site designated by the owner of the device or a proxy. In certain embodiments, one or more pictorial subsets of the associated digital image data are generated that have a same or similar shape as the geographic region and/or may have a same or similar size, and/or resolution, and/or the pictorial subset may be cropped and/or rotated and cropped and/or zoomed in or out before rotating and/or cropping to match the shape of the geographic region so that the map area may be rendered on the display screen with the pictorial subset overlayed onto the associated geographic region without overlaying adjacent or proximate geographic regions which may be overlayed themselves with an associated pictorial subset.

11

The pictorial subsets or photo overlays may be created by cutting the geographic entity's shape out of a rectangular base photo like using a cookie cutter. In certain embodiments, neither adjacent geographic regions nor adjacent photo overlays overlap, while either or both may share all or a fraction of a common border and/or separations may appear between photo overlayed geographic regions such as streets or other features that serve to space apart features or entities that may appear on a map area. Lines may be drawn along a common boundary to delineate different photo overlay images and/or different geographic regions or other area subsets that may appear on a map and little or no spacing is desired to be disposed between adjacent examples of such different photo overlays and/or map regions.

5

10

15

20

25

30

Photo overlay images may be displayed collectively as a layer in a digital map. Photo overlay images may pan and zoom with the map, along with other map annotations like street names and geographic border designations. In certain embodiments, the photo overlay images become part of the map interface that changes as the rest of the map changes.

Certain digital images may be selected over others based on a wide variety of factors such as locations, e.g., latitude and longitude coordinates, associated with the digital images. That location may be where the photo was taken, or it may be some other attribute of the image (e.g. the home of the photographer). Other factors may include most likes, most views, most comments, most recent photo submitted, most recent photo taken. Multiple photos may rotate like a slide show within the geographic region or may be combined such as in a collage, or a video clip may automatically play or by available to play as a sequence of pictorial subsets of video frames within the geographic region. One or more photos may be taken by one person or a group of people, such as people the user follows, friends of the user, a private group such as coworkers or classmates or club members or a demographic group, an age group such as teens or senior citizens, or a gender or a political campaign or social reform group or consumer advocate group.

Any digital image can be deselected or selected based on how old the photo is, or based on the photo being taken or submitted in a specific time or date period or range around a certain time or date within which the photo was or was not taken or submitted, such as the current year or the user birth year or the birth year of a child or other family member of the user or a current month or birth month of the user or someone close to the user, or the current week or another selected week in history, or today or any day in the past when a photo may have been taken or submitted, and an arbitrary time or date range may be selected from X time/date to Y time/date.

In certain embodiments, a map area may be displayed on a screen of a digital device or controlled by a processor directly or remotely or over a network. The map area may include photo overlays whose bounds may include one or more borders of geographic regions or entities within

12

the map area on the display screen. In one view, multiple geographic entities may be at the same level (e.g. blocks 24,26, neighborhoods, cities, counties, states, countries).

Each of the photos that appear on the map area may be referred to as photo overlays or pixel subsets of larger images or pictorial subsets or image overlays. An overlay may be created in one example embodiment by cutting the geographic entity's shape out of a rectangular base photo, like using a cookie cutter, and any of a variety of cropping methods may be used and/or image data may be shrunk in size proportional to a reduction in zoom, or vice versa, or proportional to an initial disparity between the size of an associated digital image and a geographical region within a map area displayed on a digital device screen or on a display device that is controlled by a processor-based device.

5

10

15

20

25

30

Figures 4A-4B schematically illustrate generating a pictorial subset of a selected digital image that matches a regional shape generated based on features appearing within a map region such as the example map region illustrated schematically in Figures 1A-3C in accordance with certain embodiments.

Referring to Figures 5A-5C, three views at three zoom levels are illustrated for a starting point or location in the South of Market neighborhood of San Francisco. Figures 1A-1C respectively illustrate a Block view, a Neighborhood view, and a City view in accordance with certain embodiments.

Data generated for geographic regions in accordance with certain embodiments may be used to render a map or for other purposes. For example, data generated for geographic regions in accordance with certain embodiments may be used to aggregate point historical data per geographic region. Those aggregate data could then be presented in a map and/or in another way other than in a map, such as (i) a graph (e.g., a pie chart of all robberies in a neighborhood by block), or (ii) a table (e.g., a table showing number of robberies in a neighborhood by block), or (iii) a summary of statistics (e.g., 7% of robberies in the neighborhood last year were in block A, 4% were in block B, etc.), or (iv) a regression analysis (e.g., robberies in a block are highly correlated with evictions in a block).

Data generated and/or created for geographic regions in accordance with certain embodiments may be used to generate alerts of one or more occurrences of a type of event in real time. Categorization inside a geographic entity in accordance with certain embodiments may be used to assist and/or enable users (e.g., city police or fire authorities, neighborhood watch or other community groups) to decide how to respond. For example, a fire may be reported as having broken out in a particular block. The proper block designation would trigger an alarm at the correct fire station in certain embodiments. In another example, a power outage may occur at a

5

10

15

20

25

30

13

particular electric company region that is defined within an infrastructure map in accordance with certain embodiments. The region data may be used to assist or enable a power company to diagnose where the source of the problem is and/or how to respond. In another example, security cameras may detect a number of usual or unusual motion patterns or alerts in a geographic region such as in a neighborhood defined as a few blocks within a city and within a within a certain time range. This could help users understand the activities happening in this neighborhood for developing marketing or police strategies.

A map may be generated with defined geographic regions at multiple zoom levels in accordance with certain embodiments. Such a map may be displayed on a display screen of a digital device or in other ways including as a 3D model or a paper print out.

Various modifications and alterations of the invention will become apparent to those skilled in the art without departing from the spirit and scope of the invention, which is defined by the accompanying claims. It should be noted that steps recited in any method claims below do not necessarily need to be performed in the order that they are recited. Those of ordinary skill in the art will recognize variations in performing the steps from the order in which they are recited. In addition, the lack of mention or discussion of a feature, step, or component provides the basis for claims where the absent feature or component is excluded by way of a proviso or similar claim language.

While various embodiments of the present invention have been described above, it should be understood that they have been presented by way of example only, and not of limitation. The various diagrams may depict an example architectural or other configuration for the invention, which is done to aid in understanding the features and functionality that may be included in the invention. The invention is not restricted to the illustrated example architectures or configurations, but the desired features may be implemented using a variety of alternative architectures and configurations. Indeed, it will be apparent to one of skill in the art how alternative functional, logical or physical partitioning and configurations may be implemented to implement the desired features of the present invention. Also, a multitude of different constituent module names other than those depicted herein may be applied to the various partitions. Additionally, with regard to flow diagrams, operational descriptions and method claims, the order in which the steps are presented herein shall not mandate that various embodiments be implemented to perform the recited functionality in the same order unless the context dictates otherwise.

Although the invention is described above in terms of various exemplary embodiments and implementations, it should be understood that the various features, aspects and functionality

described in one or more of the individual embodiments are not limited in their applicability to the particular embodiment with which they are described, but instead may be applied, alone or in various combinations, to one or more of the other embodiments of the invention, whether or not such embodiments are described and whether or not such features are presented as being a part of a described embodiment. Thus the breadth and scope of the present invention should not be limited by any of the above-described exemplary embodiments.

5

10

15

20

25

30

Terms and phrases used in this document, and variations thereof, unless otherwise expressly stated, should be construed as open ended as opposed to limiting. As examples of the foregoing: the term "including" should be read as meaning "including, without limitation" or the such as; the term "example" is used to provide exemplary instances of the item in discussion, not an exhaustive or limiting list thereof; the terms "a" or "an" should be read as meaning "at least one," "one or more" or the such as; and adjectives such as "conventional," "traditional," "normal," "standard," "known" and terms of similar meaning should not be construed as limiting the item described to a given time period or to an item available as of a given time, but instead should be read to encompass conventional, traditional, normal, or standard technologies that may be available or known now or at any time in the future. Hence, where this document refers to technologies that would be apparent or known to one of ordinary skill in the art, such technologies encompass those apparent or known to the skilled artisan now or at any time in the future.

A group of items linked with the conjunction "and" should not be read as requiring that each and every one of those items be present in the grouping, but rather should be read as "and/or" unless expressly stated otherwise. Similarly, a group of items linked with the conjunction "or" should not be read as requiring mutual exclusivity among that group, but rather should also be read as "and/or" unless expressly stated otherwise. Furthermore, although items, elements or components of the invention may be described or claimed in the singular, the plural is contemplated to be within the scope thereof unless limitation to the singular is explicitly stated.

The presence of broadening words and phrases such as "one or more," "at least," "but not limited to" or other such as phrases in some instances shall not be read to mean that the narrower case is intended or required in instances where such broadening phrases may be absent. The use of the term "module" does not imply that the components or functionality described or claimed as part of the module are all configured in a common package. Indeed, any or all of the various components of a module, whether control logic or other components, may be combined in a single package or separately maintained and may further be distributed across multiple locations.

Additionally, the various embodiments set forth herein are described in terms of exemplary block diagrams, flow charts and other illustrations. As will become apparent to one of ordinary

15

skill in the art after reading this document, the illustrated embodiments and their various alternatives may be implemented without confinement to the illustrated examples. For example, block diagrams and their accompanying description should not be construed as mandating a particular architecture or configuration.

5

10

15

20

The previous description of the disclosed embodiments is provided to enable any person skilled in the art to make or use the present invention. Various modifications to these embodiments will be readily apparent to those skilled in the art, and the generic principles defined herein may be applied to other embodiments without departing from the spirit or scope of the invention. Thus, the present invention is not intended to be limited to the embodiments shown herein but is to be accorded the widest scope consistent with the principles and novel features disclosed herein.

Thus, for example, it will be appreciated by those of ordinary skill in the art that the diagrams, schematics, illustrations, and the such as represent conceptual views or processes illustrating systems and methods in accordance with particular embodiments. The functions of the various elements shown in the figures may be provided through the use of dedicated hardware as well as hardware capable of executing associated software. Similarly, any switches shown in the figures are conceptual only. Their function may be carried out through the operation of program logic, through dedicated logic, through the interaction of program control and dedicated logic, or even manually, the particular technique being selectable by the entity implementing this invention. Those of ordinary skill in the art further understand that the exemplary hardware, software, processes, methods, and/or operating systems described herein are for illustrative purposes and, thus, are not intended to be limited to any particular named manufacturer.

16

What is claimed is:

1. A processor-based device, comprising:

a processor;

a port for sending and receiving data over a network; and

one or more digital storage devices having embedded therein code for programming the processor to perform a method of generating or receiving geographic regional shapes for creating matching informational overlays from associated data to render on a map on a display screen, wherein the method comprises:

selecting an area of a map that includes one or more geographic regions for rendering by a processor on a display screen;

downloading map data corresponding to map features appearing within said area of said map;

collecting from said map data a pattern of vertices of intersecting map features; generating one or more regional shapes that respectively enclose the one or more geographic regions on the display screen based on the pattern of vertices; and

transmitting data sets corresponding to the one or more regional shapes to a processor based device programmed to present information associated with the one or more geographic regions to a user by rendering said map area on a display screen with said presented information overlayed within said one or more geographic regions.

20

25

30

5

10

15

- 2. The processor-based device of claim 1, wherein the method comprises rendering said area of said map on said display screen including one or more overlayed presentations of subsets of said information.
- 3. The processor-based device as in any of the preceding claims, wherein the method comprises connecting one or more subsets of said vertices to form one or more continuous boundaries for said one or more geographic regions.
- 4. The processor-based device as in claim 3, wherein said continuous boundaries comprise polygons including pairs of adjacent sides that intersect at said vertices.

17

5. The processor-based device as in any of the preceding claims, wherein said intersecting map features comprise boundaries of real areas represented by said one or more geographic regions configured for rendering on said display screen, or streets, water, parks, neighborhoods, or legislative or jurisdictional borders, or combinations thereof.

5

6. The processor-based device as in any of the preceding claims, wherein the method comprises retrieving and shaping said presented information to match said one or more geographic regions.

10

- 7. The processor-based device as in any of the preceding claims, wherein the method comprises selecting said area of said map based on point location and zoom inputs.
- 8. The processor-based device as in any of the preceding claims, wherein the method comprises generating a predetermined number of said regional shapes within said area on said map for overlaying with said presented information.
- 9. The processor-based device as in any of the preceding claims, wherein said intersecting map features each comprise one or more segments that intersect other intersecting map features at each end defining two of said vertices.

20

15

10. A processor-based device as in any of the preceding claims, wherein the method comprises:

generating one or more pictorial subsets of said one or more digital images that respectively match one or more shapes of said one or more geographic regions within said map area to be rendered on said display screen; and

rendering said map area on said display screen including overlaying said one or more matching pictorial subsets respectively onto said one or more geographic regions within said map area.

30

25

11. The processor-based device as in any of the preceding claims, wherein the method comprises selecting said one or more digital images based on metadata associated with the one or more digital images or said one or more digital files or a particular map user,

18

or based on most likes, most views, most comments, most recent image submitted, most recent image captured, best or worst image, or most or least interesting image, or based on a locations associated with the digital images, or combinations thereof.

- 12. The processor-based device as in any of the preceding claims, wherein the method comprises selecting multiple images for at least one geographic region and rotating multiple pictorial subsets within said at least one geographic region or collaging multiple pictorial subsets within said at least one geographic region, or combinations thereof.
- 13. The processor-based device as in any of the preceding claims, wherein the method comprises selecting said zoom setting based on tracked user data or manual input from a user or combinations thereof.
- 14. The processor-based device as in any of the preceding claims, wherein the
   method comprises selecting a set of multiple digital images to respectively overlay on a set of multiple non-overlapping geographic regions on said map rendered on said display screen.
  - 15. The processor-based device as in any of the preceding claims, wherein the method comprises selecting multiple sets of digital images to respectively overlay geographic regions of multiple types.
  - 16. The processor-based device as in any of the preceding claims, wherein the method comprises sizing said one or more pictorial subsets to respectively match one or more sizes of said one or more geographic regions within said map area to be rendered on said display screen.
  - 17. The processor-based device as in any of the preceding claims, wherein the generating of said pictorial subsets comprises cutting out a region of a digital image that matches a size and shape of a geographic region within said map.

20

25

19

18. The processor-based device as in any of the preceding claims, wherein the overlaying comprises attaching the one or more matching pictorial subsets to a user interface of the map, whereby said one or more matching pictorial subsets pan or zoom, or both, in unison with the map.

#### AMENDED CLAIMS received by the International Bureau on 15 August 2017 (15.08.2017)

1. A processor-based device, comprising:

a processor:

5

10

15

20

25

30

a port for sending and receiving data over a network; and

one or more digital storage devices having embedded therein code for programming the processor to perform a method of generating or receiving geographic regional shapes for creating matching informational overlays from associated data to render on a map on a display screen, wherein the method comprises:

selecting an area of a map that includes one or more geographic regions for rendering by a processor on a display screen;

downloading map data corresponding to map features appearing within said area of said map;

collecting from said map data a pattern of vertices of intersecting map features; generating one or more regional shapes that respectively enclose the one or more

geographic regions on the display screen based on the pattern of vertices; and

transmitting data sets corresponding to the one or more regional shapes to a processor based device programmed to present information associated with the one or more geographic regions to a user by rendering said map area on a display screen with said presented information overlayed within said one or more geographic regions.

- 2. The processor-based device of claim 1, wherein the method comprises rendering said area of said map on said display screen including one or more overlayed presentations of subsets of said information.
- 3. The processor-based device as in any of the preceding claims, wherein the method comprises connecting one or more subsets of said vertices to form one or more continuous boundaries for said one or more geographic regions.
- 4. The processor-based device as in claim 3, wherein said continuous boundaries comprise polygons including pairs of adjacent sides that intersect at said vertices.

- 5. The processor-based device as in any of the preceding claims, wherein said intersecting map features comprise boundaries of real areas represented by said one or more geographic regions configured for rendering on said display screen, or streets, water, parks, neighborhoods, or legislative or jurisdictional borders, or combinations thereof.
- 6. The processor-based device as in any of the preceding claims, wherein the method comprises retrieving and shaping said presented information to match said one or more geographic regions.

10

- 7. The processor-based device as in any of the preceding claims, wherein the method comprises selecting said area of said map based on point location and zoom inputs.
- 8. The processor-based device as in any of the preceding claims, wherein the method comprises generating a predetermined number of said regional shapes within said area on said map for overlaying with said presented information.
  - 9. The processor-based device as in any of the preceding claims, wherein said intersecting map features each comprise one or more segments that intersect other intersecting map features at each end defining two of said vertices.
  - 10. A processor-based device as in any of the preceding claims, wherein the method comprises:

generating one or more pictorial subsets of said one or more digital images that

respectively match one or more shapes of said one or more geographic regions within said map area to be rendered on said display screen; and

rendering said map area on said display screen including overlaying said one or more matching pictorial subsets respectively onto said one or more geographic regions within said map area.

20

10

15

20

25

30

- 11. The processor-based device as in any of the preceding claims, wherein the method comprises selecting said one or more digital images based on metadata associated with the one or more digital images or said one or more digital files or a particular map user, or based on most likes, most views, most comments, most recent image submitted, most recent image captured, best or worst image, or most or least interesting image, or based on a locations associated with the digital images, or combinations thereof.
- 12. The processor-based device as in any of the preceding claims, wherein the method comprises selecting multiple images for at least one geographic region and rotating multiple pictorial subsets within said at least one geographic region or collaging multiple pictorial subsets within said at least one geographic region, or combinations thereof.
- 13. The processor-based device as in any of the preceding claims, wherein the method comprises selecting said zoom setting based on tracked user data or manual input from a user or combinations thereof.
- 14. The processor-based device as in any of the preceding claims, wherein the method comprises selecting a set of multiple digital images to respectively overlay on a set of multiple non-overlapping geographic regions on said map rendered on said display screen.
- 15. The processor-based device as in any of the preceding claims, wherein the method comprises selecting multiple sets of digital images to respectively overlay geographic regions of multiple types.
- 16. The processor-based device as in any of the preceding claims, wherein the method comprises sizing said one or more pictorial subsets to respectively match one or more sizes of said one or more geographic regions within said map area to be rendered on said display screen.
- 17. The processor-based device as in any of the preceding claims, wherein the generating of said pictorial subsets comprises cutting out a region of a digital image that matches a size and shape of a geographic region within said map.

- 18. The processor-based device as in any of the preceding claims, wherein the overlaying comprises attaching the one or more matching pictorial subsets to a user interface of the map, whereby said one or more matching pictorial subsets pan or zoom, or both, in unison with the map.
  - 19. A processor-based device, comprising:
  - a processor;

10

15

20

25

a port for sending and receiving data over a network; and

one or more digital storage devices having embedded therein code for programming the processor to perform a method of displaying digital images within features on a map, wherein the method comprises:

receiving data identifying a geographic location and zoom setting;

selecting one or more geographic regions within a map area to be rendered on a display screen based on said geographic location, said zoom setting and map feature data for said map area;

receiving one or more digital images associated with said one or more geographic regions; generating one or more pictorial subsets of said one or more digital images that respectively match one or more shapes of said one or more geographic regions, including cutting out said one or more pictorial subsets from said one or more digital images to match specific respective contours of said pictorial subsets to said geographic regions, within said map area to be rendered on said display screen; and

rendering said map area on said display screen including overlaying said one or more matching pictorial subsets respectively onto said one or more geographic regions within said map area.

20. The processor-based device of claim 19, wherein the method comprises selecting said one or more digital images from one or more digital files.

- 21. The processor-based device of claim 19, wherein the method comprises selecting said one or more digital images based on metadata associated with the one or more digital images or said one or more digital files or both.
- 5 22. The processor-based device of claim 19, wherein the method comprises selecting said one or more digital images based on metadata associated with a particular map user.
  - 23. The processor-based device of claim 19, wherein the method comprises selecting said one or more digital images based on most likes, most views, most comments, most recent image submitted, most recent image captured, , best or worst image, or most or least interesting image, or combinations thereof.
  - 24. The processor-based device of claim 19, comprising selecting said one or more digital images based on a locations associated with the digital images.

25. The processor based device of claim 24, wherein said locations associated with said digital images comprise latitude and longitude coordinates.

- 26. The processor-based device of claim 19, wherein the method comprises selecting multiple images for at least one geographic region and rotating multiple pictorial subsets within said at least one geographic region.
  - 27. The processor-based device of claim 19, wherein the method comprises selecting multiple images for at least one geographic region and collaging multiple pictorial subsets within said at least one geographic region.
  - 28. The processor-based device of claim 19, wherein said geographic region comprises a planet, continent, country, state or province, region, county, city, a neighborhood or a block, or combinations thereof.

25

10

15

20

- 29. The processor-based device of claim 19, wherein the method comprises selecting said zoom setting based on tracked user data.
- 30. The processor-based device of claim 19, wherein the method comprises selecting saidzoom setting based on manual input from a user.
  - 31. The processor-based device of claim 19, wherein the method comprises selecting a set of multiple digital images to respectively overlay on a set of multiple non-overlapping geographic regions on said map rendered on said display screen.
  - 32. The processor-based device of claim 19, wherein the method comprises selecting multiple sets of digital images to respectively overlay geographic regions of multiple types.
- 33. The processor-based device of claim 32, wherein said multiple types of geographic regions correspond to different zoom values.
  - 34. The processor-based device of claim 32, wherein said multiple types of geographic regions comprise different geographic locations.
- 35. The processor-based device of claim 34, wherein said geographic locations comprise locations, commonly described as latitude-longitude pairs of coordinates.
  - 36. The processor-based device of claim 19, wherein the method comprises sizing said one or more pictorial subsets to respectively match one or more sizes of said one or more geographic regions within said map area to be rendered on said display screen.
  - 37. The processor-based device of claim 19, wherein the generating of said pictorial subsets comprises cutting out a region of a digital image that matches a size and shape of a geographic region within said map.

10

38. The processor-based device of claim 19, wherein the overlaying comprises attaching the one or more matching pictorial subsets to a user interface of the map, whereby said one or more matching pictorial subsets pan or zoom, or both, in unison with the map.

### 1/9



### Figure 1A





Figure 1B

2/9



### Figure 1C




Figure 2

3/9




Figure 3A





Figure 3B






Figure 4A




Figure 4B




Figure 4C

7/9






Figure 5A

8/9



## Figure 5B

9/9



# Figure 5C

### **INTERNATIONAL SEARCH REPORT**

International application No PCT/US2016/055397

	FICATION OF SUBJECT MATTER G06F17/30			
	o International Patent Classification (IPC) or to both national classification	tion and IPC		
	SEARCHED  coumentation searched (classification system followed by classification	n symbols)		
G06F				
Documentat	tion searched other than minimum documentation to the extent that su	oh documents are included in the fields sea	arohed	
Eleotronio da	ata base consulted during the international search (name of data bas	e and, where practicable, search terms use	ed)	
	ternal, WPI Data			
	ENTS CONSIDERED TO BE RELEVANT			
Category*	Citation of document, with indication, where appropriate, of the rele	evant passages	Relevant to claim No.	
X	US 2015/046194 A1 (WADDELL BRIAN AL) 12 February 2015 (2015-02-12) abstract figure 5 paragraphs [0004], [0018], [004	)	1-18	
Х	US 2015/369623 A1 (BLUMENBERG CHF [US] ET AL) 24 December 2015 (201 abstract figures 1-9 paragraphs [0092] - [0104], [010 [0109] - [0112]	15-12-24)	1-13	
А	US 2014/267279 A1 (KONTKANEN JANN 18 September 2014 (2014-09-18) the whole document	NE [US])	1-18	
Furth	her documents are listed in the continuation of Box C.	X See patent family annex.		
"A" document defining the general state of the art which is not considered to be of particular relevance  "E" earlier application or patent but published on or after the international filing date  "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)  "O" document referring to an oral disclosure, use, exhibition or other means  "P" document published prior to the international filing date but later than		"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention  "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone  "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art  "&" document member of the same patent family		
Date of the a	actual completion of the international search	Date of mailing of the international sea	rch report	
2	4 January 2017	31/01/2017		
Name and n	mailing address of the ISA/ European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Fow (+31-70) 40-3016	Authorized officer Écolivet, Stéphan	ne	

### **INTERNATIONAL SEARCH REPORT**

Information on patent family members

International application No PCT/US2016/055397

Patent document cited in search report		Publication date		Patent family member(s)	Publication date
US 2015046194	A1	12-02-2015	NON		
US 2015369623	A1	24-12-2015	US US WO	2015369623 A1 2016365072 A1 2015195191 A1	24-12-2015 15-12-2016 23-12-2015
US 2014267279	A1	18-09-2014	CN EP US WO	105247575 A 2973422 A1 2014267279 A1 2014152770 A1	 13-01-2016 20-01-2016 18-09-2014 25-09-2014