

[54] PORTABLE STRUCTURE

[75] Inventor: Lowell R. Norman, Montrose, Calif.

[73] Assignee: Pure Concepts, Inc., Pasadena, Calif.

[**] Term: 14 Years

[21] Appl. No.: 162,366

[22] Filed: Feb. 29, 1988

[52] U.S. Cl. D21/253

[58] Field of Search D21/253; 135/106, 102,
135/104, 99, 119; 403/393, 306

[56] References Cited

U.S. PATENT DOCUMENTS

1,352,032	9/1920	Sherman	403/306
2,434,251	1/1948	Warnke	403/393 X
3,675,667	7/1972	Miller	135/104
3,699,986	10/1972	Kirkham	135/119 X
3,856,029	12/1974	Auddle	D21/114
3,960,161	6/1976	Norman	135/104
3,965,915	6/1976	Kirkham	135/97
3,990,463	11/1976	Norman	135/104
4,154,253	5/1979	McCullough	135/106
4,195,651	4/1980	Watts et al.	135/102
4,236,543	12/1980	Moss	135/106
4,269,210	5/1981	Marks	135/104
4,858,634	8/1989	McLeese	135/102

Primary Examiner—Charles A. Rademaker
Attorney, Agent, or Firm—F. Eugene Logan

[57] CLAIM

The ornamental design for a portable structure, a shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a portable structure showing my new design;
FIG. 2 is a front elevational view thereof, the side opposite being the same;
FIG. 3 is a right side elevational view thereof, the side opposite being the same;

FIG. 4 is a top plan view thereof;
FIG. 5 is another front perspective view of the design shown in FIGS. 1-4 with the support bases in different positions;
FIG. 6 is a perspective view of the apex area of FIG. 5 shown on an enlarged scale;
FIG. 7 is a front elevational view of the design shown in FIG. 5, the side opposite being the same;
FIG. 8 is a right side elevational view thereof, the side opposite being the same;
FIG. 9 is a top plan view thereof;
FIG. 10 is a cross-sectional view thereof taken along line 10-10 in FIG. 9;
FIG. 11 is another front perspective view of the design shown in FIGS. 1-4 with the support bases in different positions;
FIG. 12 is a front elevational view of the design shown in FIG. 11, the side opposite being the same;
FIG. 13 is a right side elevational view thereof, the side opposite being the same;
FIG. 14 is a top plan view thereof;
FIG. 15 is a perspective view of the design shown in FIGS. 1-4 in a partially collapsed condition;
FIG. 16 is a perspective view thereof in another partially collapsed condition;
FIG. 17 is a perspective view thereof in a similar position;
FIG. 18 is a perspective view thereof in a transitory position;
FIG. 19 is another similar perspective view thereof;
FIG. 20 is another perspective view thereof in a further transitory condition;
FIG. 21 is another perspective view thereof in a collapsed position;
FIG. 22 is a cross-sectional view thereof taken along line 22-22 in FIG. 9 shown on an enlarged scale;
FIG. 23 is a front perspective view of a modified embodiment of the design shown in FIGS. 1-4;
FIG. 24 is a front perspective view of another modified embodiment of the design shown in FIGS. 1-4; and
FIG. 25 is another perspective view thereof showing the base supports in other positions.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5





FIG. 6








FIG. 9




FIG. 10

FIG. 11





FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16

FIG. 17




FIG. 18





FIG. 19



FIG. 20



FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25