



US00D336633S

United States Patent [19]

[11] Patent Number: Des. 336,633

Trabold

[45] Date of Patent: ** Jun. 22, 1993

[54] **CIRCUIT INTERRUPTER FOR PREVENTING AN ELECTRICALLY INDUCED FIRE IN AN AUTOMOTIVE VEHICLE**

[76] Inventor: **Alceu Trabold**, 12 Willow Ct., Hamilton, N.J. 08619

[**] Term: **14 Years**

[21] Appl. No.: **793,675**

[22] Filed: **Nov. 18, 1991**

[52] U.S. Cl. **D13/160**

[58] Field of Search D13/160; 361/57, 93, 361/102, 118, 119, 124, 187; 337/37, 125; 307/129, 131

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 263,218	3/1982	Kauffman	D13/160
D. 285,434	9/1986	Panas	D13/160
3,879,696	4/1975	Imajyo et al.	361/118 X
4,275,432	6/1981	Napiorkowski	361/119 X
4,851,946	7/1989	Igarashi et al.	361/124

Primary Examiner—Wallace R. Burke
Assistant Examiner—J. Sincavage
Attorney, Agent, or Firm—Leon Gilden

[57] **CLAIM**

The ornamental design for a circuit interrupter for preventing an electrically induced fire in an automotive vehicle, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of the circuit interrupter for preventing an electrically induced fire in an automotive vehicle showing my new design; FIG. 2 is a rear elevational view thereof; FIG. 3 is a left side elevational view thereof; FIG. 4 is a right side elevational view thereof; FIG. 5 is a top plan view thereof; FIG. 6 is a bottom plan view thereof; and, FIG. 7 is a front elevational view thereof shown in use and on a reduced scale. The broken line showing of the cable and battery is included for the purpose of illustrating environmental elements only and forms no part of the claimed design.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 7




FIG. 5




FIG. 6

