105.10 - Respirable Materials on Filter Media

These SRMs are intended for the determination of hazardous materials potentially found in industrial environments. SRMs 2676d, 2677a, and 3087a have been superceded by SRM 2783 Air Particulate on Filter Media.

Also, see Table 105.12 Respirable Materials

PLEASE NOTE: The tables are presented to facilitate comparisons among a family of materials to help customers select the best SRM for their needs. For specific values and uncertainties, the certificate is the only official source.

SRM	Description	Unit of Issue	Elemental Composition in (ug/filter)
2783	Air Particulate on Filter Media	2 +2 Blnk (47 mm dia)	Certified: 18 elements
			Reference values: 9 elements
2950a	Respirable Alpha Quartz on Filter Media	35 filters plus 35 blanks	5 μg, 10 μg, 20 μg, 50 μg, 100 μg, 250 μg, and
	(Nominal Mass of Alpha Quartz: 5 μg - 500 μg)		500 μg
<u>2960</u>	Respirable Cristobalite on Filter Media	30 filters plus 30 blanks	5 μg, 10 μg, 20 μg, 50 μg, 100 μg, and 250 μg
	(Nominal Mass of Cristobalite: 5 μg - 250 μg)		
8785	Air Particulate Matter on Filter Media	3 filters	Total Carbon, (Elemental Carbon, Organic
			Carbon)
8786	Filter Blank for RM 8785	filter	(average Organic Carbon)

⁻ Certified values are normal font

⁻ Non-certified or reference values are italicized

⁻ Non-certified values in parentheses are for information only