




**NETHERLANDS
BRAIN BANK**

**PROGRESS REPORT
2017**



NBB Progress Report – 2017

Content

Donor program	2
Public Relations	4
Autopsies	7
Tissue supply	9
Finances	10
Research Projects	11
Publications	26
Staff and collaborations	42
List of abbreviations	44

Editors

Inge Huitinga
Mignon de Goeij

Correspondence

Netherlands Brain Bank
Meibergdreef 47
1105 BA Amsterdam
The Netherlands

T (+31) 20 566 5499
F (+31) 20 691 7466
infonhb@nin.knaw.nl

www.brainbank.nl | www.hersenbank.nl
www.herseninstituut.nl

The Netherlands Brain Bank is a department of the Netherlands Institute for Neuroscience, an institute of the Royal Netherlands Academy of Arts and Sciences (KNAW)

Donor Program

On December 31, 2017 a total of 4752 donors were registered with the Netherlands Brain Bank (NBB). In 2017, the number of new donor registrations was 770. The NBB has a prospective donor program, registering donors during life, via informed consent. Read more about the NBB's registration procedure [here](#), and about NBB-Psy, a donor program within the NBB specifically focused on psychiatric disorders, [here](#). Figure 1 shows the total number of registered donors (A), new registrations in 2017 (B), new registrations as compared to earlier years (C), and new registrations of donors with psychiatric disorders (D). When a donor registers with multiple diagnoses, only the main diagnosis is presented.




Figure 1: The total amount of living donors on 31-12-2017 per diagnosis (A), the new registrations in 2017 per diagnosis (B), the new registrations in 2017 per diagnosis compared to earlier years (C), and the new registration within NBB-Psy in 2017, per diagnosis (D). When a donor registers with multiple diagnoses, only the main diagnosis is presented. Abbreviations: AD; Alzheimer's disease, Control; Non-demented control, FTLD/Tau; Frontotemporal lobar degeneration/Tauopathy, MS; Multiple Sclerosis, Other; Other neurological diagnoses, Other dem; Other types of dementia, PD/DLBD; Parkinson's disease/Diffuse Lewy body dementia, PSP; Progressive supranuclear palsy, Psy; Psychiatric disorders, ADHD; Attention deficit hyperactivity disorder, ASD; Autism spectrum disorder, BPD; Bipolar disorder, MDD; Major depressive disorder, OCD; Obsessive compulsive disorder, PTSS; Post-traumatic stress disorder, SCHIZ; Schizophrenia.

Cohorts

The NBB cooperates with several clinical research cohorts, of which participants are informed about the NBB and asked whether they wish to register as a brain donor. The clinical research cohorts with which the NBB participates are:

- VUmc Alzheimer Center: all patients of the VUmc Alzheimer Center are informed about the possibility to register as a brain donor. Within the Alzheimer Center, there are several specific brain donor programs:
 - 100-plus study, project leader Dr. H. Holstege.
 - 90-plus study, project leader Dr. P.J. Visser.
 - Pathological substrate of clinical variability in Alzheimer's disease (PAGE-AD) study, project leader Dr. R.F. Bouwman.
 - Twin 60++ in cooperation with the Netherlands Twin Register, project leader Dr. P.J. Visser.
- Prevention of dementia by intensive vascular care (PreDIVA), project leader Prof. P. van Gool, AMC Amsterdam.
- Collaborations with specialized nursing homes, who inform their residents about the NBB:
 - Dijk en Duin: Elderly persons with psychiatric symptoms and/or cognitive behavioural problems.
 - Nieuw Unicum: Multiple Sclerosis.
- Psychiatric clinical research cohorts included in the NBB-Psy consortium (cohort name, diagnosis):
 - AMC OCD, obsessive compulsive disorder
 - AMC OCD DBS, obsessive compulsive disorder with deep brain stimulation
 - NOCDA, obsessive compulsive disorder
 - BEPP/EMDR, post-traumatic stress syndrome
 - BioMap, post-traumatic stress syndrome
 - Booster, post traumatic stress syndrome
 - Paroxetine/OGT, post-traumatic stress syndrome
 - Politiepoli, post traumatic stress syndrome
 - GROUP, schizophrenia
 - BiG, bipolar disorder
 - DELTA, major depression disorder
 - DIADE, major depression disorder and bipolar disorder
 - ECT, major depression disorder
 - MOTAR, major depression disorder and anxiety
 - NESDA, major depression disorder and anxiety
 - NESDA-fam, family members of people with major depression disorder and anxiety
 - NESDO, elderly with major depression disorder and anxiety
 - Impact, attention deficit hyperactivity disorder
 - Karakter, attention deficit hyperactivity disorder and autism spectrum disorder
 - NeuroIMAGE, attention deficit hyperactivity disorder
 - BOA, autism spectrum disorder

Public Relations

The NBB continues to create awareness for its activities via several media and events. Table 1 provides an overview of articles etc. that were published in 2017, and focused on the NBB. In addition to the items in the overview, the NBB publishes regularly on its own Facebook- and Twitter-accounts, and the NBB websites: www.hersenbank.nl, www.brainbank.nl, www.nhb-psychiatry.nl (until 2017), www.nbb-psychiatry.nl (until 2017), www.wehebbenhersensnodig.nl (campaign website for NBB-Psy, until 2-17). Also, the NBB has brochures that are distributed at several sites.

Table 1: Overview of public relations activities and articles about the NBB in 2017. *Original Dutch title were translated to English.

Date	Title*/Description	Medium
2-3-2017	The NBB for MS, article about NBB and its MS tissue collection	MS Research online newsletter
6-3-2017	Saskia Palmen talks about NBB at Psysalon, meeting for patients/people involved with psychosis	Event
30-3-2017	Day for Bipolar Disorder, radio interview with Geertje de Lange (NBB staff) about the NBB-Psy/bipolar disorder	Radio, Omroep Flevoland
30-3-2017	Attention for Day for Bipolar Disorder, NBB-Psy, and radio interview with Geertje de Lang (see above)	UMC Utrecht Hersencentrum Twitter, Leo Schouwenaar (Omroep Flevoland Radio) Twitter, Ypsilon (Patient association) Twitter, VMDB (Patient association) Twitter
April 2017	"Message from the Netherlands Brain Bank", article about the NBB	Internet/magazine, newsletter 22q11 study (Maastricht University)
April 2017	"Netherlands Brain Bank for Psychiatry", article about the NBB	Internet, woonzorgnet.nl
24-4-2017	"Too often 'mistakes'", article about the NBB and differences between clinical and pathological diagnoses	Telegraaf, national newspaper
24-4-2017	"Diagnosis very often wrong", article about the NBB and differences between clinical and pathological diagnoses	Noord Hollands Dagblad, regional newspaper
24-4-2017	Radio interview with Annemieke Rozemuller about the NBB and differences between clinical and pathological diagnoses	Radio, NPO 1, news
24-4-2017	News item about the NBB and differences between clinical and pathological diagnoses	Television, NPO 1, evening news
24-4-2017	"Many patients with brain disease got wrong diagnosis", article about the NBB and differences between clinical and pathological diagnoses	Nu.nl, news website
24-4-2017	"Cause of death too often wrong", article about the NBB and differences between clinical and pathological diagnoses	NOS.nl, news website
24-4-2017	"Doctors often wrong about brain diseases", article about the NBB and differences between clinical and pathological diagnoses	Max Vandaag, news website
24-4-2017	"Brain autopsy often shows other cause of death than officially reported", article about the NBB and differences between clinical and pathological diagnoses	Blik op nieuws, news website
26-4-2017	Research meeting NBB-Psy, lectures by Lot de Witte, Marjolein Sneboer, Mark Mizee	Event, NBB
May 2017	"The NBB for MS, the precious gift from braindonors makes MS-research possible", article about NBB-MS	Rondom MS, patient organization magazine
May 2017	"Collecting special brains", article about NBB	Magazine, Amsterdam Medical Center
May 2017	"Online registration Netherlands Brain Bank", article about the new online-registration possibility of the NBB	Internet, NESDA.nl
5-5-2017	"Neuropathologist concerned for profession", interview with Annemieke Rozemuller about the NBB and differences between clinical and pathological diagnoses	Medisch Contact, online magazine for medical professionals
22-5-2017	An evening with Erik Scherder, Inge Diepman, Inge Huitinga about the NBB and the Amsterdamse Bos Golf (The proceeds of the evening and the golf tournament go to the NBB)	Event

Table 1: NBB PR activities (continued)

Date	Title*/Description	Medium
22-5-2017	Interview with Rosa Douw and Inge Huitinga about the NBB-MS, in the program 'Koffietijd'	Television, RTL 4
31-5-2017	"Searching for the treatment possibilities of MS", article about NBB-MS	Website, mijn-lichaam.com
June 2017	"Open about brain donation", article about presence of Saskia Palmen at Psysalon (6-3-2017)	Magazine, Ypsilon News
14-6-2017	"Searching for the treatment possibilities of MS", article about NBB-MS	Digital newspaper, Telegraaf
4-7-2017	Amsterdamse Bos Golf, Golf Tournament and auction organized by Rotary Aalsmeer-Uithoorn, proceeds go to NBB	Event
12-7-2017	Article about the Amsterdamse Bos Golf Tournament	Newspaper
June 2017	Amsterdam Brain & Cognition Journal, interview with Inge Huitinga about women in science	Magazine and internet
24-7-2017	"5 year Netherlands Brain Bank for Psychiatry (NBB-Psy): What are the results?", article about the closing of the active donor recruitment for NBB-Psy	Internet, Nedkad.nl
27-7-2017	"Increase in number of brain donors with depression, also thanks to NESDA participants", article about NBB-Psy	Internet, Nesda.nl
August 2017	Article about NBB-Psy in newsletter of psychiatric care organization Reinier van Arkel	Internet, reiniervanarkel.nl
25-8-2017	Multiple Tweets by Menno Oosterhoff about brain donation	Twitter
30-8-2017	"Shall I donate my brain?" Blog by Menno Oosterhoff (author and psychiatrist) about NBB-Psy and his decision to become a brain donor	Internet, Medisch Contact
31-8-2017	Multiple Tweets by Menno Oosterhoff concerning brain donation	Twitter
September 2017	"5 year Netherlands Brain Bank for Psychiatry (NBB-Psy): What are the results?", article about the closing of the active donor recruitment for NBB-Psy	Magazine, Impuls en Woortblind
September 2017	"5 year Netherlands Brain Bank for Psychiatry (NBB-Psy): What are the results?", article about the closing of the active donor recruitment for NBB-Psy	Magazine, Ypsilon News (Ypsilon, patient association)
September 2017	"5 year Netherlands Brain Bank for Psychiatry (NBB-Psy): What are the results?", article about the closing of the active donor recruitment for NBB-Psy	Magazine, Open Geest (Anoiksis, patient association)
September 2017	"The Netherlands Brain Bank for Psychiatry", article about NBB-Psy	Family newsletter Magnolia, Reinier van Arkel
6-9-2017	Meeting for patient associations about 5 years of NBB-Psy, lectures by Menno Oosterhoff, Saskia Palmen	Event, NBB
6-9-2017	Multiple Tweets by Menno Oosterhoff concerning brain donation	Twitter
7-9-2017	"Can we have your brain?", blog about NBB by Madelon Wonink	Internet, madelonwonink.com
12-10-2017	Petra Brom and Laura Boekel represent NBB at a public event of the Dutch Brain Foundation	Event, Nederlandse Hersenstichting
24-10-2017	"MS Out-of-the-Box Grant to the Netherlands Brain Bank", article about the NBB receiving a €100,000 grant from MoveS and MS Research	MS Reseach online
25-27 -10-2017	Lecture by Inge Huitinga about research by NBB and Netherlands Institute for Neuroscience (Immunology group) on differences in MS between males/females	Event, European Committee for Treatment and Research in Multiple Sclerosis (ECTRIMS)
7-11-2017	"Doktors of tomorrow", television special about the brain, including about the NBB	Television, NPO 1
9-11-2017	Mark Mizee represents the NBB	Event, GGZ Rivierduinen
13-11-2017	Mark Mizee represents the NBB	Event, Memorabel Deltaplan Dementie

Table 1: NBB PR activities (continued)

Date	Title*/Description	Medium
14-15 -11-2017	Rosa Douw, Petra Brom, Inge Huitinga represent the NBB and the “MS Researchdays”, NBB leaflet is distributed in goody bags	Event, Patient Association MS Research
17-11-2017	Article by Geertje de Lange about NBB-Psy	Internet, UMC Utrecht, Brain Center Rudolf Magnus
30-11-2017	Symposium about MS, to improve the collaboration of healthcare professionals, Rosa Douw and Petra Brom are present to inform the visitors about the NBB	Event, MSMS2017 and MSzorg
December 2017	“5 year Netherlands Brain Bank for Psychiatry (NBB-Psy): What are the results?”, article about the closing of the active donor recruitment for NBB-Psy	Magazine, PlusMinus (VMDB, Patient Association)

Autopsies and diagnostics

On December 31, 2017 a total number of 4304 autopsies had taken place via the NBB. In 2017 the total number of autopsies was 162. The numbers of autopsies in total, in 2017, and broken down by diagnosis are shown in figure 2 A-C. Also the average post-mortem delay ± standard deviation (time between death and the end of the autopsy) is shown in figure 2D.




Figure 2: The total number of autopsies in 2012-2017 (A), all autopsies since 1985 broken down by diagnoses (B), all autopsies in 2017 broken down by diagnoses, psychiatric diagnoses broken down separately (insert)(C), average post-mortem delay ± standard deviation (time between death and the end of the autopsy) in 2012-2017 in hours:minutes (D). When a donor had multiple diagnoses, only the main diagnosis is presented. All figures show the neuro-pathological diagnoses. In cases where this neuro-pathological diagnosis is not yet available, the clinical diagnosis is presented. Abbreviations: AD; Alzheimer's disease, Control; Non-demented control, FTLD/Tau; Frontotemporal lobar degeneration/Tauopathy, MS; Multiple Sclerosis, Other; Other neurological diagnoses, Other dem; Other types of dementia, PD/DLBD; Parkinson's disease/Diffuse Lewy body dementia, PSP; Progressive supranuclear palsy, Psy; Psychiatric disorders, ADHD; Attention deficit hyperactivity disorder, BPD; Bipolar disorder, MDD; Major depressive disorder, PTSS; Post-traumatic stress disorder.

The NBB uses different autopsy procedures for different diagnoses, as to include the different affected brain regions. In all protocols, one hemisphere is fixed in formalin for four weeks and used for post-mortem diagnoses and one hemisphere is dissected. Samples from this hemisphere are stored frozen, in FFPE, or kept fresh and immediately sent

to researchers for cell culture or immediate analysis. In addition to the brain, donors can choose to also donate their eyes, spinal cord and/or cervical lymph nodes. In 2017 a total of 27 eyes were donated, spinal cord was donated from 24 donors and cervical lymph nodes from 1 donor. Read more about our autopsy procedures [here](#).

Post Mortem diagnosis

After the autopsy, the tissue from the formalin-fixed hemisphere is divided in approximately eighteen standard regions, embedded in paraffin, cut and (immuno) histochemically stained. The sections, as well as the clinical medical information of the donor, are then evaluated by a neuropathologist who provides a post-mortem diagnosis. The brain tissue is only disseminated to researchers after the post-mortem diagnosis has been made, with the exception of the fresh tissue sent to researchers immediately after autopsy. Read more about our post-mortem diagnosis [here](#).

Tissue supply



Tissue from the NBB is supplied to non-profit and for profit research organizations, if the application has been approved by the NBB's tissue advisory board, and a Material Transfer Agreement (MTA) has been concluded between the NBB and said organization.

In 2017, 23 new MTA's were signed, of which 19 with non-profit organizations and 4 with for profit organizations. On December 31, 2017 the total number of signed MTA's was 190, of which 161 with non-profit organizations and 29 with for profit organizations.

Figure 3A shows the number of tissue requests. The figure shows the number of 'New applications', 'Supplementary applications' (applications for additional tissue for a project that had previously received tissue from the NBB) and 'Continuous projects' (applications for which tissue is collected prospectively from upcoming autopsies, often applications for fresh tissue).

Figure 3B shows the number of samples disseminated in 2017 compared to previous years, divided by post-mortem diagnosis. The category 'Panr' represents samples of which the pathological report is not ready yet at the time of publication of this report, and therefore the post-mortem diagnosis is not known yet. This concerns prospective projects where researchers received fresh tissue immediately after autopsy.

Figure 3: The total number of new applications, supplementary applications (follow-up applications for projects that have received tissue before) and continuous projects (research projects that request tissue prospectively from upcoming autopsies) in 2012 – 2017 (A), all samples that were disseminated in 2013 - 2017 per post-mortem diagnosis (B). Abbreviations: AD; Alzheimer's disease, Control; Non-demented control, FTLD/Tau; Frontotemporal lobar degeneration/Tauopathy, MS; Multiple Sclerosis, Other; Other neurological diagnoses, Other dem; Other types of dementia, PD/DLBD; Parkinson's disease/Diffuse Lewy body dementia, Panr; Pathological report not ready, Psy; Psychiatric disorders.



Finances

The NBB is a department of the Netherlands Institute of Neuroscience (NIN), which is an institute of the Royal Netherlands Academy of Arts and Sciences (KNAW). As such, the NBB receives structural financial support from the NIN and the KNAW. Besides this structural support, the NBB is entirely dependent on grants, donations and the financial contributions from the researchers who apply for tissue at the NBB. An overview of the structural income and received grants is featured in table 2.

Table 2: Income of the NBB in 2017. *All amounts are rounded to the nearest hundred Euro's. ** Total amount for the period of 2012 – 2020 (NWO), 2013-2017 (Stichting MS Research), and 2017-2019 (Hersenstichting).

Description	Specification	Amount*
Structural support KNAW		€220,000
NWO	Project 2012-2020: The Netherlands Brain Bank for Psychiatry (NBB-Psy)	€3,450,000**
Stichting MS Research	Project 2013-2017: The Netherlands Brain Bank for MS (NBB-MS)	€444.400**
Hersenstichting	2017 - 2019	€100.000**
Rotary Club Aalsmeer-Uithoorn	Project: Differences in clinical and neuro-pathological diagnoses	€42,500
Donations		€110,200

Research Projects

This chapter lists the research projects which have received tissue from the NBB in 2017.

Adorjan, I., Bin, S., Feher, V., Tyler, T., Veres, D., Szele, F. Department of Anatomy, Histology and Embryology, Semmelweis University, Budapest, Hungary; Department of Physiology, Anatomy and Genetics, University of Oxford, UK; Imperial College London, UK. Investigation of neuronal biomarkers in neuropsychiatric diseases.

Aguila Benitez, J., Nichterwitz, S., Nijssen, J., Allodi, I., Comley, L.H., Hedlund, E. Department of Neuroscience, Karolinska Institutet, Biomedicum, Stockholm, Sweden. Identification of protective and degenerative pathways in motor neuron disorders.

Amor, S. VU University Medical Center, Amsterdam, The Netherlands. Pentraxin 3 - a novel anti-inflammatory agent in MS?

Amor, S., Kipp, M., van der Valk, P. VU University Medical Center, Amsterdam, The Netherlands. Pre-active MS lesions hold clues for reversal of inflammation. Stichting MS Research.

Arietti, M., Massey, S., Hölzel, M-B., Kamermans, M. Netherlands Institute for Neuroscience, Amsterdam, The Netherlands; McGovern School of medicine, university of Texas at Houston, Houston, USA. Restoration of high acuity vision in human.

Bartolome, F., Krzyzanowska, A., De La Cueva, M., Pascual, C., Antequera, D., Villarejo, A., Rabano, A., Fortea, J., Alcolea, D., Lleo, A., Ferrer, I., Hardy, J., Abramov, A.Y., Carro, E. Networking Biomedical Research Center on Neurodegenerative Diseases (CIBERNED), Spain; Group of Neurodegenerative Diseases, Hospital 12 de Octubre Research Institute (imas12), Madrid, Spain; Department of Molecular Neuroscience, University College London Institute of Neurology, London WC1N 3BG, United Kingdom; Neurology service Hospital Universitario 12 de Octubre, Madrid, Spain; Department of Neuropathology and Tissue Bank, Unidad de Investigación Proyecto Alzheimer, Fundación CIEN, Instituto de Salud Carlos III, Madrid, Spain; Memory Unit, Neurology Department, Hospital de la Santa Creu i Sant Pau, Barcelona, Spain. Institut d'Investigacions Biomediques Sant Pau - Universitat Autònoma de Barcelona, Barcelona, Spain; IDIBELL-Hospital Universitari de Bellvitge, Hospitalet de Llobregat, Spain; Universitat de Barcelona, Hospitalet de Llobregat, Barcelona, Spain. Annexin A5 prevents amyloid- β -induced toxicity in Alzheimer's disease choroid plexus.

Battiston, M., Schenk, G., Samson, R.S., Gandini Wheeler-Kingshott, C.A., Geurts, J.J.G., Schneider, T., Grussu, F., Wergeland, S., Tachroud, M., Yiannakas, M.C., Tur Gomez, C. Queen Square MS Centre, UCL Institute of Neurology, Faculty of Brain Sciences, University College London, London, United Kingdom; Department of Anatomy and Neurosciences, VU University Medical Centre, Amsterdam, Netherlands; Department of Brain and Behavioural Sciences, University of Pavia, Pavia, Italy; Brain MRI 3T Research Centre, C. Mondino National Neurological Institute, Pavia, Italy; Philips UK, Surrey, United Kingdom; Centre for Medical Image Computing, Department of Computer Science, University College London, London, United Kingdom; Department of Neurology, Haukeland University Hospital, Bergen, Norway. Quantification of myelin in the human spinal cord using Magnetization Transfer Imaging.

Bergen, A.A. et. al. AMC Amsterdam, Department of Clinical Genetics, Amsterdam, The Netherlands. Study of reticular endothelial cells in the retina.

Boddeke, H.W.G.M., Brouwer, N., Eggen, B., Raj, D., Holtman, I., Vachtein, I. University Medical Centre Groningen, Department of Neuroscience, Groningen. Analysis of age-related changes in gene expression in human microglia.

Boon, B.D.C., Hoozemans, J.J.M., Lopuhaä, B., Eigenhuis, K.N., Scheltens, P., Kamphorst, W., Rozemuller, A.J.M., Bouwman, F.H. Dept. of Neurology, Alzheimer Center, Amsterdam Neuroscience, VU University Medical Center, Amsterdam, The Netherlands; Dept. of Pathology, Amsterdam Neuroscience, VU University Medical Center,

Amsterdam, The Netherlands. Neuroinflammation is increased in the parietal cortex of atypical Alzheimer's disease.

Bordone, M., Morais, N. Instituto de Medicina Molecular João Lobo Antunes, Faculdade de Medicina, Universidade de Lisboa, Lisboa, Portugal. Alternative splicing: an etiological factor and a novel therapeutic target in Parkinson's disease.

Bridel, C., Jimenez, C.R., Smit, A.B., van Swieten, J.C., van der Flier, W.M.H., van der Vlies, S., Visser, P.J., Teunissen, C.E. Department of Clinical Chemistry, Neurochemistry Lab and Biobank, VU Medical Centre, Amsterdam, The Netherlands; Department of Medical Oncology, OncoProteomics Laboratory, VU Medical Centre, Amsterdam, The Netherlands; Department of Molecular and Cellular Neurobiology, Center for Neurogenomics and Cognitive Research, Neuroscience Campus Amsterdam, VU University, Amsterdam, the Netherlands; Department of Neurology, Erasmus MC - University Medical Centre Rotterdam, The Netherlands; Department of Neurology, Alzheimer Center, VU University Medical Centre Amsterdam, Amsterdam, The Netherlands. Alzheimer Center and Department of Neurology, VUmc, Amsterdam Neuroscience, Amsterdam, the Netherlands; Department of Psychiatry and Neuropsychology, School for Mental Health and Neuroscience, Maastricht University, Maastricht, the Netherlands; Alzheimer Center and Department of Neurology, VUmc, Amsterdam Neuroscience, Amsterdam, the Netherlands. PRODIA: Development of biomarkers enabling early and accurate differential diagnosis of dementia.

Brinks, J., van Dijk, E.H.C., Habeeb, M., Nikolaou, A., Tsonaka, R., Peters, H.A.B., Sips, H.C.M., van de Merbel, A.F., de Jong, E.K., Notenboom, R.G.E., Kielbasa, S.M., van der Maarel, S.M., Quax, P.H.A., Meijer, O.C., Boon, C.J.F. Department of Ophthalmology, Leiden University Medical Centre, Leiden, the Netherlands; Department of Medical Statistics and Bioinformatics, Leiden University Medical Centre, Leiden, the Netherlands; Department of Vascular Surgery, Leiden University Medical Centre, Leiden, the Netherlands; Einthoven Laboratory for Experimental Vascular Medicine, Leiden University Medical Centre, Leiden, the Netherlands; Department of Medicine, Division of Endocrinology and Metabolism, Leiden University Medical Centre, Leiden, the Netherlands; Department of Urology, Leiden University Medical Centre, Leiden, the Netherlands; Department of Ophthalmology, Donders Institute for Brain, Cognition, and Behaviour, Radboud University Medical Centre, Nijmegen, the Netherlands; Department of Anatomy and Embryology, Leiden University Medical Centre, Leiden, the Netherlands; Department of Human Genetics, Leiden University Medical Centre, Leiden, the Netherlands; Department of Ophthalmology, Academic Medical Centre, University of Amsterdam. The Effect of Corticosteroids on Human Choroidal Endothelial Cells: a Model to Study Central Serous Chorioretinopathy.

Calabresi, P. Fitzgerald, K., Johns Hopkins School of Medicine, Department of Neuroimmunology and Neurological Infections, Baltimore, USA. Do Complement Pathway Genes Increase Risk of Optic Nerve and Retinal Degeneration in Multiple Sclerosis Patients?

Cao, S., Li, X., Dai, D., Bao, A. Institute of Neuroscience, Department of Neurobiology, Key Laboratory of Medical Neurobiology of The Ministry of Health of China, Zhejiang Province Key Laboratory of Neurobiology, Zhejiang University School of Medicine, Hangzhou, Zhejiang, China. ErbB4 deletion in noradrenergic neurons induced manic-like behavior and cognitive impairment.

Carrasco, L., Pisa, D., Alonso, R., Fernández, A.M. Centro de Biología Molecular Severo Ochoa (CSIC-UAM). c/Nicolás Cabrera, Universidad Autónoma de Madrid, Madrid, Spain. Etiology of neurodegenerative diseases.

Chrobok, N.L., van Strien, M.E., Bol, J.G., van Dam, A.M. VU University Medical Center, Dept. Anatomy and Neurosciences, Amsterdam, The Netherlands. Characterization of tissue Transglutaminase expression in leukocytes in active and chronic active white matter MS lesions.

Cremers, T. University of Groningen, Department of Pharmaceutical analysis, Groningen, The Netherlands. Setting up in vitro neurotransmitter release systems.

Cui, Y., Yang, Y., Dong, Y., Ma, S., Jia, X., Wu, Z., Hu, H. Center for Neuroscience, Key Laboratory of Medical Neurobiology of the Ministry of Health of China, School of Medicine, Interdisciplinary Institute of Neuroscience

and Technology, Qiushi Academy for Advanced Studies, Zhejiang University, Hangzhou, China; Mental Health Center, School of Medicine, Zhejiang University, Hangzhou, China. Astroglial Kir4.1 in the lateral habenula drives neuronal bursts in depression.

Dai, H., Ping, H. Second Affiliated Hospital, Zhejiang University School of Medicine, Department of Pharmacy, Hangzhou, China. The role and mechanism of annexin A2 on the cerebral vascular dysfunction in Alzheimer's disease.

De Wit, N., De Vries, H.E., Rozemuller, J.M. Vumc, Department of Molecular cell biology and Immunology, Amsterdam, The Netherlands. Altered shingolipid balance in Alzheimer's disease: a new therapeutic approach?

Dehay, B., Dovero, S., Porras, G., Breger, L.S., Arotcarena, M-L., Fernagut, P.O., Zhang, L., Yu, X., Manshi, W., Zhao, W., Zhu, T., Zhou, L., Zhang, Y., Li, Q., Xiuping, S., Li, X., Chuan, Q., Bezard E. Université de Bordeaux, Institut des Maladies Neurodégénératives, Bordeaux, France; Centre National de la Recherche Scientifique Unité Mixte de Recherche 5293, Bordeaux, France; Motac Neuroscience, Manchester, UK; Université de Poitiers, Laboratoire de Neurosciences Expérimentales et Cliniques, Poitiers, France; Institut National de la Santé et de la Recherche Médicale, Unité Mixte de Recherche 1084, Poitiers, France; Institute of Laboratory Animal Sciences (ILAS), Beijing, China. Modelling neurodegenerative diseases in rodent and non-human primates using intracerebral injections of patient-derived protein aggregates.

Den Haan, J., Morrema, T., ten Brink, J., Hoozemans, J., Bergen, A., Bouwman, F. VU University Medical Center Alzheimer Center, Neurology, Amsterdam, The Netherlands; Dept. of Pathology, VU University Medical Center, Amsterdam, The Netherlands; Department of Clinical Genetics, Academic Medical Center, Amsterdam, the Netherlands. AD pathological hallmarks in post mortem retinas of AD patients.

Dewachter, I., Vasconcelos, B. Institute of Neuroscience, Université catholique de Louvain (UCL), Department of Cellular and Molecular Neuroscience (CEMO), Brussels, Belgium. Analysis of the cross-seeding mechanism between A β and Tau and its relevance in Alzheimer's disease.

Dichgans, M., Lichtenhaller, S. Institute for Stroke and Dementia Research (ISD), München, Germany; German Center for Neurodegenerative Diseases (DZNE), Munich, Germany. Identification of key molecular targets and pathways in cerebral small vessel disease (SVD) by proteomics on isolated cerebral microvessels.

Dijkstra, A., Hoozemans, J., Rozemuller, J.M., Seeley, B. VU Medical Center, Department of Pathology, Amsterdam, The Netherlands; University of California, San Francisco, USA. Identifying the role and mechanisms of a novel projection neuron in frontotemporal dementia and other cognitive disorders

Eggen, B., Kracht, L., Biber, K. University Medical Center Groningen, Department of Neuroscience (Medical Physiology), Groningen, The Netherlands; University Medical Center Freiburg, Freiburg, The Netherlands. Morphological alterations of microglia and astrocytes in human post-mortem samples from donors diagnosed with depressive disorder.

Ettle, B., Kerman, B.E., Reiprich, S., Rockenstein, E., Wegner, M., Masliah, E., Gage, F.H., Winkler, J. Department of Molecular Neurology, University Hospital Erlangen, Friedrich-Alexander-Universität Erlangen-Nürnberg, Germany; Laboratory of Genetics, The Salk Institute for Biological Studies, La Jolla, CA, USA; Research Center for Regenerative and Restorative Medicine, Istanbul Medipol University, Istanbul, Turkey; Institute of Biochemistry, Friedrich-Alexander-Universität Erlangen-Nürnberg, Erlangen, Germany; Department of Neurosciences, University of California San Diego, La Jolla, CA, USA; Division of Neuroscience, National Institute of Aging, Bethesda, USA; Department of Molecular Neurology, University Hospital Erlangen, Friedrich-Alexander-Universität Erlangen-Nürnberg, Erlangen, Germany. The impact of α -synuclein accumulation on oligodendrocyte maturation and myelination in Multiple System Atrophy.

Fleming, T., Nawroth, P.P., Deshpande, D. University Hospital Heidelberg, Internal Medicine I and Clinical Chemistry, Heidelberg, Germany. Impairment if proopiomelanocortin-mu opioid receptor antinociceptive pathways contributes to painful diabetic neuropathy.

Fliers, E., Boelen, A. Dept. of Endocrinology and Metabolism, Academic Medical Center, University of Amsterdam , Netherlands. Expression of TBL1X, TBL1XR1 and IRS4 in human hypothalamus.

Fransen, N.L., Smolders, J., Mizee, M.R., van Eden, C.G., Luchetti, S., Remmerswaal, E.B.M., Hamann, J., Crusius, J.B.A., Mason, M.R.J., Huitinga, I. Department of Neuroimmunology, The Netherlands Institute for Neuroscience, Amsterdam, The Netherlands; Laboratory for Immunogenetics, Department of Medical Microbiology and Infection Control, VU University Medical Center, Amsterdam, The Netherlands; Department of Experimental Immunology, Amsterdam Infection & Immunity Institute, Amsterdam UMC, University of Amsterdam, Amsterdam, The Netherlands; Renal Transplant Unit, Department of Internal Medicine, Amsterdam Infection & Immunity Institute, Amsterdam UMC, University of Amsterdam, Amsterdam, The Netherlands. Pathological heterogeneity in Multiple Sclerosis: clinical and genetic correlates.

Frenkel-Pinter, M., Shmueli, M.D., Raz, C., Yanku, M., Zilbezwieg, S., Gazit, E., Segal, D. Department of Molecular Microbiology and Biotechnology, Interdisciplinary Sagol School of Neurosciences, George S. Wise Faculty of Life Sciences, Tel Aviv University, Tel Aviv, Israel. Alterations of protein glycosylation in Alzheimer's disease.

Fritzsche, L., Harnisch, K., Soub, D., Teuber-Hanselmann, Junker, A. Institute of Neuropathology, University Hospital Essen, Essen, Germany. MicroRNA profiles and microRNA target identification in grey matter lesions of multiple sclerosis.

Gabrusiewicz, K., Antel, J., Aronowski, J., Heimberger, A. The University of Texas M.D. Anderson Cancer Center, Department of Neurosurgery, Houston; McGill University, Montreal, Canada; University of Texas Medical School, Houston. Phenotypic and functional characterization of microglia in gliomas.

Gao, S.F., Zhou, X., Yu, R. Institute of Nervous System Diseases, Xuzhou Medical College, Department of Neurosurgery, Xuzhou, China P.R. The role of CAPON-mediated hypothalamic nNOS-NO system in the pathogenesis of depression.

Gatti, A., Tampieri, A., Mandrioli, J. National Council of Research of Italy, Istituto di Scienza e Tecnologia Materiali Ceramicci, FAENZA (RA), Italy. Prototypal approach to the study of brain samples affected by Fronto Temporal Disorder and Motoneuron Disease.

Geurts, J. et. al. VU University Medical Center, Department of Anatomy and Neurosciences, Amsterdam, The Netherlands; Multiple Sclerosis Center Amsterdam, The Netherlands. Grey matter pathology and connectivity in MS.

Guo, L., Balesar, R., Bao, A., Swaab, D.F. Department of Neurobiology, Key Laboratory of Medical Neurobiology of Ministry of Health of China, Zhejiang Province Key Laboratory of Mental Disorder's Management, Zhejiang Province Key Laboratory of Neurobiology, Zhejiang University School of Medicine, Hangzhou, Zhejiang, P.R. China; Netherlands Institute for Neuroscience, an Institute of the Royal Netherlands Academy of Arts and Sciences, The Netherlands. CRH and oxytocin immunocytochemistry in human hypothalamic paraventricular nucleus (PVN) in major depression disorder (MDD) and bipolar disorder (BD).

Guo, L., Stormmesand, J., Balesar, R., Bao, A., Swaab, D.F. Department of Neurobiology, Key Laboratory of Medical Neurobiology of Ministry of Health of China, Zhejiang Province Key Laboratory of Mental Disorder's Management, Zhejiang Province Key Laboratory of Neurobiology, Zhejiang University School of Medicine, Hangzhou, Zhejiang, P.R. China; Netherlands Institute for Neuroscience, an Institute of the Royal Netherlands Academy of Arts and Sciences, Amsterdam, The Netherlands, and University of Amsterdam, Amsterdam, The Netherlands. ErbB4 and Tyrosine Hydroxylase immunocytochemistry in human locus coeruleus (LC) in major depression disorder (MDD) and bipolar disorder (BD).

Haify, S.N., Severijnen, L.A.W.F.M., Hukema, R.K. Department of Clinical Genetics, Erasmus MC, University Medical Center Rotterdam, The Netherlands. FMRpolyG and inclusion formation in FXTAS.

Hamann, J., Heutinck, K., Huitinga, I., Schuurman, K. Academic Medical Centre, Department of Experimental Immunology, Amsterdam, The Netherlands; Netherlands Institute for Neuroscience, Neuroimmunology Group, Amsterdam, The Netherlands. Characterization of brain T cells in multiple sclerosis.

Haytural, H., Mermekelas, G., Nigam, S.M., Winblad, B., Orre, L.M., Tjernberg, L.O., Frykman, S. Department of Neurobiology, Care Sciences and Society, Center for Alzheimer Research, Karolinska Institutet, Huddinge, Sweden; Department of Oncology-Pathology, Science for Life Laboratory, Karolinska Institutet, Stockholm, Sweden; Department of Neuroscience, Karolinska Institutet, Stockholm, Sweden. Proteomic alterations of the perforant pathway synapses in Alzheimer Disease Brain.

Heppenstall, P., Dhandapani, R. EMBL, Mouse Biology Unit, Monterotondo, Italy. Identification of the sensory neurons that mediate mechanical allodynia.

Hirth, M., Simonetti, M., Kuner, R. Pharmacological Institute Heidelberg, Germany. Chemokines involved in perineural invasion in pancreatic cancer.

Hock, C., Konietzko, U., Multhaup, G. University Zürich, Division of Psychiatry Research, Schlieren, Switzerland; McGill University, department of Pharmacology and Therapeutics, Montreal, Canada. Diagnostic Potential of A β -clearance Intermediates in Elderly Subjects at Risk for Alzheimer's Disease.

Hoffmann, A., Reiprich, S., Rockenstein, E., Ekici, A.B., Riemschneider, M.K., Kuhlmann, T., Reis, A., Wegner, M., Masliah, E., Winkler, J. Department of Molecular Neurology, University Hospital Erlangen, Friedrich-Alexander-Universität, Erlangen-Nürnberg, Germany; Institute of Biochemistry, Friedrich-Alexander-Universität Erlangen-Nürnberg, Erlangen, Germany; Department of Neurosciences, University of California San Diego, La Jolla, CA, USA; Institute of Human Genetics, University Hospital Erlangen, Friedrich-Alexander-Universität Erlangen-Nürnberg, Erlangen, Germany; Department of Neuropathology, Regensburg University Hospital, Regensburg, Germany; Institute of Neuropathology, University Hospital Münster, Germany; Division of Neuroscience, National Institute of Aging, Bethesda, USA; Department of Molecular Neurology, University Hospital Erlangen, Friedrich-Alexander-Universität Erlangen-Nürnberg, Erlangen, Germany. Immune response and alpha-synuclein: interplay in neurodegeneration and –inflammation in Multiple System Atrophy.

Hoffmann, C., Rennspieß, D., Beckervordersandforth, J., Zur Hausen, A., Martinez, P., Dept. of Psychiatry and Neuropsychology, School for Mental Health and Neuroscience, Maastricht University, Maastricht, The Netherlands; Department of Pathology, GROW-School for Oncology & Developmental Biology, Maastricht University Medical Center, Maastricht, The Netherlands. Inflammation markers and antibodies in the post-mortem Schizophrenia brain.

Höglinger, G., Giese, A., Kraus, T. Klinikum rechts der Isar der Technischen Universität München, Laboratory for Translational Neurodegeneration (DZNE), Munich, Germany; Ludwig-Maximilians-Universität München, Center for Neuropathology and Prion Research, München, Germany. Epigenomics of Parkinson's disease.

Hol, E.M. et al. Translational Neuroscience, Brain Center Rudolf Magnus University Medical Center, Utrecht, The Netherlands. Analysis of glia cell function in brain disorders.

Holstege, H. VU University Medical Center, Department of Clinical Genetics, Alzheimer Center, Amsterdam, The Netherlands. 100-Plus Research.

Hoozemans, J.J.M., Rozemuller, J.M., Van Swieten, J.C., Meeter, L. VU University Medical Center, Department of Pathology, Amsterdam, The Netherlands; Erasmus MC, Rotterdam, The Netherlands. Unfolded protein response in FTLD-TDP type B (C9orf72).

Hu, Y., McGurran, H., Boomsma, J. Swaab D.F., Bao, A.M., Sluiter, A. Department of Neurobiology, Zhejiang University School of Medicine, Hangzhou, Zhejiang, P.R. China; University of Amsterdam, Amsterdam, The Netherlands, and Netherlands Institute for Neuroscience, an Institute of the Royal Netherlands Academy of Arts and Sciences, The Netherlands. Sex differences in A β in the development of Alzheimer changes in the 3xTg-AD mice and human brain.

- Hu**, Y.T., Zhu, Q.B., Unmehopa, U., Bossers K., Hu Y.T., Verwer, R., Balesar, R., Zhao, J., Bao, A.M., Swaab, D.F. Department of Neurobiology, Key Laboratory of Medical Neurobiology of Ministry of Health of China, Zhejiang Province Key Laboratory of Neurobiology, Zhejiang University School of Medicine, Hangzhou, Zhejiang 310058, P.R. China; Netherlands Institute for Neuroscience, an Institute of the Royal Netherlands Academy of Arts and Sciences, Amsterdam, The Netherlands. MicroRNA-132 and early growth response-1 in Nucleus Basalis of Meynert during the course of Alzheimer's disease.
- Huitinga**, I., Hendrickx, D., Hamann, J., Schuurman, K. Netherlands Institute for Neuroscience, Amsterdam, The Netherlands; Academic Medical Center, Amsterdam, The Netherlands. Mechanisms of myelin phagocytosis.
- Jarrett**, R., Stewart, W., Webb, S. Institute of Comparative Medicine, University of Glasgow, Glasgow, Scotland; Institute of Neurological Sciences, Queen Elizabeth University Hospital, Glasgow, Scotland. A comparison of viral infections in lymph nodes of patients with Multiple Sclerosis and normal controls.
- Jhamandas**, J.H., Goncharuk, V., Department of Medicine (Neurology), Neuroscience and Mental Health Institute, University of Alberta, Edmonton, AB, Canada; Russian Cardiology Research Center, Moscow, Russia. Localization of the amylin receptor in the Alzheimer disease brains.
- Kalsbeek**, M.J., Hogenboom, R., Kopel, N., Swaab, D.F., Huitinga, I., Hol, E.M., Fliers, E., Kalsbeek, A., Yi, C.X. Department of Endocrinology and Metabolism, Academic Medical Center (AMC); Netherlands Institute for Neuroscience, Amsterdam, The Netherlands; Neuroimmunology Research Group, Netherlands institute for Neuroscience, Amsterdam, The Netherlands; Translational Neuroscience, Brain Center Rudolf Magnus UMC Utrecht, Utrecht, The Netherlands. Hypothalamic microglia in human metabolic syndrome.
- Kooij**, G. VU University medical center Amsterdam, Department of Molecular Cell Biology and Immunology, Amsterdam, The Netherlands. The role of microglia in the resolution of neuro-inflammation.
- Kooij**, G., De Vries, E. VU University Medical Center, Amsterdam, The Netherlands. Blood-CSF barrier changes in multiple sclerosis.
- Kramvis**, I., Mansvelder, H.D., Meredith, R.M. Department of Molecular and Cellular Neurobiology, Center for Neurgenomics and Cognitive Research, Vrije Universiteit Amsterdam, Amsterdam, The Netherlands; Department of Integrative Neurophysiology, Center for Neurgenomics and Cognitive Research, Vrije Universiteit Amsterdam, Amsterdam, The Netherlands. Post Mortem Human Brain Electrophysiology.
- Krauß**, S. Deutsches Zentrum für Neurodegenerative Erkrankungen e.V. (DZNE), Department of Regulatory RNA-protein interactions in neurodegenerative diseases, Bonn, Germany. The MID1- PP2A complex: a promising drug target to reduce hyperphosphorylation of Tau and translation of BACE1.
- Laman**, J.D. et al. Erasmus Medical Center, Department of Immunology and MS Center, Rotterdam, The Netherlands. Pathogenic mechanisms during multiple sclerosis in the central nervous system and the draining cervical lymph nodes.
- Lanz**, T., Robinson, W.H., Steinman, L. Stanford School of Medicine, Department of Rheumatology/Immunology, Stanford, CA, USA; Stanford School of Medicine, Department of Neurology, Stanford, CA, USA. Identification of New B-cell Antigens in Multiple Sclerosis.
- Lee**, K.J., Ryu, J., Korea Brain Research Institute, Department of Structure and Function of Neural Network, Dong-Gu, Daegu, South Korea. Functional role of a synaptic loss-related protein in Alzheimer's disease.
- Li**, K., Gong, P., Hong, W., Li, J., Qin, S. Department of Anatomy, Histology and Embryology, Shanghai Medical College, Fudan University, Shanghai, China. Roles of the transcription factor Tlx in regulating the neuropathology of Alzheimer's Patients.
- Liao**, Y., Xiao-Lan, Q., Cao, Y., Yu, W-F., Ravid, R., Pei, J., Wenblar, B., Guan, Z-Z. Department of Pathology in the Affiliated Hospital, the Key Lab of Medical Molecular Biology, Guiyang Medical University, Guiyang, P. R. of China; Netherlands Institute for Neurosciences/Brain Bank Consultants, Amsterdam, Netherlands; 4KI-Alzheimer Disease

Research Center, Novum, Karolinska Institute, Huddinge, Sweden. The changes of cholinergic receptors and its correlation with the metabolic procedure of APP in the pathogenesis of Alzheimer's disease.

Lucassen, P.J., Meerhoff, G., Frisen, J., Steiner, E. Brain Plasticity group, Swammerdam Institute for Life Sciences, University of Amsterdam; Karolinska Institute Sweden. Neurogenesis in the human brain.

Lucassen, P.J., Meerhoff, G., Wang, Q., Swaab, D.F. Brain Plasticity group, Swammerdam Institute for Life Sciences, University of Amsterdam; Netherlands Institute for Neurosciences, Amsterdam. The glucocorticoid receptor and the stress system in the human brain.

Lucassen, P.J., Doorn, K., Drukarch, B., Van Dam, A.M.W. Brain Plasticity group, Swammerdam Institute for Life Sciences, University of Amsterdam; Department Anatomy and Neurosciences, VU University Medical Center, VU Amsterdam. Brain-region specific microglial phenotypes and responses in Parkinson's disease.

Luchetti, S., Mason, M., Liere, P., Cossu, S., Sluiter, A., Van Scheppingen, K., Aronica, E., Swaab, D.F., Schumacher, M., Huitinga, I. Neuroimmunology Research Group, Netherlands Institute for Neuroscience NIN), Amsterdam, The Netherlands; Neuropsychiatric Disorders Group, NIN, Amsterdam, The Netherlands; Neuroregeneration Research Group, Netherlands Institute for Neuroscience (NIN); U1195 INSERM, University Paris Sud, Paris, France; Neuropathology Department, Academic Medical Center (AMC), Amsterdam, The Netherlands. Neurosteroids as neuroprotective, pro-myelinating and anti-inflammatory agents in Multiple Sclerosis.

Ma, S., Yang, Y., Lin, Z., De Zeeuw, C.I., Hu, H. Center for Neuroscience, Key Laboratory of Medical Neurobiology of the Ministry of Health of China, School of Medicine, Interdisciplinary Institute of Neuroscience and Technology, Qiushi Academy for Advanced Studies, Zhejiang University, Hangzhou, China; Mental Health Center, School of Medicine, Zhejiang University, Hangzhou, China; Department of Neuroscience, Erasmus MC, Rotterdam, The Netherlands; Netherlands Institute for Neuroscience, KNAW, Amsterdam, The Netherlands. β CaMKII Overexpression in Lateral Habenula as a Ideal Depression Model in Rodents.

Malpede, A., de Vries, S., Huitinga, I., Geurts, J.J., Morgan, P.B., Gold, S., Krishna, N., Ramaglia, V., Kole, M. Department of Axonal Signalling and Department of Neuroimmunology, Netherlands Institute for Neuroscience, Amsterdam, The Netherlands; Department of Clinical Neuroscience, VU University Medical Center, Amsterdam, The Netherlands; Systems Immunity Research Institute and Division of Infection and Immunity, School of Medicine, Cardiff University, Cardiff, UK; Department of Psychiatry and Psychotherapy, Charité Universitätsmedizin, Berlin, Germany; Department of Microbiology and Molecular Cell Biology, Eastern Virginia Medical School, Virginia, USA; Department of Immunology, University of Toronto, Toronto, Canada. [TITEL]

Merlini, M., Camici, G. University of Zürich, Schlieren Campus, Division of Psychiatry Research, Schlieren, Switzerland. Cerebrovascular Remodelling in Alzheimer's disease.

Mills, J.D., Anink, J.J., Swaab, D.F., Aronica E. Amsterdam UMC, University of Amsterdam, Amsterdam Neuroscience, Department of (Neuro)Pathology, Amsterdam, Netherlands; Netherlands Institute for Neuroscience, an Institute of the Royal Netherlands Academy of Arts and Sciences, Amsterdam, Netherlands. The role of non-coding RNAs in the establishment and progression of Parkinson's disease.

Moos, T., Varming, K. Aalborg University, Department of Medicine and Health Technology, Aalborg East, Denmark. Binding of anti-Human Papilloma Virus (HPV) antibodies in human brain samples.

Mulder, J., Lundberg, E., Karolinska Institute, Department of Neuroscience, Stockholm, Sweden. Integration of single cell genomics and spatial proteomics.

Myers, A. et. al. University of Miami, Department of Psychiatry and Behavioral Science, Miami, FL, USA. Genetic examination of late onset Alzheimer's disease in neuropathological cohorts.

Naidoo, S., Naicker, M., Moodley, K. University of KwaZulu Natal, Nelson Mandela School of Medicine, Therapeutics and Medicines Management (TAMM), Durban, South Africa. Neuro-immunological investigation of auto-immune thyroid factors in bipolar disease.

Netherlands Brain Bank for Psychiatry. Netherlands Institute for Neuroscience, Amsterdam, The Netherlands.

Isolation of pure microglia cells and the generation of iPSC's from all NBB-Psy donors.

Nicolas, G., Hoischen, A. Normandie Univ, UNIROUEN, Inserm U1245 and Rouen University Hospital, Department of Genetics and CNR-MAJ, Normandy Center for Genomic and Personalized Medicine, Rouen, France; Department of Human Genetics, Radboud University Medical Center, Nijmegen, The Netherlands. Detection of low-level mosaic mutations in sporadic Alzheimer disease brains using single molecule deep sequencing.

Nordberg, A., Lemoine, L., Ni, R., Per-Göran Gillberg, Department of Neurobiology, Care Sciences and Society, Translational Alzheimer Neurology, Karolinska Institutet. Stockholm, Sweden. Characterization of binding properties of different markers for pathological components in Alzheimer brains.

O'Neill, C. University College Cork. The insulin/IGF-1 signalling system in Alzheimer's disease: endosomal lysosomal autophagic clearance system components as targets for new therapies to prevent AD.

Ouwendijk, W.J.D., Verjans, G.M.G.M. Dept of Viroscience, Erasmus Medical Center, Rotterdam, The Netherlands. Characterization of the local neuron-protective immune responses inhibiting reactivation of herpes simplex type 1 (HSV-1) and varicella zoster virus (VZV) in latently infected human trigeminal ganglia.

Park, J.S., Lee, J., Jung, E.S., Kim, M.H., Mook-Jung, I., Lee, J.H. Biomedical Science and Engineering Interdisciplinary Program, Korea Advanced Institute of Science and Technology (KAIST), Daejeon, Republic of Korea; Center for Computational Science Platform, National Institute of Supercomputing and Networking, Korea Institute of Science and Technology Information, Daejeon, Republic of Korea; Department of Biochemistry & Biomedical Sciences, College of Medicine, Seoul National University, Seoul, Republic of Korea; Graduate School of Medical Science and Engineering, Korea Advanced Institute of Science and Technology (KAIST), Daejeon, Republic of Korea. Brain somatic mutations in Alzheimer's disease are associated with aging and dysregulated phosphorylation of Tau.

Paucar, M., Svenningsson, P. Karolinska Institutet, Department of Clinical Neuroscience, Translational neuropharmacology, Center for Molecular Medicine, Stockholm, Sweden. Studies on spinocerebellar atrophy type linked to chromosome 16q.

Pihlstrøm, L., van de Berg, W.D.J., Toft, M. Department of Neurology, Oslo University Hospital and Faculty of Medicine, University of Oslo, Norway; Department of Anatomy and Neurosciences, VU Medical Center, Amsterdam, Netherlands. Identification of DNA-methylation changes as risk factors for Lewy body disorders.

Ping Lu, K., Kondo, A., Herbert, M., Albayram, O., Tsai, C.Y., Zhou, X.Z. Beth Israel Deaconess Medical Centre / Harvard Medical, Boston, USA. Role of the unique isomerase Pin1 in vascular dementia.

Pollok, K., Mothes, R., Ulbricht C., Paul, F., Niesner, R., Radbruch, H., Hauser, A.E. Charité - Universitätsmedizin Berlin, Immune Dynamics and Intravital Microscopy, Berlin, Germany; Dept. of Neuropathology Charité - Universitätsmedizin Berlin, Berlin, Germany; Deutsches Rheuma-Forschungszentrum Berlin, a Leibniz Institute, Immune Dynamics, Berlin, Germany; Charité - Universitätsmedizin Berlin, Experimental and Clinical Research Center and Clinical and Experimental Multiple Sclerosis Research Center, Department of Neurology, and Max Delbrück Center for Molecular Medicine, Berlin, Germany; Charité - Universitätsmedizin Berlin, NeuroCure Clinical Research Center, NeuroCure Cluster of Excellence, Berlin, Germany; Deutsches Rheuma-Forschungszentrum Berlin, a Leibniz Institute, Biophysical Analytics, Berlin, Germany; Dept. of Neuropathology Charité - Universitätsmedizin Berlin, Berlin, Germany. A multicomponent-analysis of the human plasma cell-niche in chronic neuroinflammation.

Polymenidou, M., Laferriere, F., Maniecka, Z. University of Zurich, Institute of Molecular Life Sciences, Zurich, Switzerland. Contribution of protein aggregation in the pathogenesis of ALS/FTD: seeding, spreading and toxicity.

Pomeshchik, Y., Roybon, L. Department of Experimental Medical Science, Lund University, Sweden. Molecular analysis of healthy and Alzheimer's disease hippocampal neurons.

Reits, E.A., Schipper-Krom, S. AMC Amsterdam, Cellbiology en Histology, Amsterdam, The Netherlands. Exploratory biology of ubiquitin and proteasome composition/activity in HD preclinical models.

Rizzu, P., Heutink, P. German Center for Neurodegenerative Diseases (DZNE) Tübingen, Germany; Hertie Institute for Clinical Brain Research, University of Tübingen, Tübingen, Germany; Profiling the promoterome of the human brain.

Rizzu, P., Menden, K., Heutink, P. German Center for Neurodegenerative Diseases (DZNE) Tübingen, Germany; Hertie Institute for Clinical Brain Research, University of Tübingen, Tübingen, Germany. Dissecting molecular mechanisms in dementia.

Roet, M., Jansen, A., Hoogland, G., Jahanshahi, A., Temel, Y., School for Mental Health and Neuroscience, Department of Neurosurgery and European Graduate School of Neuroscience (EURON), Maastricht University, Maastricht, The Netherlands. Magnetothermal Deep Brain Stimulation in depression.

Rostock C., Schrenk-Siemens K., Pohle J., Siemens J. Department of Pharmacology, University of Heidelberg, Heidelberg, Germany. Differentiation of human embryonic stem cells into DRG sensory neurons in vitro - A human cell culture model system to study pain and nociception.

Rouvroye, M.D., Mulder, C.J.J., Bouma, G., Van der Valk, P., Rozemuller, J.M., van Dam, A.M.W., Wilhelmus, M.M. VU University Medical Center, Departments of Gastroenterology, Pathology, and Anatomy and Neurosciences, Amsterdam, the Netherlands. Neuropathological changes and underlying immunological mechanisms in patients with coeliac disease and neurological symptoms.

Rozemuller, J.M. et. al. VU University Medical Center, Department of Pathology, Amsterdam, The Netherlands. Neurovascular dysfunction in Alzheimer's disease.

Rozemuller, J.M., Hondius, D.C., Van der Vies, S.M., Li, K.W., Smit, A.B., Heutink, P. VU University Medical Center, Amsterdam, The Netherlands. Combined genomics and proteomics analysis on brain tissue derived from patients with Alzheimer's disease and tangle only dementia.

Scholtens, L.H., Pijnenburg, R., van den Heuvel, M.P., Dutch Connectome Lab, Department of Complex Trait Genetics, Center for Neurogenomics and Cognitive Research, Faculty of Science, Vrije Universiteit Amsterdam, Amsterdam Neuroscience, Amsterdam, The Netherlands; Department of Clinical Genetics, VU University Medical Center, Amsterdam Neuroscience, Amsterdam, The Netherlands. Neuron properties of cortical regions.

Scholz, S., Blauwendraat, C. Neurodegenerative Diseases Research Unit, Neurogenetics Branch, NINDS, NIH, Bethesda, USA. Multiple system Atrophy (MSA) genome-wide association study (GWAS).

Shan, L., Bao, A.M., Swaab, D.F. Netherlands Institute for Neuroscience, an Institute of the Royal Netherlands Academy of Arts and Sciences, Amsterdam, The Netherlands; and the Department of Neurobiology, Zhejiang University School of Medicine, Hangzhou, China. The human histaminergic system in neuropsychiatric disorders.

Siffrin, V. Charité Universitätsmedizin Berlin, Neuroimmunology Lab, Berlin, Germany. Tissue resident CD4+ memory T cells in autoimmune demyelinating CNS disease.

Roelfsema, P.R., Zilles, K., Kooijmans, R.N., Palomero-Gallager, N., Amunts, K. Netherlands Institute for Neuroscience, Department of Vision and Cognition, Amsterdam, The Netherlands; Forschungszentrum Jülich, Jülich, Germany. Human visual cortical areas V1, V2 and neighboring cortex: mapping of inhibitory interneurons expressing parvalbumin, calbindin and calretinin.

Sneeboer, M.A.M., Snijders, G.J.L.J., Udine, E., Fernández-Andreu, A., Ormel,P.R., Psychiatric donor program of the Netherlands Brain Bank (NBB-Psy), Berdenis van Berlekom, A., Kahn, R.S., Hol, E.M., Raj, T., de Witte, L.D. Department of Psychiatry, Brain Center Rudolf Magnus, University Medical Center Utrecht, Utrecht University (BCRM-UMCU-UU), Utrecht, The Netherlands; Department of Translational Neuroscience (BCRM-UMCU-UU), Utrecht, The Netherlands; Netherlands Brain Bank for Psychiatry, Amsterdam, The Netherlands; Department of Psychiatry, Icahn School of Medicine, New York, United States of America; Neuroimmunology, Netherlands

Institute for Neuroscience, An institute of the royal academy of arts and sciences, Amsterdam, The Netherlands; Department of Genetics and Genomic Sciences, Icahn School of Medicine at Mount Sinai, New York, USA; Institute for Genomics and Multiscale Biology, Icahn School of Medicine at Mount Sinai, New York, USA. Microglial alterations in major depressive disorder.

Sneeboer, M.A.M., van Mierlo, H.C., Stotijn, E., Kahn, R.S., de Witte, L.D. Department of Psychiatry, Brain Center Rudolf Magnus, University Medical Center Utrecht, Utrecht University (BCRM-UMCU-UU), Utrecht, The Netherlands; Department of Translational Neuroscience (BCRM-UMCU-UU), Utrecht, The Netherlands; Department of Psychiatry, Icahn School of Medicine, New York, United States of America. Post-mortem studies lack evidence to refer to schizophrenia as a neuroinflammatory disorder.

Soreq, H., Kress, M. Hebrew University of Jerusalem, Department of Biological Chemistry, Institute of Life Sciences, Silberman Building, Jerusalem, Israel; Innsbruck Medical University, Innsbruck, Austria. Assessment of SNPs in MRE-harbouring pseudogenes associated with neuropsychiatric disorders.

Tamgüney, G. German Center for Neurodegenerative Diseases (DZNE), Bonn, Germany. Assessment of prion-like behavior of pathologic protein aggregates from ALS patients.

Tamgüney, G.E. German Center for Neurodegenerative Diseases (DZNE), Bonn, Germany. Search for distinct strains of alpha-synuclein from patients with different synucleinopathies.

Treccani, G., Müller, M., Weenstöm, M. Translational Neuropsychiatry Unit, Department of Clinical MedicineRisskov, Denmark; Clinical Memory Research Unit, Department of Clinical Sciences, The Wallenberg Lab, Malmö, Lund University; AG Translationale Psychiatrie, Focus Translationale Neurowissenschaften (FTN), Mainz University, Germany. A role for NG2 positive cells in depression.

Twohig, D., Nielsen, H.M. Department of Biochemistry and Biophysics, Stockholm University, Stockholm, Sweden. Assessment of whether altered levels of alpha-synuclein in cerebrospinal fluid from Alzheimer's disease patients mirror brain parenchymal levels of alpha-synuclein.

Tzoulis, C., Nido, G.S., Haugarvoll, K., Dölle, C., Dick, F., Guitton, R., Toker, L. Department of Neurology, Haukeland University Hospital, Bergen, Norway; Department of Clinical Medicine, University of Bergen, Bergen, Norway. Using multidimensional integration of biological systems to unravel the pathogenesis of Parkinson's disease.

Van Bree, E.J., Jacobs, F.M.J. Swammerdam Institute for Life Sciences - Frank Jacobs Lab, University of Amsterdam, Amsterdam, The Netherlands. Profiling the enhancer potential of TEs in the aging human brain.

Van Dam, A., Van Wageningen, T., Boddeke, H.W.G.M., Huitinga, I. VU University Medical center, Department of Anatomy and Neurosciences, Amsterdam, The Netherlands; University Medical Centre Groningen, Department of Neuroscience, Groningen, The Netherlands; Netherlands Institute for Neuroscience, Amsterdam, The Netherlands. Elucidating differences in gene expression in white- and grey-matter lesions in MS patients.

Van de Berg, W.D.J. et. al. VU University Medical Center, Department of Anatomy and Neurosciences, Amsterdam, The Netherlands. Chasing genes underlying the progression of sporadic Parkinson's disease.

Van de Berg, W.D.J., De Jong, F.J., Berendse, H., Voorn, P., Yousri, Y. VU University Medical Center, Department of Anatomy and Neuroscience, Amsterdam, The Netherlands; Erasmus MC, Rotterdam, The Netherlands. The Clinical relevance of Insular pathology and its relationship with cognitive decline across Lewy Body diseases.

Van de Berg, W.D.J., Rozemuller, J.M., Stahlberg, H., Shahmoradian, S. Neuroscience Campus Amsterdam, VU University Medical Center, Department of Anatomy and Neurosciences, Amsterdam, The Netherlands; C-CINA, Biozentrum, University Basel, Switzerland. Subcellular localisation of conformational forms of alpha-synuclein in post-mortem brain tissue of elderly and patients with Parkinson's disease.

Van der Valk, P., Amor, S. VU University Medical Center, Department of Pathology, Amsterdam, The Netherlands. Lesion formation and development in Multiple Sclerosis.

Van der Vies, S.M., Hoozemans, J.J.M., Rozemuller, J.M., Kennedy, M. VU University Medical Center, Department of Pathology, Amsterdam, The Netherlands; Merck Sharp & Dohme Corp. IRAK-4 kinase inhibitors as a potential drug target for Alzheimer's Disease in human adult primary glial cells.

Van der Weerd, L., Van Buchem, M.A., Van Duinen, S.G. Leiden University Medical Center, Department of Radiology, Leiden, The Netherlands. Pathological correlates of cortical changes in Alzheimer's Disease at ultra-high field MRI.

Van Dijk, B.J., Hol, E.M. Brain Center Rudolf Magnus, Translational Neuroscience, Utrecht, The Netherlands. Glial response after subarachnoid hemorrhage.

Van Gool, W.A., Oudewortel, L., Emiliani, F. GGZ Dijk en Duin, Afdeling opname psychogeriatrie, Castricum, The Netherlands. Is microglia activation involved in delirium superimposed on dementia.

Van Heesbeen, H.J., Von Oerthel, L., Smidt, M.P. University of Amsterdam, Swammerdam Institute for Lifesciences, Department of Molecular Neuroscience, Amsterdam, The Netherlands. Epigenetic mechanisms in maintenance of dopaminergic neurons.

Van Nostrand, W.E., Rozemuller, J.M., Miller, L. Stony Brook University, Department of Neurosurgery, Stony Brook, NY, USA; VU Medical Center, Department of Pathology, The Netherlands; Brookhaven National Laboratory. Determination of metal type, content and speciation in cerebral amyloid angiopathy.

Van Swieten, J.C. et. al. Erasmus Medisch Centrum, Rotterdam, The Netherlands. Immunohistochemical and biochemical characterization of fronto-temporal dementia and progressive supranuclear palsy.

Van Vliet-Ostaptchouk, J.V., Swaab, D.F., Wolffenbuttel, B.H., Jonker, J.W. University Medical Center Groningen, Endocrinology, Groningen, The Netherlands; Netherlands Institute for Neuroscience, Amsterdam, The Netherlands. The TUB gene expression in the human hypothalamus and adipose tissue.

Van Wageningen, T.A., Bol, J.G.J.M., van Dam, A-M. VU University Medical Centre; MS Centre, Dept. Anatomy and Neurosciences, Amsterdam, The Netherlands. Characterizing microglia in white-matter and grey-matter lesions in Multiple Sclerosis.

Vangoor, V., De Wit, M., Senthilkumar, K., Gomes Duarte, A., Pasterkamp, R.J. Department of Translational Neuroscience, Brain Center Rudolf Magnus, UMC Utrecht, Utrecht, The Netherlands. The role of non-coding RNAs in epilepsy.

Varrone, A., Miranda Azpiazu, P., Varnäs, K. Schou M. Department of Clinical Neuroscience, Centre for Psychiatry Research, Karolinska Institutet and Stockholm County Council; PET Science Centre, Precision Medicine and Genomics, IMED Biotech Unit, AstraZeneca, Karolinska Institutet, Sweden. Identification and validation of transcripts and proteins as well as PET radioligand development in neurodegenerative disorders with special emphasis to Parkinsons disease (PD) and Alzheimer's disease (AD).

Varrone, A., Svedberg, M., Varnäs, K., Häggqvist, J., Halldin, C., Bard, J., Wityak, J., Mrzljak, L., Wood, A. Karolinska Institutet, Department of Clinical Neuroscience, Karolinska University Hospital, Stockholm, Sweden. CHDI Foundation, USA. Preclinical studies of novel potential huntingtin binding PET radioligands in postmortem brain tissue.

Veerhuis, R. et. al. VU University Medical Center, Department of Pathology and Clinical Chemistry, Amsterdam, The Netherlands. Amyloid associated factors in Alzheimer's disease.

Veldink, J., Giuliani, F., Luykx, J., Aronica, E. UMC Utrecht Brain Center Rudolf Magnus, Neurogenetics Unit, Utrecht, The Netherlands; University of Amsterdam-Swammerdam Institute for Life Sciences (SILS), Amsterdam, The Netherlands. The role of long non-coding RNAs in Bipolar Disorder.

Verbeek, M., Schreuder, F., Klijn, K., Richard, E., Claassen, J., Kuiperij, H.B., Portelius, E. Radboudumc, Nijmegen, The Netherlands; University of Gotheborg, Gothenburg, Sweden. Biomarkers for Cerebral Amyloid Angiopathy.

Vergouw, L.J.M., de Jong, F.J., van Swieten, J.C., van Steenoven, I., Lemstra, A.W., Quadri, M., Bonifati, V., de Gier, Y., Van de Berg, W.D.J., Paliukhovich, I., Li, K.W., Smit, A.B. Department of Neurology and Alzheimercenter zuidwest Nederland, Erasmus Medical Center, Rotterdam, the Netherlands; Department of Neurology and Alzheimercenter, Amsterdam Neuroscience, VU Medical Center, Amsterdam, the Netherlands; Department of Clinical Genetics, Erasmus Medical Center, Rotterdam, the Netherlands; Department of Anatomy and Neurosciences, section Clinical Neuroanatomy, Amsterdam Neuroscience, VU Medical Center, Amsterdam, the Netherlands; Center for Neurogenomics and Cognitive Research, Amsterdam Neuroscience, VU Medical Center, Amsterdam, the Netherlands. Identification of molecular and genetic mechanisms in familial Lewy Body Dementia: a novel approach.

Verwer, R., Sluiter, A., Swaab, D.F. Netherlands Institute for Neuroscience, an Institute of the Royal Netherlands Academy of Arts and Sciences, Amsterdam, The Netherlands. Postmortem brain slice culture.

Voet, S., Mc Guire, C., Van Loo, G. VIB Center for Inflammation Research, Ghent, Belgium; Department of Biomedical Molecular Biology, Ghent University, Ghent, Belgium. Characterization of inflammasome activation in samples from MS patients.

Wennström, M. et. al. Lund University, Department of Clinical Science, Malmö, Sweden. Analyses of distribution and activation of NG2+glialcells in the Alzheimer brain.

Wergeland, S., Schenk, G., Bø, L., Van De Berg, W.D.J. VU University Medical Center, Department of Anatomy and Neurosciences, Clinical Neuroscience, Amsterdam, The Netherlands; Haukeland University Hospital, Department of Neurology, Bergen, Norway. The oligodendrocyte proteome in multiple sclerosis.

Werkman, I., Gorter, R.P., Baron, W. Department of Biomedical Sciences of Cell & Systems, section Molecular Neurobiology, University of Groningen, University Medical Center Groningen, Groningen, the Netherlands. Reshaping the ECM landscape in MS lesions to promote remyelination.

West, S.J., Bennett, D.H.L. Nuffield Department of Clinical Neurosciences, John Radcliffe Hospital, Oxford, United Kingdom. Investigation of the Lateral Spinal Nucleus in Human Spinal Cord.

Wetzels, S., Vanmierlo, T., Scheijen, J.L.J.M., Schalkwijk, C.G., Hendriks, J.J.A., Wouters, K. Cardiovascular Research Institute Maastricht, Department of Internal medicine, Maastricht University, Maastricht, the Netherlands; Biomedical Research Institute, Department of Immunology and Biochemistry, Hasselt University, Hasselt, Belgium; School for Mental Health and Neuroscience, Department of Psychiatry and Neuropsychology, Maastricht University, Maastricht, the Netherlands. Advanced glycation endproducts in multiple sclerosis.

Wilhelms, M.M.M. Amsterdam University Medical Centers, Department of Anatomy and Neurosciences. Triple P: New P2Y12 receptor targeting PET tracers as next generation neuroinflammation markers in Parkinson's disease.

Winner, B., Riemenschneider, M. Institute of Human Genetics, Department of Stem Cell Biology, Erlangen, Germany; Department of Neuropathology, University Hospital Regensburg, Regensburg, Germany. T helper cell-induced neurotoxicity in sporadic Parkinson's disease.

Xicoy, H., Brouwers, J.F., Wieringa, B., Martens, G.J.M. Dept. Cell biology, Radboud Institute for Molecular Life Sciences, Radboud University Medical Centre; Dept. Molecular Animal Physiology, Donders Institute for Brain, Cognition and Behaviour, Donders Centre for Neuroscience, Faculty of Science; Dept. Biochemistry & Cell Biology, Lipidomics Facility, Faculty of Veterinary Medicine, Utrecht University. Transcriptomic and lipidomic analysis of substantia nigra and striatum of Parkinson's disease patients and control individuals.

Xu, Y., Huang, M., Zhou, W. Hu, J. Zhejiang Province Key Laboratory of Mental Disorder's Management, Department of Mental Health, Hangzhou, Zhejiang, China PR. A neural circuit in Schizophrenia: a postmortem study.

Yeo, S., Kim D., Choi S.H., Choi Y.R., Yoon J.H., Choe Y., Korea Brain Research Institute, Dong-gu, Daegu, Republic of Korea. Topographic biomarkers reveal defective neurovascular units in Schizophrenia.

Yoon J.H., Jung H-J., Lee M.S., Choe Y., Korea Brain Research Institute, Dong-gu, Daegu, Republic of Korea. Blood exosomal proteomic profiles for murine and human Alzheimer's disease.

Zhang, X., O'callaghan, P., Zhang, G. Tan, Y., Lindahl, U., Li, J.-P. Department of Neuroscience, Department of Molecular and Cellular Biology and Department of Medical Biochemistry and Microbiology, Uppsala University, Sweden. Roles of heparan sulfate/heparanase in clearance of beta-amyloid from the brain – relevance to Alzheimer's disease.

Zhao, J., Verwer, R., Lucassen, P., Kessels, H. Netherlands Institute for Neuroscience, an Institute of the Royal Netherlands Academy of Arts and Sciences, Amsterdam, The Netherlands; Swammerdam Institute for Life Sciences, University of Amsterdam, Amsterdam, The Netherlands. The molecular basis of depression and suicide.

Zhu, S., Mamo, T., Viejo-Borbolla, A. Institute of Virology, Hannover Medical School; Institute of Molecular Biology, Hannover Medical School; Department of Pediatric Nephrology, Gastroenterology & Metabolic Diseases, Hannover Medical School; Institute of Virology, Hannover Medical School, Hannover, Germany. Derivation of human peripheral neurons from inducible pluripotent stem cells suggests the existence of a novel neuronal population.

Zilocchi, M., Finzi, G., Lualdi, M., Sessa, F., Fasano, M., Alberio, T. Department of Science and High Technology, Center of Neuroscience, University of Insubria, Italy; Department of Pathology, University Hospital ASST-Setteghetti, Varese, Italy. Mitochondrial alterations in Parkinson's disease human samples and cellular models.

Pharmaceutical companies

In 2017 NBB tissue was supplied to the following research projects of pharmaceutical companies:

AbbVie Deutschland GmbH & Co. KG

Assessment of lipid content of well-defined AD brains vs age-matched control brains and brains of young subject: verification of age- and disease-associated changes in (sphingo)lipid content and its correlation to neurodegeneration, abeta and Tau pathology.

Assessment of sphingolipid content in Huntington's Disease brain, CSF, and plasma.

Discovery of new radioligands for aggregated Tau.

Identification of key Tau pathological species and underlying pathological molecular mechanisms in the brain of sporadic Alzheimer disease at Braak stage I-II and V-VI.

AC Immune SA

Development of immunotherapy approaches for treatment of Huntington's disease.

Identification of potential therapeutic targets for Age-Related Neurodegenerative diseases.

Novel PET tracers of alpha-synuclein for the diagnosis of Parkinson's disease.

Novel PET tracers of TDP-43 for the diagnosis of amyotrophic lateral sclerosis and frontotemporal lobar degeneration.

Actelion Pharmaceuticals Limited

Quantitative expression survey of GPCRs in neuronal sub-populations affected by neurodegenerative diseases.

Asterand UK Acquisition Limited (BioIVT)

Purification of PHF-Tau from brain tissues of donors with progressive supranuclear palsy.

Screening a panel of alpha-SYN research antibodies, using FFPE sections from normal donors and those with Parkinson's Disease.

BioArctic Neuroscience AB

Studies of alpha-synuclein in Parkinson's disease and control brain.

Biogen Inc.

- Analysis of exosomes purified from Human CSF.
- Characterization of A β oligomers in AD brain tissues.
- Characterization of BIIB054 binding pattern to pathological variants of α -syn in human disease tissue.
- Characterization of Parkin activity and transcriptional profiling in sporadic PD brain tissue.
- SorLA as a Target for AD.
- The role of NF- κ B canonical and non-canonical signaling in neurodegenerative disease.
- Quantifying pathogenic alpha synuclein species across Parkinson's disease Braak Stages.

BioMed X GmbH

- Tau post-translational modifications and their relevance for Alzheimer's disease.

Boehringer Ingelheim Pharma GmbH & Co.KG

- Target identification in non-diseased human Area postrema.
- Target identification and validation in non-diseased human Pituitary Gland.

Charles River Nederland BV

- Development of a microglia assay.
- Validation of therapeutic targets in cultured human microglia.

Charles River Laboratories Edinburgh Limited

- The determination of *in vitro* binding of test item to the brain proteins in Rhesus Monkey and Man.

Crucell Holland B.V.

- Characterization of the antibody response induced by tau vaccine candidates: Assessment of serum reactivity to control vs. AD brain tissue

Evotec AG

- Proteomic analysis of huntingtin protein variants in post-mortem brain tissue from Huntington's Disease patients.

GlaxoSmithKline

- Neurodegeneration and inflammation pathway activation in human AD, HD, PSP, and FTD tissue.
- Neurodegeneration and inflammation pathway activation in human ALS spinal cord tissue.
- Neurodegeneration and inflammation pathway activation in human Multiple sclerosis lesions.

Grünenthal GmbH

- Functional characterization of human DRGs for drug development.

Imanova Limited (Invicro)

- Evaluation of novel PET tracers and drug targets.

Janssen Prevention Center

- Detect differences in post-mortem tissue between subjects with and without Alzheimer's disease.

Janssen Pharmaceutica NV

- Analysis of tau aggregation and spreading in Alzheimer's disease and other tauopathies including PSP and evaluating anti-Abeta antibodies for plaque detection.

Lysosomal Therapeutics Inc.

- Glucocerebrosidase (GCase) and Acid ceramidase (ACR) enzyme activity, mRNA and substrate levels in human brain and plasma tissue samples of PD patients and controls: a pilot study.

Novartis Pharma AG

- Tissue Cross Reactivity Assay.

Roche Holding AG

Characterization of alpha-synuclein novel antibodies on post-mortem human brain tissue.

Evaluation of changes in GCase activity and substrate levels in human brain from PD .

UCB Pharma SA

Assessment of biomarkers for Parkinson's disease to support the identification of new therapeutic agents for the treatment of parkinson's disease.

Bridging animal models to human disease: Targeting glia disease biologies for therapeutic benefit in ALS.

Development and validation of in vitro assays for the identification of therapeutics targeting synucleinopathies.

Evaluation of binding of UCB proprietary molecules to Alzheimer's patients brains for the identification of new therapeutic agents for the treatment of Tauopathies and Alzhei-mer's disease.

Evaluation of UCB proprietary molecules binding to brain samples from patients suffering of demyelinating diseases like multiple sclerosis (MS) for the identification of new therapeutic agents.

Publications 2015 – 2017

This chapter lists the publications that have resulted from research using NBB tissue in 2015-2017. Publications in which the NBB was actively involved and therefore listed as a corporate co-author are listed separately.

Publications with NBB as co-author

Bergen, A. A., Kaing, S., ten Brink, J. B., Netherlands Brain Bank, Gorgels, T. G., & Janssen, S. F. (2015). Gene expression and functional annotation of human choroid plexus epithelium failure in Alzheimer's disease. *BMC Genomics*, 16(1), 1–15. <https://doi.org/10.1186/s12864-015-2159-z>

Krudop, W. A., Bosman, S., Geurts, J. J., Sikkes, S. A., Verwey, N. A., Stek, M. L., ... Netherlands Brain Bank. (2015). Clinico-pathological correlations of the frontal lobe syndrome: results of a large brain bank study. *Dementia and geriatric cognitive disorders*, 40(3–4), 121–129.

Vermunt, M. W., Tan, S. C., Castelijns, B., Geeven, G., Reinink, P., de Brujin, E., ... Creyghton, M. P. (2016). Epigenomic annotation of gene regulatory alterations during evolution of the primate brain. *Nature neuroscience*, 19, 494–503.

Publication list

Acquarelli, J., Brain Bank, T. N., Bianchini, M., & Marchiori, E. (2016). Discovering Potential Clinical Profiles of Multiple Sclerosis from Clinical and Pathological Free Text Data with Constrained Non-negative Matrix Factorization. In *Applications of Evolutionary Computation* (pp. 169–183). Springer, Cham. https://doi.org/10.1007/978-3-319-31204-0_12

Adams, S. L., Benayoun, L., Tilton, K., Chavez, O. R., Himali, J. J., Blusztajn, J. K., ... Delalle, I. (2017). Methionine sulfoxide reductase-B3 (MsrB3) protein associates with synaptic vesicles and its expression changes in the hippocampi of Alzheimer's disease patients. *Journal of Alzheimer's disease : JAD*, 60(1), 43–56. <https://doi.org/10.3233/JAD-170459>

Adams, S. L., Tilton, K., Kozubek, J. A., Seshadri, S., & Delalle, I. (2016). Subcellular Changes in Bridging Integrator 1 Protein Expression in the Cerebral Cortex During the Progression of Alzheimer Disease Pathology. *Journal of Neuropathology & Experimental Neurology*, 75(8), 779–790. <https://doi.org/10.1093/jnen/nlw056>

Ádori, C., Glück, L., Barde, S., Yoshitake, T., Kovacs, G. G., Mulder, J., ... Mitsios, N. (2015). Critical role of somatostatin receptor 2 in the vulnerability of the central noradrenergic system: new aspects on Alzheimer's disease. *Acta neuropathologica*, 129(4), 541–563.

Adorjan, I., Ahmed, B., Feher, V., Torso, M., Krug, K., Esiri, M., ... Szele, F. G. (2017). Calretinin interneuron density in the caudate nucleus is lower in autism spectrum disorder. *Brain*, 140(7), 2028–2040. <https://doi.org/10.1093/brain/awx131>

Allodi, I., Comley, L., Nichterwitz, S., Nizzardo, M., Simone, C., Benitez, J. A., ... Hedlund, E. (2016). Differential neuronal vulnerability identifies IGF-2 as a protective factor in ALS. *Scientific Reports*, 6, 25960. <https://doi.org/10.1038/srep25960>

Almández-Gil, L., Lindström, V., Sigvardson, J., Kahle, P. J., Lannfelt, L., Ingelsson, M., & Bergström, J. (2017). Mapping of Surface-Exposed Epitopes of In Vitro and In Vivo Aggregated Species of Alpha-Synuclein. *Cellular and Molecular Neurobiology*, 37(7), 1217–1226. <https://doi.org/10.1007/s10571-016-0454-0>

Anand, P., Yiangou, Y., Anand, U., Mukerji, G., Sinisi, M., Fox, M., ... Hein, P. (2016). Nociceptin/orphanin Fq receptor expression in clinical pain disorders and functional effects in cultured neurons. *Pain*, 157(9), 1960–1969. <https://doi.org/10.1097/j.pain.0000000000000597>

Anand, U., Yiangou, Y., Sinisi, M., Fox, M., MacQuillan, A., Quick, T., ... Anand, P. (2015). Mechanisms underlying clinical efficacy of Angiotensin II type 2 receptor (AT2R) antagonist EMA401 in neuropathic pain: clinical tissue and in vitro studies. *Molecular Pain*, 11(1), 1–12. <https://doi.org/10.1186/s12990-015-0038-x>

- Arena, A., M. Iyer, A., Milenkovic, I., G. Kovacs, G., Ferrer, I., Perluigi, M., & Aronica, E. (2017, december). Developmental Expression and Dysregulation of miR-146a and miR-155 in Down's Syndrome and Mouse Models of Down's Syndrome and Alzheimer's Disease [Text]. <https://doi.org/info:doi/10.2174/1567205014666170706112701>
- Baek, J.-H., Schmidt, E., Viceconte, N., Strandgren, C., Pernold, K., Richard, T. J. C., ... Eriksson, M. (2015). Expression of progerin in aging mouse brains reveals structural nuclear abnormalities without detectable significant alterations in gene expression, hippocampal stem cells or behavior. *Human Molecular Genetics*, 24(5), 1305–1321. <https://doi.org/10.1093/hmg/ddu541>
- Barateiro, A., Afonso, V., Santos, G., Cerqueira, J. J., Brites, D., Horssen, J., & Fernandes, A. (2015). S100B as a Potential Biomarker and Therapeutic Target in Multiple Sclerosis. *Molecular Neurobiology*, 1–16. <https://doi.org/10.1007/s12035-015-9336-6>
- Barbash, S., Simchovitz, A., Buchman, A. S., Bennett, D. A., Shifman, S., & Soreq, H. (2017). Neuronal-expressed microRNA-targeted pseudogenes compete with coding genes in the human brain. *Translational Psychiatry*, 7(8), e1199. <https://doi.org/10.1038/tp.2017.163>
- Barbash, Shahar, Garfinkel, B. P., Maoz, R., Simchovitz, A., Nadorp, B., Guffanti, A., ... Soreq, H. (2017). Alzheimer's brains show inter-related changes in RNA and lipid metabolism. *Neurobiology of Disease*, 106, 1–13. <https://doi.org/10.1016/j.nbd.2017.06.008>
- Beaino, W., Janssen, B., Kooij, G., van der Pol, S. M. A., van Het Hof, B., van Horssen, J., ... de Vries, H. E. (2017). Purinergic receptors P2Y12R and P2X7R: potential targets for PET imaging of microglia phenotypes in multiple sclerosis. *Journal of Neuroinflammation*, 14(1), 259. <https://doi.org/10.1186/s12974-017-1034-z>
- Beecham, G. W., Dickson, D. W., Scott, W. K., Martin, E. R., Schellenberg, G., Nuytemans, K., ... Van Deerlin, V. M. (2015). PARK10 is a major locus for sporadic neuropathologically confirmed Parkinson disease. *Neurology*, 84(10), 972–980.
- Bekenstein, U., Mishra, N., Milikovsky, D. Z., Hanin, G., Zelig, D., Sheintuch, L., ... Soreq, H. (2017). Dynamic changes in murine forebrain miR-211 expression associate with cholinergic imbalances and epileptiform activity. *Proceedings of the National Academy of Sciences*, 114(25), E4996–E5005. <https://doi.org/10.1073/pnas.1701201114>
- Bennis, A., Brink, J. B. ten, Moerland, P. D., Heine, V. M., & Bergen, A. A. (2017). Comparative gene expression study and pathway analysis of the human iris- and the retinal pigment epithelium. *PLOS ONE*, 12(8), e0182983. <https://doi.org/10.1371/journal.pone.0182983>
- Berrocal, M., Corbacho, I., Vázquez-Hernández, M., Ávila, J., Sepúlveda, M. R., & Mata, A. M. (2015). Inhibition of PMCA activity by tau as a function of aging and Alzheimer's neuropathology. *Biochimica et Biophysica Acta (BBA) - Molecular Basis of Disease*, 1852(7), 1465–1476. <https://doi.org/10.1016/j.bbadiis.2015.04.007>
- Bertin, N., Mendez, M., Hasegawa, A., Lizio, M., Abugessaisa, I., Severin, J., ... Plessy, C. (2017). Linking FANTOM5 CAGE peaks to annotations with CAGEscan. *Scientific Data*, 4, 170147. <https://doi.org/10.1038/sdata.2017.147>
- Blauwendraat, C., Francescato, M., Gibbs, J. R., Jansen, I. E., Simón-Sánchez, J., Hernandez, D. G., ... Heutink, P. (2016). Comprehensive promoter level expression quantitative trait loci analysis of the human frontal lobe. *Genome Medicine*, 8, 65. <https://doi.org/10.1186/s13073-016-0320-1>
- Bogie, J. F. J., Mailleux, J., Wouters, E., Jorissen, W., Grajchen, E., Vanmol, J., ... Hendriks, J. J. A. (2017). Scavenger receptor collectin placenta 1 is a novel receptor involved in the uptake of myelin by phagocytes. *Scientific Reports*, 7, 44794. <https://doi.org/10.1038/srep44794>
- Bossoni, L., Moursel, L. G., Bulk, M., Simon, B. G., Webb, A., van der Weerd, L., ... Oosterkamp, T. H. (2017). Human brain ferritin studied by muon Spin Rotation: a pilot study. *Journal of Physics: Condensed Matter*, 29(41), 415801. <https://doi.org/10.1088/1361-648X/aa80b3>

- Bouter, Y., Noguerola, J. S. L., Tucholla, P., Crespi, G. A. N., Parker, M. W., Wiltfang, J., ... Bayer, T. A. (2015). Abeta targets of the biosimilar antibodies of Bapineuzumab, Crenezumab, Solanezumab in comparison to an antibody against N-truncated Abeta in sporadic Alzheimer disease cases and mouse models. *Acta Neuropathologica*, 130(5), 713–729. <https://doi.org/10.1007/s00401-015-1489-x>
- Bozek, K., Khrameeva, E. E., Reznick, J., Omerbašić, D., Bennett, N. C., Lewin, G. R., ... Khaitovich, P. (2017). Lipidome determinants of maximal lifespan in mammals. *Scientific Reports*, 7(1), 5. <https://doi.org/10.1038/s41598-017-00037-7>
- Braun, R. J., Sommer, C., Leibiger, C., Gentier, R. J. G., Dumit, V. I., Paduch, K., ... Madeo, F. (2015). Accumulation of Basic Amino Acids at Mitochondria Dictates the Cytotoxicity of Aberrant Ubiquitin. *Cell Reports*, 10(9), 1557–1571. <https://doi.org/10.1016/j.celrep.2015.02.009>
- Broux, B., Mizee, M. R., Vanheusden, M., Pol, S. van der, Horssen, J. van, Wijmeersch, B. V., ... Hellings, N. (2015). IL-15 Amplifies the Pathogenic Properties of CD4+CD28+ T Cells in Multiple Sclerosis. *The Journal of Immunology*, 1401547. <https://doi.org/10.4049/jimmunol.1401547>
- Bruggink, K. A., Kuiperij, H. B., Gloerich, J., Otte-Höller, I., Rozemuller, A. J. M., Claassen, J. A. H. R., ... Verbeek, M. M. (2015). Dickkopf-related protein 3 is a potential Aβ-associated protein in Alzheimer's Disease. *Journal of Neurochemistry*, 134(6), 1152–1162. <https://doi.org/10.1111/jnc.13216>
- Burm, S. M., Peferoen, L. A. N., Zuiderwijk-Sick, E. A., Haanstra, K. G., 't Hart, B. A., van der Valk, P., ... Bajramovic, J. J. (2016). Expression of IL-1β in rhesus EAE and MS lesions is mainly induced in the CNS itself. *Journal of Neuroinflammation*, 13(1), 138. <https://doi.org/10.1186/s12974-016-0605-8>
- Cabrera, J. R., & Lucas, J. J. (2017). MAP2 Splicing is Altered in Huntington's Disease: MAP2 Splicing is Altered in HD. *Brain Pathology*, 27(2), 181–189. <https://doi.org/10.1111/bpa.12387>
- Caroppo, P., Camuzat, A., Guillot-Noel, L., Thomas-Antérion, C., Couratier, P., Wong, T. H., ... Ber, I. L. (2016). Defining the spectrum of frontotemporal dementias associated with TARDBP mutations. *Neurology: Genetics*, 2(3). <https://doi.org/10.1212/NXG.0000000000000080>
- Chalmoukou, K., Alexopoulos, H., Akrivou, S., Stathopoulos, P., Reindl, M., & Dalakas, M. C. (2015). Anti-MOG antibodies are frequently associated with steroid-sensitive recurrent optic neuritis. *Neurology® Neuroimmunology & Neuroinflammation*, 2(4), e131. <https://doi.org/10.1212/NXI.0000000000000131>
- Chelban, V., Manole, A., Pihlstrøm, L., Schottlaender, L., Efthymiou, S., OConnor, E., ... Houlden, H. (2017). Analysis of the prion protein gene in multiple system atrophy. *Neurobiology of Aging*, 49, 216.e15-216.e18. <https://doi.org/10.1016/j.neurobiolaging.2016.09.021>
- Chen, Y., Zhen, W., Guo, T., Zhao, Y., Liu, A., Rubio, J. P., ... Wang, R. (2017). Histamine Receptor 3 negatively regulates oligodendrocyte differentiation and remyelination. *PLOS ONE*, 12(12), e0189380. <https://doi.org/10.1371/journal.pone.0189380>
- Chiu, W. Z., Donker Kaat, L., Boon, A. J. W., Kamphorst, W., Schleicher, A., Zilles, K., ... Palomero-Gallagher, N. (2017). Multireceptor fingerprints in progressive supranuclear palsy. *Alzheimer's Research & Therapy*, 9(1), 28. <https://doi.org/10.1186/s13195-017-0259-5>
- Cho, K., Cho, M.-H., Seo, J.-H., Peak, J., Kong, K.-H., Yoon, S.-Y., & Kim, D.-H. (2015). Calpain-mediated cleavage of DARPP-32 in Alzheimer's disease. *Aging Cell*, 14(5), 878–886. <https://doi.org/10.1111/acel.12374>
- Choi, E., Lim, J., Neuwirth, A., Economopoulou, M., Chatzigeorgiou, A., Chung, K., ... Samus, M. (2015). Developmental endothelial locus-1 is a homeostatic factor in the central nervous system limiting neuroinflammation and demyelination. *Molecular psychiatry*, 20(7), 880–888.

Choi, J. L., Kao, P. F., Itriago, E., Zhan, Y., Kozubek, J. A., Hoss, A. G., ... Delalle, I. (2017). miR-149 and miR-29c as candidates for bipolar disorder biomarkers. *American Journal of Medical Genetics Part B: Neuropsychiatric Genetics*, 174(3), 315–323. <https://doi.org/10.1002/ajmg.b.32518>

Clausson, C.-M., Arngårdén, L., Ishaq, O., Klaesson, A., Kühnemund, M., Grannas, K., ... Krzywkowski, T. (2015). Compaction of rolling circle amplification products increases signal integrity and signal-to-noise ratio. *Scientific reports*, 5.

Cleutjens, F. A., Spruit, M. A., Beckervordersandforth, J., Franssen, F. M., Dijkstra, J. B., Ponds, R. W., ... Janssen, D. J. (2015). Presence of brain pathology in deceased subjects with and without chronic obstructive pulmonary disease. *Chronic Respiratory Disease*, 12(4), 284–290. <https://doi.org/10.1177/1479972315588005>

Comley, L., Allodi, I., Nichterwitz, S., Nizzardo, M., Simone, C., Corti, S., & Hedlund, E. (2015). Motor neurons with differential vulnerability to degeneration show distinct protein signatures in health and ALS. *Neuroscience*, 291, 216–229.

Corsetti, V., Florenzano, F., Atlante, A., Bobba, A., Ciotti, M. T., Natale, F., ... Amadoro, G. (2015). NH2-truncated human tau induces deregulated mitophagy in neurons by aberrant recruitment of Parkin and UCHL-1: implications in Alzheimer's disease. *Human Molecular Genetics*, 24(11), 3058–3081. <https://doi.org/10.1093/hmg/ddv059>

Cuadrado, E., Michailidou, I., van Bodegraven, E. J., Jansen, M. H., Sluijs, J. A., Geerts, D., ... Hol, E. M. (2015). Phenotypic Variation in Aicardi–Goutières Syndrome Explained by Cell-Specific IFN-Stimulated Gene Response and Cytokine Release. *The Journal of Immunology*, 194(8), 3623–3633. <https://doi.org/10.4049/jimmunol.1401334>

Cuadrado, E., Vanderver, A., Brown, K. J., Sandza, A., Takanohashi, A., Jansen, M. H., ... Olivieri, I. (2015). Aicardi–Goutières syndrome harbours abundant systemic and brain-reactive autoantibodies. *Annals of the rheumatic diseases*, 74(10), 1931–1939.

Dai, D., Li, Q. C., Zhu, Q. B., Hu, S. H., Balesar, R., Swaab, D., & Bao, A. M. (2017). Direct Involvement of Androgen Receptor in Oxytocin Gene Expression: Possible Relevance for Mood Disorders. *Neuropsychopharmacology : Official Publication of the American College of Neuropsychopharmacology*, 42(10), 2064–2071. <https://doi.org/10.1038/npp.2017.76>

de Jager, M., Boot, M. V., Bol, J. G. J. M., Brevé, J. J. P., Jongenelen, C. A. M., Drukarch, B., & Wilhelms, M. M. M. (2015). The blood clotting Factor XIIIa forms unique complexes with amyloid-beta (A β) and colocalizes with deposited A β in cerebral amyloid angiopathy. *Neuropathology and Applied Neurobiology*, n/a-n/a. <https://doi.org/10.1111/nan.12244>

de Jager, M., Drukarch, B., Hofstee, M., Brevé, J., Jongenelen, C. A. M., Bol, J. G. J. M., & Wilhelms, M. M. M. (2015). Tissue transglutaminase-catalysed cross-linking induces Apolipoprotein E multimers inhibiting Apolipoprotein E's protective effects towards amyloid-beta-induced toxicity. *Journal of Neurochemistry*, 134(6), 1116–1128. <https://doi.org/10.1111/jnc.13203>

de Wit, N. M., Snkhchyan, H., den Hoedt, S., Wattimena, D., de Vos, R., Mulder, M. T., ... de Vries, H. E. (2017). Altered Sphingolipid Balance in Capillary Cerebral Amyloid Angiopathy. *Journal of Alzheimer's Disease*, 60(3), 795–807. <https://doi.org/10.3233/JAD-160551>

Del Campo, M., Stargardt, A., Veerhuis, R., Reits, E., & Teunissen, C. E. (2015). Accumulation of BRI2-BRICHOS ectodomain correlates with a decreased clearance of A β by insulin degrading enzyme (IDE) in Alzheimer's disease. *Neuroscience Letters*, 589, 47–51. <https://doi.org/10.1016/j.neulet.2015.01.036>

Demuyser, T., Deneyer, L., Bentea, E., Albertini, G., Femenia, T., Walrave, L., ... Smolders, I. (2017). Slc7a11 (xCT) protein expression is not altered in the depressed brain and system xc- deficiency does not affect depression-associated behaviour in the corticosterone mouse model. *The World Journal of Biological Psychiatry*, 0(0), 1–12. <https://doi.org/10.1080/15622975.2017.1371332>

Dijkstra, A. A., Ingrassia, A., de Menezes, R. X., van Kesteren, R. E., Rozemuller, A. J. M., Heutink, P., & van de Berg, W. D. J. (2015). Evidence for Immune Response, Axonal Dysfunction and Reduced Endocytosis in the Substantia Nigra in Early Stage Parkinson's Disease. *PLoS ONE*, 10(6), e0128651. <https://doi.org/10.1371/journal.pone.0128651>

Doorenweerd, N., Mahfouz, A., Putten, M. van, Kaliyaperumal, R., Hoen, P. A. C. t', Hendriksen, J. G. M., ... Lelieveldt, B. P. F. (2017). Timing and localization of human dystrophin isoform expression provide insights into the cognitive phenotype of Duchenne muscular dystrophy. *Scientific Reports*, 7(1), 12575. <https://doi.org/10.1038/s41598-017-12981-5>

Doshina, A., Gourgue, F., Onizuka, M., Opsomer, R., Wang, P., Ando, K., ... Pierrot, N. (2017). Cortical cells reveal APP as a new player in the regulation of GABAergic neurotransmission. *Scientific Reports*, 7(1), 370. <https://doi.org/10.1038/s41598-017-00325-2>

Duran-Aniotz, C., Cornejo, V. H., Espinoza, S., Ardiles, Á. O., Medinas, D. B., Salazar, C., ... Hetz, C. (2017). IRE1 signaling exacerbates Alzheimer's disease pathogenesis. *Acta Neuropathologica*, 134(3), 489–506. <https://doi.org/10.1007/s00401-017-1694-x>

Dzamko, N., Gysbers, A. M., Bandopadhyay, R., Bolliger, M. F., Uchino, A., Zhao, Y., ... Halliday, G. M. (2017). LRRK2 levels and phosphorylation in Parkinson's disease brain and cases with restricted Lewy bodies: Lrrk2 In The PD Brain. *Movement Disorders*, 32(3), 423–432. <https://doi.org/10.1002/mds.26892>

Ebbert, M. T. W., Boehme, K. L., Wadsworth, M. E., Staley, L. A., Mukherjee, S., Crane, P. K., ... Kauwe, J. S. K. (2016). Interaction between variants in CLU and MS4A4E modulates Alzheimer's disease risk. *Alzheimer's & Dementia*, 12(2), 121–129. <https://doi.org/10.1016/j.jalz.2015.08.163>

Eilam, R., Aharoni, R., Arnon, R., & Malach, R. (2016). Astrocyte morphology is confined by cortical functional boundaries in mammals ranging from mice to human. *eLife*, 5. <https://doi.org/10.7554/eLife.15915>

Elnagar, M. R., Walls, A. B., Helal, G. K., Hamada, F. M., Thomsen, M. S., & Jensen, A. A. (2017). Probing the putative $\alpha 7$ nAChR/NMDAR complex in human and murine cortex and hippocampus: Different degrees of complex formation in healthy and Alzheimer brain tissue. *PLoS ONE*, 12(12), e0189513. <https://doi.org/10.1371/journal.pone.0189513>

Ettle, B., Kerman, B. E., Valera, E., Gillmann, C., Schlachetzki, J. C. M., Reiprich, S., ... Winkler, J. (2016). α -Synuclein-induced myelination deficit defines a novel interventional target for multiple system atrophy. *Acta Neuropathologica*, 132(1), 59–75. <https://doi.org/10.1007/s00401-016-1572-y>

Fang, X., Sun, D., Wang, Z., Yu, Z., Liu, W., Pu, Y., ... Cao, L. (2017). MiR-30a Positively Regulates the Inflammatory Response of Microglia in Experimental Autoimmune Encephalomyelitis. *Neuroscience Bulletin*, 33(6), 603–615. <https://doi.org/10.1007/s12264-017-0153-y>

Fathy, Y. Y., de Jong, F. J., van Dam, A.-M., Rozemuller, A. J. M., & van de Berg, W. D. J. (2017). Insular cortex sub-region-dependent distribution pattern of α -synuclein immunoreactivity in Parkinson's disease and dementia with Lewy bodies. <https://doi.org/10.1101/156984>

Fernández-Nogales, M., Hernández, F., Miguez, A., Alberch, J., Ginés, S., Pérez-Navarro, E., & Lucas, J. J. (2015). Decreased glycogen synthase kinase-3 levels and activity contribute to Huntington's disease. *Human Molecular Genetics*, 24(17), 5040–5052. <https://doi.org/10.1093/hmg/ddv224>

Findlay, C. R., Wiens, R., Rak, M., Sedlmair, J., Hirschmugl, C. J., Morrison, J., ... Gough, K. M. (2015). Rapid biodiagnostic ex vivo imaging at 1 μm pixel resolution with thermal source FTIR FPA. *The Analyst*, 140(7), 2493–2503. <https://doi.org/10.1039/c4an01982b>

Fraussen, J., Claes, N., Van Wijmeersch, B., van Horssen, J., Stinissen, P., Hupperts, R., & Somers, V. (2016). B cells of multiple sclerosis patients induce autoreactive proinflammatory T cell responses. *Clinical Immunology*, 173, 124–132. <https://doi.org/10.1016/j.clim.2016.10.001>

Frenkel-Pinter, M., Shmueli, M. D., Raz, C., Yanku, M., Zilberzwige, S., Gazit, E., & Segal, D. (2017). Interplay between protein glycosylation pathways in Alzheimer's disease. *Science Advances*, 3(9), e1601576. <https://doi.org/10.1126/sciadv.1601576>

Fu, W., Vukojevic, V., Patel, A., Soudy, R., MacTavish, D., Westaway, D., ... Jhamandas, J. (2017). Role of microglial amylin receptors in mediating beta amyloid (A β)-induced inflammation. *Journal of Neuroinflammation*, 14(1), 199. <https://doi.org/10.1186/s12974-017-0972-9>

Gabrusiewicz, K., Rodriguez, B., Wei, J., Hashimoto, Y., Healy, L. M., Maiti, S. N., ... Heimberger, A. B. (2016). Glioblastoma-infiltrated innate immune cells resemble M0 macrophage phenotype. *JCI Insight*, 1(2). <https://doi.org/10.1172/jci.insight.85841>

Galatro, T. F., Holtman, I. R., Lerario, A. M., Vainchtein, I. D., Brouwer, N., Sola, P. R., ... Eggen, B. J. L. (2017). Transcriptomic analysis of purified human cortical microglia reveals age-associated changes. *Nature Neuroscience*, 20, 1162.

Gellhaar, S., Sunnemark, D., Eriksson, H., Olson, L., & Galter, D. (2017). Myeloperoxidase-immunoreactive cells are significantly increased in brain areas affected by neurodegeneration in Parkinson's and Alzheimer's disease. *Cell and Tissue Research*, 369(3), 445–454. <https://doi.org/10.1007/s00441-017-2626-8>

Ghanbari, M., Darweesh, S. K. L., de Looper, H. W. J., van Luijn, M. M., Hofman, A., Ikram, M. A., ... Dehghan, A. (2016). Genetic Variants in MicroRNAs and Their Binding Sites Are Associated with the Risk of Parkinson Disease. *Human Mutation*, 37(3), 292–300. <https://doi.org/10.1002/humu.22943>

Ghanbari, M., Erkland, S. J., Xu, L., Colijn, J. M., Franco, O. H., Dehghan, A., ... Meester-Smoor, M. A. (2017). Genetic variants in microRNAs and their binding sites within gene 3'UTRs associate with susceptibility to age-related macular degeneration: GHANBARI et al. *Human Mutation*, 38(7), 827–838. <https://doi.org/10.1002/humu.23226>

Ghanbari, M., Ikram, M. A., Looper, H. W. J. de, Hofman, A., Erkland, S. J., Franco, O. H., & Dehghan, A. (2016). Genome-wide identification of microRNA-related variants associated with risk of Alzheimer's disease. *Scientific Reports*, 6, 28387. <https://doi.org/10.1038/srep28387>

Ginneken, V van, Verheij, E., Hekman, M., & der Greef, J. van. (2017). Characterization of the lipid profile post mortem for Type-2 diabetes in human brain and plasma of the elderly with LCMS-techniques: a descriptive approach of diabetic encephalopathy. *Integrative Molecular Medicine*, 4(2). <https://doi.org/10.15761/IMM.1000278>

Ginneken, Vincent van. (2017). Are there any Biomarkers of Aging? Biomarkers of the Brain. *Biomedical Journal of Scientific & Technical Research*, 1(1). <https://doi.org/10.26717/BJSTR.2017.01.000151>

Ginneken, Vincent van, Meerveld, A. van, Verheij, E., & der Greef, J. van. (2017). On the Futile Existence of DHA, None of EPA and the Predominant Role of the Triacylglycerols (TGs) in the Post Mortem Human Brain: An LCMS Study with Evolutionary Implications. *Journal of Bioanalysis & Biomedicine*, 09(03). <https://doi.org/10.4172/1948-593X.1000170>

Ginneken, Vincent van, Vries, E. de, E. V., & der Greef, J. van. (2017). Type 3 Diabetes Reflects Disordered Lipid Metabolism in the Human Brain Related to Higher Degree of Unsaturated Fatty Acids Composition and is not Related to Body Mass Index. *Journal of Bioanalysis & Biomedicine*, 09(03). <https://doi.org/10.4172/1948-593X.1000171>

Grimm, M. O. W., Haupenthal, V. J., Mett, J., Stahlmann, C. P., Blümel, T., Mylonas, N. T., ... Hartmann, T. (2016). Oxidized Docosahexaenoic Acid Species and Lipid Peroxidation Products Increase Amyloidogenic Amyloid Precursor Protein Processing. *Neurodegenerative Diseases*, 16(1–2), 44–54. <https://doi.org/10.1159/000440839>

Große-Veldmann, R., Becker, B., Amor, S., Valk, P., Beyer, C., & Kipp, M. (2015). Lesion Expansion in Experimental Demyelination Animal Models and Multiple Sclerosis Lesions. *Molecular Neurobiology*, 1–13. <https://doi.org/10.1007/s12035-015-9420-y>

- Haarmann, A., Nowak, E., Deiß, A., Pol, S., Monoranu, C.-M., Kooij, G., ... Buttmann, M. (2015). Soluble VCAM-1 impairs human brain endothelial barrier integrity via integrin α-4-transduced outside-in signalling. *Acta Neuropathologica*, 129(5), 639–652. <https://doi.org/10.1007/s00401-015-1417-0>
- Hartl, D., Gu, W., Mayhaus, M., Pichler, S., Schöpe, J., Wagenpfeil, S., & Riemenschneider, M. (2015). Amyloid-β Protein Precursor Cleavage Products in Postmortem Ventricular Cerebrospinal Fluid of Alzheimer's Disease Patients. *Journal of Alzheimer's Disease*, 47(2), 365–372.
- Heinen, C. A., Jongejan, A., Watson, P. J., Redeker, B., Boelen, A., Boudzovitch-Surovtseva, O., ... Hennekam, R. C. (2016). A specific mutation in TBL1XR1 causes Pierpont syndrome. *Journal of Medical Genetics*, jmedgenet-2015-103233. <https://doi.org/10.1136/jmedgenet-2015-103233>
- Heinen, C. A., Losekoot, M., Sun, Y., Watson, P. J., Fairall, L., Joustra, S. D., ... Paul, A. S. (2016). Mutations in TBL1X Are Associated With Central Hypothyroidism. *The Journal of Clinical Endocrinology & Metabolism*, 101(12), 4564–4573. <https://doi.org/10.1210/jc.2016-2531>
- Hendrickx, D. A. E., van Scheppingen, J., van der Poel, M., Bossers, K., Schuurman, K. G., van Eden, C. G., ... Huitinga, I. (2017). Gene Expression Profiling of Multiple Sclerosis Pathology Identifies Early Patterns of Demyelination Surrounding Chronic Active Lesions. *Frontiers in Immunology*, 8. <https://doi.org/10.3389/fimmu.2017.01810>
- Hepp, D. H., Vergoossen, D. L. E., Huisman, E., Lemstra, A. W., Berendse, H. W., Rozemuller, A. J., ... van de Berg, W. D. J. (2016). Distribution and Load of Amyloid-β Pathology in Parkinson Disease and Dementia with Lewy Bodies. *Journal of Neuropathology & Experimental Neurology*, 75(10), 936–945. <https://doi.org/10.1093/jnen/nlw070>
- Herbert, M. K., Verbeek, M. M., Küsters, B., & Kuiperij, H. B. (2015). A multifunctional ELISA to measure oxidised proteins: oxPin1 in Alzheimer's brain as an example. *BBA Clinical*, 4, 1–6. <https://doi.org/10.1016/j.bbaci.2015.04.004>
- Hernández, I. H., Torres-Peraza, J., Santos-Galindo, M., Ramos-Morón, E., Fernández-Fernández, M. R., Pérez-Álvarez, M. J., ... Lucas, J. J. (2017). The neuroprotective transcription factor ATF5 is decreased and sequestered into polyglutamine inclusions in Huntington's disease. *Acta Neuropathologica*, 134(6), 839–850. <https://doi.org/10.1007/s00401-017-1770-2>
- Holtman Inge R., Bsibsi Malika, Gerritsen Wouter H., Boddeke Hendrikus W. G. M., Eggen Bart J. L., van der Valk Paul, ... Amor Sandra. (2017). Identification of highly connected hub genes in the protective response program of human macrophages and microglia activated by alpha B-crystallin. *Glia*, 65(3), 460–473. <https://doi.org/10.1002/glia.23104>
- Hon, C.-C., Ramilowski, J. A., Harshbarger, J., Bertin, N., Rackham, O. J. L., Gough, J., ... Forrest, A. R. R. (2017). An atlas of human long non-coding RNAs with accurate 5' ends. *Nature*, 543(7644), 199–204. <https://doi.org/10.1038/nature21374>
- Hondius, D. C., van Nierop, P., Li, K. W., Hoozemans, J. J. M., van der Schors, R. C., van Haastert, E. S., ... Smit, A. B. (2016). Profiling the human hippocampal proteome at all pathologic stages of Alzheimer's disease. *Alzheimer's & Dementia: The Journal of the Alzheimer's Association*, 12(6), 654–668. <https://doi.org/10.1016/j.jalz.2015.11.002>
- Huang, Y., Skwarek-Maruszewska, A., Horré, K., Vandewyer, E., Wolfs, L., Snellinx, A., ... Thathiah, A. (2015). Loss of GPR3 reduces the amyloid plaque burden and improves memory in Alzheimer's disease mouse models. *Science Translational Medicine*, 7(309), 309ra164-309ra164. <https://doi.org/10.1126/scitranslmed.aab3492>
- Ishunina, T. (2015). Sizes of neuronal nuclei and pericarya in the nucleus basalis of Meynert and the posterior hypothalamus in different age groups. *Advances in Gerontology*, 5(2), 117–120.
- Janssens, K., Van den Haute, C., Baekelandt, V., Lucas, S., Van Horssen, J., Somers, V., ... Slaets, H. (2015). Leukemia inhibitory factor tips the immune balance towards regulatory T cells in multiple sclerosis. *Brain, behavior, and immunity*, 45, 180–188.

- Jensen, M. M., Arvaniti, M., Mikkelsen, J. D., Michalski, D., Pinborg, L. H., Härtig, W., & Thomsen, M. S. (2015). Prostate stem cell antigen interacts with nicotinic acetylcholine receptors and is affected in Alzheimer's disease - ScienceDirect. *Neurobiology of Aging*, 36(4), 1629–1638. <https://doi.org/10.1016/j.neurobiolaging.2015.01.001>
- Jonkman, Laura E, Fleysher, L., Steenwijk, M. D., Koeleman, J. A., de Snoo, T.-P., Barkhof, F., ... Geurts, J. J. (2015). Ultra-high field MTR and qR2* differentiates subpial cortical lesions from normal-appearing gray matter in multiple sclerosis. *Multiple Sclerosis Journal*. <https://doi.org/10.1177/1352458515620499>
- Jonkman, Laura E, Klaver, R., Fleysher, L., Inglese, M., & Geurts, J. J. G. (2016). The substrate of increased cortical FA in MS: A 7T post-mortem MRI and histopathology studyMultiple Sclerosis Journal - Laura E Jonkman, Roel Klaver, Lazar Fleysher, Matilde Inglese, Jeroen JG Geurts, 2016. *Multiple Sclerosis Journal*, 22(14), 1804–1811. <https://doi.org/10.1177/1352458516635290>
- Jonkman, Laura E., Soriano, A. L., Amor, S., Barkhof, F., van der Valk, P., Vrenken, H., & Geurts, J. J. G. (2015). Can MS lesion stages be distinguished with MRI? A postmortem MRI and histopathology study. *Journal of Neurology*, 262(4), 1074–1080. <https://doi.org/10.1007/s00415-015-7689-4>
- Jonkman, L.E., Klaver, R., Fleysher, L., Inglese, M., & Geurts, J. J. G. (2015). Ultra-High-Field MRI Visualization of Cortical Multiple Sclerosis Lesions with T2 and T2*: A Postmortem MRI and Histopathology Study. *American Journal of Neuroradiology*, 36(11), 2062–2067. <https://doi.org/10.3174/ajnr.A4418>
- Jun, G., Ibrahim-Verbaas, C. A., Vronskaya, M., Lambert, J.-C., Chung, J., Naj, A. C., ... Farrer, L. A. (2016). A novel Alzheimer disease locus located near the gene encoding tau protein. *Mol Psychiatry*, 21(1), 108–117.
- Jun, G. R., Chung, J., Mez, J., Barber, R., Beecham, G. W., Bennett, D. A., ... Farrer, L. A. (2017). Transthectic genome-wide scan identifies novel Alzheimer's disease loci. *Alzheimer's & Dementia*, 13(7), 727–738. <https://doi.org/10.1016/j.jalz.2016.12.012>
- Kamphuis, W., Kooijman, L., Orre, M., Stassen, O., Pekny, M., & Hol, E. M. (2015). GFAP and vimentin deficiency alters gene expression in astrocytes and microglia in wild-type mice and changes the transcriptional response of reactive glia in mouse model for Alzheimer's disease. *Glia*, 63(6), 1036–1056. <https://doi.org/10.1002/glia.22800>
- Kannan, P., Schain, M., Kretzschmar, W. W., Weidner, L., Mitsios, N., Gulyás, B., ... Mulder, J. (2017). An automated method measures variability in P-glycoprotein and ABCG2 densities across brain regions and brain matter. *Journal of Cerebral Blood Flow & Metabolism*, 37(6), 2062–2075. <https://doi.org/10.1177/0271678X16660984>
- Kaut, O., Schmitt, I., Hofmann, A., Hoffmann, P., Schlaepfer, T. E., Wüllner, U., & Hurlemann, R. (2015). Aberrant NMDA receptor DNA methylation detected by epigenome-wide analysis of hippocampus and prefrontal cortex in major depression. *European Archives of Psychiatry and Clinical Neuroscience*, 265(4), 331–341. <https://doi.org/10.1007/s00406-014-0572-y>
- Khermesh, K., D'Erchia, A. M., Barak, M., Annese, A., Wachtel, C., Levanon, E. Y., ... Eisenberg, E. (2016). Reduced levels of protein recoding by A-to-I RNA editing in Alzheimer's disease. *RNA*, 22(2), 290–302. <https://doi.org/10.1261/rna.054627.115>
- Kilsdonk, I. D., Jonkman, L. E., Klaver, R., Veluw, V., J. S., Zwanenburg, J. J. M., ... Geurts, J. J. G. (2016). Increased cortical grey matter lesion detection in multiple sclerosis with 7 T MRI: a post-mortem verification study. *Brain*, 139(5), 1472–1481. <https://doi.org/10.1093/brain/aww037>
- Kim, N.-Y., Cho, M.-H., Won, S.-H., Kang, H.-J., Yoon, S.-Y., & Kim, D.-H. (2017). Sorting nexin-4 regulates β-amyloid production by modulating β-site-activating cleavage enzyme-1. *Alzheimer's Research & Therapy*, 9(1), 4. <https://doi.org/10.1186/s13195-016-0232-8>
- Klaver, R., Popescu, V., Voorn, P., Galis-de Graaf, Y., van der Valk, P., de Vries, H. E., ... Geurts, J. J. (2015). Neuronal and axonal loss in normal-appearing gray matter and subpial lesions in multiple sclerosis. *Journal of Neuropathology & Experimental Neurology*, 74(5), 453–458.

Klioueva, N. M., Rademaker, M. C., Dexter, D. T., Al-Sarraj, S., Seilhean, D., Streichenberger, N., ... Huitinga, I. (2015). BrainNet Europe's Code of Conduct for brain banking. *Journal of Neural Transmission*, 122(7), 937–940. <https://doi.org/10.1007/s00702-014-1353-5>

Koopman, A. C. M., Taziaux, M., & Bakker, J. (2017). Age-related changes in the morphology of tanycytes in the human female infundibular nucleus/median eminence. *Journal of Neuroendocrinology*, 29(5). <https://doi.org/10.1111/jne.12467>

Kovács, T., Billes, V., Komlós, M., Hotzi, B., Manzéger, A., Tarnóci, A., ... Vellai, T. (2017). The small molecule AUTEN-99 (autophagy enhancer-99) prevents the progression of neurodegenerative symptoms. *Scientific Reports*, 7, 42014. <https://doi.org/10.1038/srep42014>

Kuiperij, H. B., Versleijen, A. A. M., Beenens, M., Verwey, N. A., Benussi, L., Paterlini, A., ... Verbeek, M. M. (2016). Tau Rather than TDP-43 Proteins are Potential Cerebrospinal Fluid Biomarkers for Frontotemporal Lobar Degeneration Subtypes: A Pilot Study. *Journal of Alzheimer's Disease*, 55(2), 585–595. <https://doi.org/10.3233/JAD-160386>

Kumar, P., Bulk, M., Webb, A., Weerd, L. van der, Oosterkamp, T. H., Huber, M., & Bossoni, L. (2016). A novel approach to quantify different iron forms in *ex-vivo* human brain tissue. *Scientific Reports*, 6, 38916. <https://doi.org/10.1038/srep38916>

Kvartsberg, H., Duits, F. H., Ingelsson, M., Andreasen, N., Öhrfelt, A., Andersson, K., ... Blennow, K. (2015). Cerebrospinal fluid levels of the synaptic protein neurogranin correlates with cognitive decline in prodromal Alzheimer's disease. *Alzheimer's & Dementia*, 11(10), 1180–1190. <https://doi.org/10.1016/j.jalz.2014.10.009>

Lee, K., Kim, H., An, K., Kwon, O.-B., Park, S., Cha, J. H., ... Kim, H.-S. (2016). Replenishment of microRNA-188-5p restores the synaptic and cognitive deficits in 5XFAD Mouse Model of Alzheimer's Disease. *Scientific Reports*, 6, 34433. <https://doi.org/10.1038/srep34433>

Lemoine, L., Gillberg, P.-G., Svedberg, M., Stepanov, V., Jia, Z., Huang, J., ... Nordberg, A. (2017). Comparative binding properties of the tau PET tracers THK5117, THK5351, PBB3, and T807 in postmortem Alzheimer brains. *Alzheimer's Research & Therapy*, 9(1), 96. <https://doi.org/10.1186/s13195-017-0325-z>

Lemoine, L., Saint-Aubert, L., Marutle, A., Antoni, G., Eriksson, P. J., Ghetti, B., ... Nordberg, A. (2015). Visualization of regional tau deposits using 3H-THK5117 in Alzheimer brain tissue. *Acta Neuropathologica Communications*, 3(1), 1–11. <https://doi.org/10.1186/s40478-015-0220-4>

Lewandowski, S. A., Nilsson, I., Fredriksson, L., Lönnérberg, P., Muhl, L., Zeitelhofer, M., ... Eriksson, U. (2015). Presymptomatic activation of the PDGF-CC pathway accelerates onset of ALS neurodegeneration. *Acta Neuropathologica*, 131(3), 453–464. <https://doi.org/10.1007/s00401-015-1520-2>

Liao, Y., Qi, X.-L., Cao, Y., Yu, W.-F., Ravid, R., Winblad, B., ... Guan, Z.-Z. (2016, november). Elevations in the Levels of NF-κB and Inflammatory Chemotactic Factors in the Brains with Alzheimer’s Disease - One Mechanism May Involve α3 Nicotinic Acetylcholine Receptor [Text]. Geraadpleegd 12 november 2018, van <https://www.ingentaconnect.com/contentone/ben/car/2016/00000013/00000011/art00010>

Liu, Y., Zhou, Q., Tang, M., Fu, N., Shao, W., Zhang, S., ... Hu, G. (2015). Upregulation of alphaB-crystallin expression in the substantia nigra of patients with Parkinson's disease. *Neurobiology of aging*, 36(4), 1686–1691.

López-Sendón, J. de Y. J., Ros, R., Heetveld, O. S. I. B. S., Bevova, M., & Rizzu, S. J. P. H. P. (2015). Clinical and Neuropathological Features of Spastic Ataxia in a Spanish Family with Novel Compound Heterozygous Mutations in STUB1.

Lorteije, J. A., Zylberberg, A., Ouellette, B. G., De Zeeuw, C. I., Sigman, M., & Roelfsema, P. R. (2015). The Formation of Hierarchical Decisions in the Visual Cortex. *Neuron*, 87(6), 1344–1356.

Lu, J., Zhao, J., Balesar, R., Fronczek, R., Zhu, Q.-B., Wu, X.-Y., ... Swaab, D. F. (2017). Sexually Dimorphic Changes of Hypocretin (Orexin) in Depression. *EBioMedicine*, 18, 311–319. <https://doi.org/10.1016/j.ebiom.2017.03.043>

Macrez, R., Ortega, M. C., Bardou, I., Mehra, A., Fournier, A., Pol, V. der, ... Docagne, F. (2016). Neuroendothelial NMDA receptors as therapeutic targets in experimental autoimmune encephalomyelitis. *Brain*, 139(9), 2406–2419. <https://doi.org/10.1093/brain/aww172>

Melief, J., Koper, J., Endert, E., Møller, H., Hamann, J., Uitdehaag, B., & Huitinga, I. (2016). Glucocorticoid receptor haplotypes conferring increased sensitivity (BclI and N363S) are associated with faster progression of multiple sclerosis. *Journal of Neuroimmunology*, 299, 84–89. <https://doi.org/10.1016/j.jneuroim.2016.08.019>

Melief, J., Sneeboer, M. a. M., Litjens, M., Ormel, P. R., Palmen, S. J. M. C., Huitinga, I., ... D, L. (2016). Characterizing primary human microglia: A comparative study with myeloid subsets and culture models. *Glia*, 64(11), 1857–1868. <https://doi.org/10.1002/glia.23023>

Menzel, L., Paterka, M., Bittner, S., White, R., Bobkiewicz, W., Horssen, J. van, ... Schäfer, M. K. E. (2016). Down-regulation of neuronal L1 cell adhesion molecule expression alleviates inflammatory neuronal injury. *Acta Neuropathologica*, 132(5), 703–720. <https://doi.org/10.1007/s00401-016-1607-4>

Merlini, M., Wanner, D., & Nitsch, R. M. (2016). Tau pathology-dependent remodelling of cerebral arteries precedes Alzheimer's disease-related microvascular cerebral amyloid angiopathy. *Acta Neuropathologica*, 131(5), 737–752. <https://doi.org/10.1007/s00401-016-1560-2>

Michailidou, I., Naessens, D. M. P., Hametner, S., Guldhaar, W., Kooi, E.-J., Geurts, J. J. G., ... Ramaglia, V. (2017). Complement C3 on microglial clusters in multiple sclerosis occur in chronic but not acute disease: Implication for disease pathogenesis: Complement C3 and Microglial Clusters in MS. *Glia*, 65(2), 264–277. <https://doi.org/10.1002/glia.23090>

Michailidou, I., Willems, J. G., Kooi, E., van Eden, C., Gold, S. M., Geurts, J. J., ... Ramaglia, V. (2015). Complement C1q-C3-associated synaptic changes in multiple sclerosis hippocampus. *Annals of neurology*, 77(6), 1007–1026.

Mitterreiter, J. G., Ouwendijk, W. J. D., van Velzen, M., van Nierop, G. P., Osterhaus, A. D. M. E., & Verjans, G. M. G. M. (2017). Satellite glial cells in human trigeminal ganglia have a broad expression of functional Toll-like receptors. *European Journal of Immunology*, 47(7), 1181–1187. <https://doi.org/10.1002/eji.201746989>

Moeton, M., Stassen, O. M. J. A., Sluijs, J. A., Meer, V. W. N. van der, Kluivers, L. J., Hoorn, H. van, ... Hol, E. M. (2016). GFAP isoforms control intermediate filament network dynamics, cell morphology, and focal adhesions. *Cellular and Molecular Life Sciences*, 73(21), 4101–4120. <https://doi.org/10.1007/s00018-016-2239-5>

Mukherjee, S., Walter, S., Kauwe, J. S. K., Saykin, A. J., Bennett, D. A., Larson, E. B., ... Glymour, M. M. (2015). Genetically predicted body mass index and Alzheimer's disease-related phenotypes in three large samples: Mendelian randomization analyses. *Alzheimer's & Dementia*, 11(12), 1439–1451. <https://doi.org/10.1016/j.jalz.2015.05.015>

Ni, R., Gillberg, P.-G., Bogdanovic, N., Viitanen, M., Myllykangas, L., Nennesmo, I., ... Nordberg, A. (2017). Amyloid tracers binding sites in autosomal dominant and sporadic Alzheimer's disease. *Alzheimer's & Dementia: The Journal of the Alzheimer's Association*, 13(4), 419–430. <https://doi.org/10.1016/j.jalz.2016.08.006>

Nichterwitz, S., Chen, G., Benitez, J. A., Yilmaz, M., Storvall, H., Cao, M., ... Hedlund, E. (2016). Laser capture microscopy coupled with Smart-seq2 for precise spatial transcriptomic profiling. *Nature Communications*, 7, 12139. <https://doi.org/10.1038/ncomms12139>

Nierop, G. P. van, Luijn, M. M. van, Michels, S. S., Melief, M.-J., Janssen, M., Langerak, A. W., ... Verjans, G. M. G. M. (2017). Phenotypic and functional characterization of T cells in white matter lesions of multiple sclerosis patients. *Acta Neuropathologica*, 134(3), 383–401. <https://doi.org/10.1007/s00401-017-1744-4>

Nijholt, D. A. T., Ijsselstijn, L., van der Weiden, M. M., Zheng, P.-P., Silleveld Smitt, P. A. E., Koudstaal, P. J., ... Kros, J. M. (2015). Pregnancy Zone Protein is Increased in the Alzheimer's Disease Brain and Associates with Senile Plaques. *Journal of Alzheimer's Disease : JAD*, 46(1), 227–238. <https://doi.org/10.3233/JAD-131628>

- Nijland, P. G., Molenaar, R. J., van der Pol, S. M. A., van der Valk, P., van Noorden, C. J. F., de Vries, H. E., & van Horssen, J. (2015). Differential expression of glucose-metabolizing enzymes in multiple sclerosis lesions. *Acta Neuropathologica Communications*, 3(1), 1–13. <https://doi.org/10.1186/s40478-015-0261-8>
- Ning, Z., McLellan, A. S., Ball, M., Wynne, F., O'Neill, C., Mills, W., ... Moore, T. (2015). Regulation of SPRY3 by X chromosome and PAR2-linked promoters in an autism susceptibility region. *Human Molecular Genetics*, 24(18), 5126–5141. <https://doi.org/10.1093/hmg/ddv231>
- Østergaard, S. D., Mukherjee, S., Sharp, S. J., Proitsi, P., Lotta, L. A., Day, F., ... EPIC-InterAct Consortium. (2015). Associations between Potentially Modifiable Risk Factors and Alzheimer Disease: A Mendelian Randomization Study. *PLoS Med*, 12(6), e1001841. <https://doi.org/10.1371/journal.pmed.1001841>
- Papadopoulou, A., Siamatas, T., Delgado-Morales, R., Amin, N. D., Shukla, V., Zheng, Y.-L., ... Kino, T. (2015). Acute and chronic stress differentially regulate cyclin-dependent kinase 5 in mouse brain: implications to glucocorticoid actions and major depression. *Transl Psychiatry*, 5, e578.
- Pascual, G., Wadia, J. S., Zhu, X., Keogh, E., Kükrer, B., van Ameijde, J., ... Goudsmit, J. (2017). Immunological memory to hyperphosphorylated tau in asymptomatic individuals. *Acta Neuropathologica*, 133(5), 767–783. <https://doi.org/10.1007/s00401-017-1705-y>
- Peferoen, L. A. N., Gerritsen, W. H., Breur, M., Ummenthum, K. M. D., Peferoen-Baert, R. M. B., van der Valk, P., ... Amor, S. (2015). Small heat shock proteins are induced during multiple sclerosis lesion development in white but not grey matter. *Acta Neuropathologica Communications*, 3(1), 1–16. <https://doi.org/10.1186/s40478-015-0267-2>
- Peferoen, L. A., Vogel, D. Y., Ummenthum, K., Breur, M., Heijnen, P. D., Gerritsen, W. H., ... Amor, S. (2015). Activation status of human microglia is dependent on lesion formation stage and remyelination in multiple sclerosis. *Journal of Neuropathology & Experimental Neurology*, 74(1), 48–63.
- Petzold, A., Nijland, P. G., Balk, L. J., Amorini, A. M., Lazzarino, G., Wattjes, M. P., ... van Horssen, J. (2015). Visual pathway neurodegeneration winged by mitochondrial dysfunction. *Annals of Clinical and Translational Neurology*, 2(2), 140–150. <https://doi.org/10.1002/acn3.157>
- Pijnenburg, Y. A. L., Verwey, N. A., van der Flier, W. M., Scheltens, P., & Teunissen, C. E. (2015). Discriminative and prognostic potential of cerebrospinal fluid phosphoTau/tau ratio and neurofilaments for frontotemporal dementia subtypes. *Alzheimer's & Dementia: Diagnosis, Assessment & Disease Monitoring*, 1(4), 505–512. <https://doi.org/10.1016/j.jadm.2015.11.001>
- Pinheiro, M. A. L., Kroon, J., Hoogenboezem, M., Geerts, D., Hof, B. van het, Pol, S. M. A. van der, ... Vries, H. E. de. (2016). Acid Sphingomyelinase-Derived Ceramide Regulates ICAM-1 Function during T Cell Transmigration across Brain Endothelial Cells. *The Journal of Immunology*, 196(1), 72–79. <https://doi.org/10.4049/jimmunol.1500702>
- Pinner, E., Gruper, Y., Ben Zimra, M., Kristt, D., Laudon, M., Naor, D., & Zisapel, N. (2017). CD44 Splice Variants as Potential Players in Alzheimer's Disease Pathology. *Journal of Alzheimer's Disease*, 58(4), 1137–1149. <https://doi.org/10.3233/JAD-161245>
- Piston, D., Alvarez-Erviti, L., Bansal, V., Gargano, D., Yao, Z., Szabadkai, G., ... Gegg, M. E. (2017). DJ-1 is a redox sensitive adapter protein for high molecular weight complexes involved in regulation of catecholamine homeostasis. *Human Molecular Genetics*, 26(20), 4028–4041. <https://doi.org/10.1093/hmg/ddx294>
- Plum, S., Steinbach, S., Attems, J., Keers, S., Riederer, P., Gerlach, M., ... Marcus, K. (2016). Proteomic characterization of neuromelanin granules isolated from human *substantia nigra* by laser-microdissection. *Scientific Reports*, 6, 37139. <https://doi.org/10.1038/srep37139>
- Pollok, K., Mothes, R., Ulbricht, C., Liebheit, A., Gerken, J. D., Uhlmann, S., ... Hauser, A. E. (2017). The chronically inflamed central nervous system provides niches for long-lived plasma cells. *Acta Neuropathologica Communications*, 5(1), 88. <https://doi.org/10.1186/s40478-017-0487-8>

- Popescu, V., Klaver, R., Voorn, P., Galis-de Graaf, Y., Knol, D., Twisk, J., ... Barkhof, F. (2015). What drives MRI-measured cortical atrophy in multiple sclerosis? *Multiple Sclerosis Journal*, 21(10), 1280–1290.
- Popescu, Veronica, Klaver, R., Versteeg, A., Voorn, P., Twisk, J. W. R., Barkhof, F., ... Vrenken, H. (2016). Postmortem validation of MRI cortical volume measurements in MS. *Human Brain Mapping*, 37(6), 2223–2233.
<https://doi.org/10.1002/hbm.23168>
- Qi, X.-R., Zhao, J., Liu, J., Fang, H., Swaab, D. F., & Zhou, J.-N. (2015). Abnormal retinoid and TrkB signaling in the prefrontal cortex in mood disorders. *Cerebral cortex*, 25(1), 75–83.
- Rachmawati, D., Peferoen, L. A. N., Vogel, D. Y. S., Alsalem, I. W. A., Amor, S., Bontkes, H. J., ... van Hoogstraten, I. M. W. (2016). Metal ions potentiate microglia responsiveness to endotoxin. *Journal of Neuroimmunology*, 291, 89–95.
<https://doi.org/10.1016/j.jneuroim.2015.12.013>
- Ramaglia, V., Michailidou, I., Touil, H., van Eden, C., Huitinga, I., Gommerman, J., & Bar-Or, A. (2015). The Relation between Meningeal Inflammation, Cortical Demyelination and White Matter Lesional Activity in Chronic Multiple Sclerosis: a Pilot Study (P5. 228). *Neurology*, 84(14 Supplement), P5-228.
- Ran, C., Wirdefeldt, K., Brodin, L., Ramezani, M., Westerlund, M., Xiang, F., ... Belin, A. C. (2017). Genetic Variations and mRNA Expression of NRF2 in Parkinson's Disease [Research article]. Geraadpleegd 5 november 2018, van
<https://www.hindawi.com/journals/pd/2017/4020198/abs/>
- Reinert, J., Richard, B. C., Klafki, H. W., Friedrich, B., Bayer, T. A., Wiltfang, J., ... Wirths, O. (2016). Deposition of C-terminally truncated A β species A β 37 and A β 39 in Alzheimer's disease and transgenic mouse models. *Acta Neuropathologica Communications*, 4, 24. <https://doi.org/10.1186/s40478-016-0294-7>
- Remnestrål, J., Just, D., Mitsios, N., Fredolini, C., Mulder, J., Schwenk, J. M., ... Häggmark-Månberg, A. (2016). CSF profiling of the human brain enriched proteome reveals associations of neuromodulin and neurogranin to Alzheimer's disease. *PROTEOMICS – Clinical Applications*, 10(12), 1242–1253.
<https://doi.org/10.1002/prca.201500150>
- Reuter, E., Weber, J., Paterka, M., Ploen, R., Breiderhoff, T., van Horssen, J., ... Zipp, F. (2015). Role of Sortilin in Models of Autoimmune Neuroinflammation. *The Journal of Immunology*, 195(12), 5762–5769.
<https://doi.org/10.4049/jimmunol.1403156>
- Riise, J., Plath, N., Pakkenberg, B., & Parachikova, A. (2015). Aberrant Wnt signaling pathway in medial temporal lobe structures of Alzheimer's disease. *Journal of Neural Transmission*, 122(9), 1303–1318.
<https://doi.org/10.1007/s00702-015-1375-7>
- Rizzu, P., Blauwendraat, C., Heetveld, S., Lynes, E. M., Castillo-Lizardo, M., Dhingra, A., ... Heutink, P. (2016). C9orf72 is differentially expressed in the central nervous system and myeloid cells and consistently reduced in C9orf72, MAPT and GRN mutation carriers. *Acta Neuropathologica Communications*, 4. <https://doi.org/10.1186/s40478-016-0306-7>
- Rosenberger, A. F., Hilhorst, R., Coart, E., García Barrado, L., Naji, F., Rozemuller, A. J., ... van der Vies, S. M. (2015). Protein kinase activity decreases with higher Braak stages of Alzheimer's disease pathology. *Journal of Alzheimer's Disease*, (Preprint), 1–17.
- Rosenberger, A. F. N., Morrema, T. H. J., Gerritsen, W. H., van Haastert, E. S., Snkhchyan, H., Hilhorst, R., ... Hoozemans, J. J. M. (2016). Increased occurrence of protein kinase CK2 in astrocytes in Alzheimer's disease pathology. *Journal of Neuroinflammation*, 13, 4. <https://doi.org/10.1186/s12974-015-0470-x>
- Rydbirk, R., Elfving, B., Andersen, M. D., Langbøl, M. A., Folke, J., Winge, K., ... Aznar, S. (2017). Cytokine profiling in the prefrontal cortex of Parkinson's Disease and Multiple System Atrophy patients. *Neurobiology of Disease*, 106, 269–278. <https://doi.org/10.1016/j.nbd.2017.07.014>

- Rydbirk, R., Folke, J., Winge, K., Aznar, S., Pakkenberg, B., & Brudek, T. (2016). Assessment of brain reference genes for RT-qPCR studies in neurodegenerative diseases. *Scientific Reports*, 6, 37116. <https://doi.org/10.1038/srep37116>
- Saal, K.-A., Galter, D., Roeber, S., Bähr, M., Tönges, L., & Lingor, P. (2017). Altered Expression of Growth Associated Protein-43 and Rho Kinase in Human Patients with Parkinson's Disease. *Brain Pathology*, 27(1), 13–25. <https://doi.org/10.1111/bpa.12346>
- Savastano, A., Klafki, H., Haußmann, U., Oberstein, T. J., Muller, P., Wirths, O., ... Bayer, T. A. (2015). N-Truncated A β 2-X Starting with Position Two in Sporadic Alzheimer's Disease Cases and Two Alzheimer Mouse Models. *Journal of Alzheimer's Disease*, 49(1), 101–110. <https://doi.org/10.3233/JAD-150394>
- Schottlaender, L. V., Polke, J. M., Ling, H., MacDoanld, N. D., Tucci, A., Nanji, T., ... Houlden, H. (2015). The analysis of C9orf72 repeat expansions in a large series of clinically and pathologically diagnosed cases with atypical parkinsonism. *Neurobiology of Aging*, 36(2), 1221.e1-1221.e6. <https://doi.org/10.1016/j.neurobiolaging.2014.08.024>
- Schou, M., Varnäs, K., Jureus, A., Ahlgren, C., Malmquist, J., Häggkvist, J., ... Farde, L. (2016). Discovery and Preclinical Validation of [11C]AZ13153556, a Novel Probe for the Histamine Type 3 Receptor. *ACS Chemical Neuroscience*, 7(2), 177–184. <https://doi.org/10.1021/acschemneuro.5b00268>
- Schultz, N., Byman, E., Fex, M., & Wennström, M. (2017). Amylin alters human brain pericyte viability and NG2 expression. *Journal of Cerebral Blood Flow & Metabolism*, 37(4), 1470–1482. <https://doi.org/10.1177/0271678X16657093>
- Schütt, T., Helboe, L., Pedersen, L. Ø., Waldemar, G., Berendt, M., & Pedersen, J. T. (2016). Dogs with Cognitive Dysfunction as a Spontaneous Model for Early Alzheimer's Disease: A Translational Study of Neuropathological and Inflammatory Markers. *Journal of Alzheimer's Disease*, 52(2), 433–449. <https://doi.org/10.3233/JAD-151085>
- Shakhabazau, A., Schenk, G. J., Hay, C., Kawasoe, J., Klaver, R., Yong, V. W., ... Minnen, J. van. (2016). Demyelination induces transport of ribosome-containing vesicles from glia to axons: evidence from animal models and MS patient brains. *Molecular Biology Reports*, 43(6), 495–507. <https://doi.org/10.1007/s11033-016-3990-2>
- Shan, L., Bao, A.-M., & Swaab, D. F. (2015). The human histaminergic system in neuropsychiatric disorders. *Trends in Neurosciences*, 38(3), 167–177. <https://doi.org/10.1016/j.tins.2014.12.008>
- Shan, L., Bao, A.-M., & Swaab, D. F. (2017). Changes in Histidine Decarboxylase, Histamine N-Methyltransferase and Histamine Receptors in Neuropsychiatric Disorders. In Y. Hattori & R. Seifert (Eds.), *Histamine and Histamine Receptors in Health and Disease* (pp. 259–276). Cham: Springer International Publishing. Geraadpleegd van https://doi.org/10.1007/164_2016_125
- Song, H., Kim, W., Choi, J.-H., Kim, S.-H., Lee, D., Park, C.-H., ... Kim, K.-T. (2016). Stress-induced nuclear translocation of CDK5 suppresses neuronal death by downregulating ERK activation via VRK3 phosphorylation. *Scientific Reports*, 6, 28634. <https://doi.org/10.1038/srep28634>
- Song, H., Kim, W., Kim, S.-H., & Kim, K.-T. (2016). VRK3-mediated nuclear localization of HSP70 prevents glutamate excitotoxicity-induced apoptosis and A β accumulation via enhancement of ERK phosphatase VHR activity. *Scientific Reports*, 6. <https://doi.org/10.1038/srep38452>
- Stanic, J., Mellone, M., Napolitano, F., Racca, C., Zianni, E., Minocci, D., ... Gardoni, F. (2017). Rabphilin 3A: A novel target for the treatment of levodopa-induced dyskinesias. *Neurobiology of Disease*, 108, 54–64. <https://doi.org/10.1016/j.nbd.2017.08.001>
- Stepanov, V., Svedberg, M., Jia, Z., Krasikova, R., Lemoine, L., Okamura, N., ... Halldin, C. (2017). Development of [11C]/[3H]THK-5351 – A potential novel carbon-11 tau imaging PET radioligand. *Nuclear Medicine and Biology*, 46, 50–53. <https://doi.org/10.1016/j.nucmedbio.2016.12.004>

- Strijbis, E. M. M., Kooi, E.-J., van der Valk, P., & Geurts, J. J. G. (2017). Cortical Remyelination Is Heterogeneous in Multiple Sclerosis. *Journal of Neuropathology & Experimental Neurology*, 76(5), 390–401. <https://doi.org/10.1093/jnen/nlx023>
- Sun, D., Yu, Z., Fang, X., Liu, M., Pu, Y., Shao, Q., ... He, C. (2017). LncRNA GAS5 inhibits microglial M2 polarization and exacerbates demyelination. *EMBO Reports*, 18(10), 1801–1816. <https://doi.org/10.15252/embr.201643668>
- Szulzewsky, F., Arora, S., de Witte, L., Ulas, T., Markovic, D., Schultze, J. L., ... Kettenmann, H. (2016). Human glioblastoma-associated microglia/monocytes express a distinct RNA profile compared to human control and murine samples. *Glia*, 64(8), 1416–1436. <https://doi.org/10.1002/glia.23014>
- Tang, Z., Iloja, E., Bereczki, E., Hultenby, K., Li, C., Guan, Z., ... Pei, J.-J. (2015). mTor mediates tau localization and secretion: Implication for Alzheimer's disease. *Biochimica et Biophysica Acta (BBA) - Molecular Cell Research*, 1853(7), 1646–1657. <https://doi.org/10.1016/j.bbamcr.2015.03.003>
- Tasegian, A., Paciotti, S., Ceccarini, M. R., Codini, M., Moors, T., Chiasserini, D., ... Beccari, T. (2017). Origin of α-mannosidase activity in CSF. *The International Journal of Biochemistry & Cell Biology*, 87, 34–37. <https://doi.org/10.1016/j.biocel.2017.03.016>
- Taziaux, M., Staphorsius, A. S., Ghatei, M. A., Bloom, S. R., Swaab, D. F., & Bakker, J. (2016). Kisspeptin Expression in the Human Infundibular Nucleus in Relation to Sex, Gender Identity, and Sexual Orientation. *The Journal of Clinical Endocrinology & Metabolism*, 101(6), 2380–2389. <https://doi.org/10.1210/jc.2015-4175>
- Ten Kulve, J. S., van Bloemendaal, L., Balesar, R., IJzerman, R. G., Swaab, D. F., Diamant, M., ... Alkemade, A. (2015). Decreased hypothalamic glucagon-like peptide-1 receptor expression in type 2 diabetes patients. *The Journal of Clinical Endocrinology and Metabolism*, jc20153291. <https://doi.org/10.1210/jc.2015-3291>
- Thomas, M. G., Welch, C., Stone, L., Allan, P., & White, R. A. B. and R. B. (2016). PAX6 expression may be protective against dopaminergic cell loss in Parkinson's disease. *CNS & Neurological Disorders - Drug Targets*, 15(1), 73–79. <https://doi.org/10.2174/1871527314666150821101757>
- Tong, Z., Han, C., Qiang, M., Wang, W., Lv, J., Zhang, S., ... He, R. (2015). Age-related formaldehyde interferes with DNA methyltransferase function, causing memory loss in Alzheimer's disease. *Neurobiology of Aging*, 36(1), 100–110. <https://doi.org/10.1016/j.neurobiolaging.2014.07.018>
- Tong, Z., Wang, W., Luo, W., Lv, J., Li, H., Luo, H., ... He, R. (2016). Urine Formaldehyde Predicts Cognitive Impairment in Post-Stroke Dementia and Alzheimer's Disease. *Journal of Alzheimer's Disease*, 55(3), 1031–1038. <https://doi.org/10.3233/JAD-160357>
- Ummenthum, K., Peferoen, L. A. N., Finardi, A., Baker, D., Pryce, G., Mantovani, A., ... Amor, S. (2015). Pentraxin-3 is upregulated in the central nervous system during MS and EAE, but does not modulate experimental neurological disease. *European Journal of Immunology*, n/a-n/a. <https://doi.org/10.1002/eji.201545950>
- Vaikath, N. N., Majbour, N. K., Paleologou, K. E., Ardash, M. T., van Dam, E., van de Berg, W. D. J., ... El-Agnaf, O. M. A. (2015). Generation and characterization of novel conformation-specific monoclonal antibodies for α-synuclein pathology. *Neurobiology of Disease*, 79, 81–99. <https://doi.org/10.1016/j.nbd.2015.04.009>
- Van, A. E., Janssen, A. P. A., Cognetta, 3rd AB, Ogasawara, D., Shpak, G., Van, M. der K., ... Van, M. der S. (2017). Activity-based protein profiling reveals off-target proteins of the FAAH inhibitor BIA 10-2474. *Science (New York, N.Y.)*, 356(6342), 1084–1087. <https://doi.org/10.1126/science.aaf7497>
- van den Bos, H., Spierings, D. C. J., Taudt, A., Bakker, B., Porubský, D., Falconer, E., ... Lansdorp, P. M. (2016). Single-cell whole genome sequencing reveals no evidence for common aneuploidy in normal and Alzheimer's disease neurons. *Genome Biology*, 17(1), 116. <https://doi.org/10.1186/s13059-016-0976-2>

- van der Harg, J. M., Eggels, L., Bangel, F. N., Ruigrok, S. R., Zwart, R., Hoozemans, J. J. M., ... Scheper, W. (2017). Insulin deficiency results in reversible protein kinase A activation and tau phosphorylation. *Neurobiology of Disease*, 103, 163–173. <https://doi.org/10.1016/j.nbd.2017.04.005>
- van der Meer, T. P., Artacho-Cordón, F., Swaab, D. F., Struik, D., Makris, K. C., Wolffenbuttel, B. H. R., ... van Vliet-Ostaptchouk, J. V. (2017). Distribution of Non-Persistent Endocrine Disruptors in Two Different Regions of the Human Brain. *International Journal of Environmental Research and Public Health*, 14(9), 1059. <https://doi.org/10.3390/ijerph14091059>
- van Horssen, J., van der Pol, S., Nijland, P., Amor, S., & Perron, H. (2016). Human endogenous retrovirus W in brain lesions: Rationale for targeted therapy in multiple sclerosis. *Multiple Sclerosis and Related Disorders*, 8(Supplement C), 11–18. <https://doi.org/10.1016/j.msard.2016.04.006>
- van Luijn, M. M., Kreft, K. L., Jongsma, M. L., Mes, S. W., Wierenga-Wolf, A. F., van Meurs, M., ... Janssen, H. (2015). Multiple sclerosis-associated CLEC16A controls HLA class II expression via late endosome biogenesis. *Brain*, awv080.
- van Luijn, M. M., van Meurs, M., Stoop, M. P., Verbraak, E., Wierenga-Wolf, A. F., Melief, M.-J., ... Hintzen, R. Q. (2015). Elevated Expression of the Cerebrospinal Fluid Disease Markers Chromogranin A and Clusterin in Astrocytes of Multiple Sclerosis White Matter Lesions. *Journal of Neuropathology & Experimental Neurology*. <https://doi.org/10.1093/jnen/nlv004>
- van Mierlo, H. C., Wichers, C. G. K., He, Y., Sneeboer, M. A. M., Radstake, T. R. D. J., Kahn, R. S., ... de Witte, L. D. (2017). Telomere quantification in frontal and temporal brain tissue of patients with schizophrenia. *Journal of Psychiatric Research*, 95, 231–234. <https://doi.org/10.1016/j.jpsychires.2017.09.006>
- van Strien, M. E., de Vries, H. E., Chrobok, N. L., Bol, J. G. J. M., Breve, J. J. P., van der Pol, S. M. P., ... Van Dam, A.-M. (2015). Tissue Transglutaminase contributes to experimental multiple sclerosis pathogenesis and clinical outcome by promoting macrophage migration. *Brain, Behavior, and Immunity*, 50, 141–154. <https://doi.org/10.1016/j.bbi.2015.06.023>
- Vavoulis, D. V., Francescatto, M., Heutink, P., & Gough, J. (2015). DGEclust: differential expression analysis of clustered count data. *Genome biology*, 16(1), 39.
- Veldman, E. R., Jia, Z., Halldin, C., & Svedberg, M. M. (2016). Amyloid binding properties of curcumin analogues in Alzheimer's disease postmortem brain tissue. *Neuroscience Letters*, 630, 183–188. <https://doi.org/10.1016/j.neulet.2016.07.045>
- Verwer, R. W., Sluiter, A. A., Balesar, R. A., Baaijen, J. C., Witt Hamer, P. C., Speijer, D., ... Swaab, D. F. (2015). Injury response of resected human brain tissue in vitro. *Brain Pathology*, 25(4), 454–468.
- Vogel, D. Y. S., Kooij, G., Heijnen, P. D. A. M., Breur, M., Peferoen, L. A. N., van der Valk, P., ... Dijkstra, C. D. (2015). GM-CSF promotes migration of human monocytes across the blood brain barrier. *European Journal of Immunology*, 45(6), 1808–1819. <https://doi.org/10.1002/eji.201444960>
- Wang, C.-W., Nan, D.-D., Wang, X.-M., Ke, Z.-J., Chen, G.-J., & Zhou, J.-N. (2017). A peptide-based near-infrared fluorescence probe for dynamic monitoring senile plaques in Alzheimer's disease mouse model. *Science Bulletin*, 62(23), 1593–1601. <https://doi.org/10.1016/j.scib.2017.11.005>
- Wang, Q., Zhou, Q., Zhang, S., Shao, W., Yin, Y., Li, Y., ... Zhou, J. (2016). Elevated Hapln2 Expression Contributes to Protein Aggregation and Neurodegeneration in an Animal Model of Parkinson's Disease. *Frontiers in Aging Neuroscience*, 8. <https://doi.org/10.3389/fnagi.2016.00197>
- Wei, T., Yi, M., Gu, W., Hou, L., Lu, Q., Yu, Z., & Chen, H. (2017). The Potassium Channel KCa3.1 Represents a Valid Pharmacological Target for Astrogliosis-Induced Neuronal Impairment in a Mouse Model of Alzheimer's Disease. *Frontiers in Pharmacology*, 7. <https://doi.org/10.3389/fphar.2016.00528>

Wei, Y.-N., Hu, H.-Y., Xie, G.-C., Fu, N., Ning, Z.-B., Zeng, R., & Khaitovich, P. (2015). Transcript and protein expression decoupling reveals RNA binding proteins and miRNAs as potential modulators of human aging. *Genome Biol*, 16(41.10), 1186.

Wiersma, V. I., van Hecke, W., Scheper, W., van Osch, M. A. J., Hermsen, W. J. M., Rozemuller, A. J. M., & Hoozemans, J. J. M. (2016). Activation of the unfolded protein response and granulovacuolar degeneration are not common features of human prion pathology. *Acta Neuropathologica Communications*, 4, 113. <https://doi.org/10.1186/s40478-016-0383-7>

Wirths, O., Walter, S., Kraus, I., Klafki, H. W., Stazi, M., Oberstein, T. J., ... Weggen, S. (2017). N-truncated A β 4-x peptides in sporadic Alzheimer's disease cases and transgenic Alzheimer mouse models. *Alzheimer's Research & Therapy*, 9(1), 80. <https://doi.org/10.1186/s13195-017-0309-z>

Wu, J.-L., He, Y., Hrubý, R., Balesar, R., Qi, Y.-J., Guo, L., ... Bao, A.-M. (2017). Aromatase changes in depression: A postmortem and animal experimental study. *Psychoneuroendocrinology*, 77, 56–62. <https://doi.org/10.1016/j.psyneuen.2016.11.026>

Wu, X., Balesar, R., Lu, J., Farajnia, S., Zhu, Q., Huang, M., ... Swaab, D. F. (2017). Increased glutamic acid decarboxylase expression in the hypothalamic suprachiasmatic nucleus in depression. *Brain Structure and Function*, 222(9), 4079–4088. <https://doi.org/10.1007/s00429-017-1442-y>

Yang, W., Xiao, L., Li, C., Liu, X., Liu, M., Shao, Q., ... He, C. (2015). TIP30 inhibits oligodendrocyte precursor cell differentiation via cytoplasmic sequestration of Olig1. *Glia*, 63(4), 684–698. <https://doi.org/10.1002/glia.22778>

Yi, M., Dou, F., Lu, Q., Yu, Z., & Chen, H. (2016). Activation of the KCa3.1 channel contributes to traumatic scratch injury-induced reactive astrogliosis through the JNK/c-Jun signaling pathway. *Neuroscience Letters*, 624, 62–71. <https://doi.org/10.1016/j.neulet.2016.05.004>

Yi, M., Yu, P., Lu, Q., Geller, H. M., Yu, Z., & Chen, H. (2016). KCa3.1 constitutes a pharmacological target for astrogliosis associated with Alzheimer's disease. *Molecular and Cellular Neurosciences*, 76, 21–32. <https://doi.org/10.1016/j.mcn.2016.08.008>

Yin, Z., Raj, D., Saiepour, N., Van Dam, D., Brouwer, N., Holtman, I. R., ... Boddeke, E. (2017). Immune hyperreactivity of A β plaque-associated microglia in Alzheimer's disease. *Neurobiology of Aging*, 55, 115–122. <https://doi.org/10.1016/j.neurobiolaging.2017.03.021>

Yue, X., Zhang, Y., Xing, W., Chen, Y., Mu, C., Miao, Z., ... Tong, Z. (2017). A Sensitive and Rapid Method for Detecting Formaldehyde in Brain Tissues. *Analytical Cellular Pathology*, 2017, 1–8. <https://doi.org/10.1155/2017/9043134>

Yunyan Zhang, Laura Jonkman, Antoine Klauser, Frederik Barkhof, V Wee Yong, Luanne M Metz, & Jeroen JG Geurts. (2016). Multi-scale MRI spectrum detects differences in myelin integrity between MS lesion types. *Multiple Sclerosis Journal*, 22(12), 1569–1577. <https://doi.org/10.1177/1352458515624771>

Zhao, J., Qi, X.-R., Gao, S.-F., Lu, J., van Wamelen, D. J., Kamphuis, W., ... Swaab, D. F. (2015). Different stress-related gene expression in depression and suicide. *Journal of Psychiatric Research*, 68, 176–185. <https://doi.org/10.1016/j.jpsychires.2015.06.010>

Zhao, J., Verwer, R. W. H., van Wamelen, D. J., Qi, X.-R., Gao, S.-F., Lucassen, P. J., & Swaab, D. F. (2016). Prefrontal changes in the glutamate-glutamine cycle and neuronal/glial glutamate transporters in depression with and without suicide. *Journal of Psychiatric Research*, 82, 8–15. <https://doi.org/10.1016/j.jpsychires.2016.06.017>

Zhu, Q.-B., Unmehopa, U., Bossers, K., Hu, Y.-T., Verwer, R., Balesar, R., ... Swaab, D. (2016). MicroRNA-132 and early growth response-1 in nucleus basalis of Meynert during the course of Alzheimer's disease. *Brain*, 139(3), 908–921. <https://doi.org/10.1093/brain/awv383>

Staff and collaborations

Managing director Netherlands Institute for Neuroscience

R. van der Neut

NBB staff

Director

I. Huitinga

Technical coordinator

M. Kooreman

Office manager

M. de Goeij

Communication officer donor program

P. Brom

Account manager

L. Shan

Donor registration and tissue dissemination officer

L. Boekel

Lab technicians

A. van den Berg

P. Evers

Medical data coordinator

M. Groot

Medical writers

I. Ehmer

E. Breeuwer

Administrative assistant

A. Achterbergh-Jansen

Postdoc researcher NBB-Psy

M. Mizee

Lab technician NBB-Psy

A. Adelia

NBB-Psy staff (until 2017)

NBB-Psy Clinical coordinator

S. Palmen

NBB-Psy Project coordinator

M. Rademaker

G. de Lange

NBB-Psy research assistants

K. van Dijk (until 2016), PTSS; AMC Amsterdam; Dept. of Psychiatry

Y. Kras (until 2017), ADHD and autism spectrum disorder; Karakter/Radboudumc, Nijmegen

L. Kujiper (until 2017), OCD and body dysmorphic disorder; AMC Amsterdam; Dept. of Psychiatry

C. Penseel (since 2016, until 2017), PTSS; AMC Amsterdam; Dept. of Psychiatry

A. Prins (until 2015), Depression; VUmc/GGZ inGeest Amsterdam

M. Tasma (until 2017), OCD; VUmc/GGZ inGeest Amsterdam

Collaborators

Neuropathologists (Department of Pathology, VUmc)

J.M. Rozemuller

P. van der Valk

M. Bugiani

P. van der Voorn

Autopsy team 2017

J. Ankink, C. Beudeker, S. Bosman (until 2015), N. Denneman, P. Evers, J. Fransen, M. Kooreman, C. Mamber (2015), A. Muller (since 2016), M. Oude Lohuis, T. van Ramesdonk, U. Unmehopa, J. in 't Veld, Y. van der Werf, J. Zhao (until 2016)

We owe special thanks to the autopsy assistants of the Pathological Institute, VUmc, Amsterdam: A. Bakker, P. Kraaijeveld, T. Oldert and M. van Ooijen, and to the undertakers of Rouwservice Nederland, Uitvaartcentrum Zuis (Unigra) and Vervoerbedrijf P.A. Blanck, for their dedication to the Netherlands Brain Bank.

Scientific Committee (Tissue Advisory Board)

I. Huitinga (NBB)

M. Kooreman (NBB)

J.M. Rozemuller (Department of Pathology, VUmc)

L. Shan (NBB)

J. Verhaagen (Netherlands Institute for Neuroscience)

Additional members for NBB-Psy requests:

- P. Eikelenboom (GGZ inGeest)
- S. Palmen (Department of Psychiatry, Risk and Prevention, UMC Utrecht)
- M. Mizee (NBB)

Advisory Board

- D. Denys (Psychiatry)
- J. Gevers (Health Law)
- P. Heutink (Genetics)
- A. Keizer (Geriatrics)
- H. Kremer (Neurology)
- E. Marchiori (Informatics)
- C. Polman (Neurology)
- P. van der Valk (Pathology)

Clinical cohort coordinators NBB-Psy

- M. Boks, MD, PhD (bipolar disorder)
- J. Buitelaar, MD, PhD (attention-deficit hyperactivity disorder)
- D. Denys, MD, PhD (obsessive compulsive disorder)
- O. van den Heuvel, MD, PhD (obsessive compulsive disorder)
- R. Kahn, MD, PhD (schizophrenia)
- M. Olff, MD, PhD (post-traumatic stress disorder)
- B. Penninx, MD, PhD (major depression)
- W. Staal, MD, PhD (autism spectrum disorders)

Steering committee NBB-Psy

- J. Buitelaar, MD, PhD (Radboud University Medical Center, Nijmegen)
- D. Denys, MD, PhD (AMC, Amsterdam)
- J. Gribnau, PhD (Erasmus MC, Rotterdam)
- R. Kahn, MD, PhD (UMC Utrecht)
- R. van der Neut, PhD (Netherlands Institute for Neuroscience, Amsterdam)
- B. Penninx, MD, PhD (VUmc, Amsterdam)
- S. Storimans (Vereniging voor Manisch Depressieven en Betrokkenen)

List of abbreviations

AD	Alzheimer's disease
ADHD	Attention deficit hyperactivity disorder
ASD	Autism spectrum disorder
BPD	Bipolar disorder
Contr	Non-demented control donors
DEPMA	Bipolar disorder
FTLD/tau	Frontotemporal lobar degeneration/Tauopathy
MDD	Major depressive disorder
MS	Multiple sclerosis
OCD	Obsessive compulsive disorder
Other	Other diagnoses
Other dem	Other types of dementia
PANR	Pathological report not ready yet
PD/DLBD	Parkinson's disease/Diffuse Lewy body dementia
PSP	Progressive supranuclear palsy
Psy	Psychiatric disorders (unspecified)
PTSD	Posttraumatic stress disorder
SCHIZO	Schizophrenia