(1)(a) Laws enacted or amended during the previous 12 months which create or modify the duties or authority of the Department of Health	Must agency adopt rules to implement the law?	2.a. If rulemaking is necessary, has a Notice of Rule Development been published? If yes, provide the Florida Administrative Register citation.	2.b. The date by which the Notice of Proposed Rule is intended to be published	3. If rulemaking is not necessary, provide a concise explanation
Chapter 2024-013	No	N/A	N/A	These requirements can be fulfilled by implementing the statute.
Chapter 2024-015, s. 1	Yes	Vol 50/103	11/30/2024	
Chapter 2024-015, s. 2	Yes	Vol 50/103	11/30/2024	
Chapter 2024-015, s. 4	No	No	N/A	The requirements can be fufilled by implementing the statute.
Chapter 2024-015, s. 5	No	N/A	N/A	The requirements can be fufilled by implementing the statute.
Chapter 2024-015, s. 28	No	No	N/A	Under provisions in this new section of law, the State Surgeon General must appoint two to this Council at AHCA. This can be fulfilled by implementing the statute.
Chapter 2024-015, s. 44	Yes	Vol. 50/83	11/30/2024	
Chapter 2024-015, s. 47	No	N/A	N/A	These requirements can be fulfilled by implementing the statute.
Chapter 2024-015, s. 51	Yes	No	4/1/2025	
Chapter 2024-016, s. 1	Yes	No	4/1/2025	
Chapter 2024-016, s. 2	Yes	No	11/30/2024	
Chapter 2024-066	No	N/A	N/A	The requirements can be fulfilled by implementing the statute.
Chapter 2024-067	No	N/A	N/A	The requirements can be fulfilled by implementing the statute.
Chapter 2024-089	Yes	No	4/1/2025	
Chapter 2024-148	No	N/A	N/A	The requirements can be fulfilled by implementing the statute.
Chapter 2024-164	No	N/A	N/A	These requirements can be fulfilled by implementing the statute.
Chapter 2024-165	No	N/A	N/A	These requirements can be fulfilled by implementing the statute.
Chapter 2024-180, s. 5	No	N/A	N/A	These requirements can be fulfilled by implementing the statute.
Chapter 2024-181	Yes	No	4/1/2025	
Chapter 2024-198	No	N/A	N/A	The requirements can be fulfilled by implementing the statute.
Chapter 2024-211	No	N/A	N/A	The requirements can be fulfilled by implementing the statute.

(1)(a) Laws enacted or amended during the previous 12 months which create or modify the duties or authority of the Department of Health	1. Must agency adopt rules to implement the law?	2.a. If rulemaking is necessary, has a Notice of Rule Development been published? If yes, provide the Florida Administrative Register citation.	2.b. The date by which the Notice of Proposed Rule is intended to be published	3. If rulemaking is not necessary, provide a concise explanation
Chapter 2024-214	No	N/A	N/A	The requirements can be fulfilled by implementing the statute.
Chapter 2024-225, s. 1	No	N/A	N/A	The requirements can be fulfilled by implementing the statute.
Chapter 2024-225, s. 2	Yes	No	4/1/2025	
Chapter 2024-227	No	N/A	N/A	These requirements can be fulfilled by implementing the statute.
Chapter 2024-228, ss. 9 - 11	Yes	No	4/1/2025	
Chapter 2024-243	Yes	No	4/1/2025	
Chapter 2024-246, s. 1	Yes	No	4/1/2025	
Chapter 2024-246, s. 2	No	N/A	N/A	These requirements can be fulfilled by implementing the statute.
Chapter 2024-246, ss. 3-4	No	N/A	N/A	These requirements can be fulfilled by implementing the statute.
Chapter 2024-246, s. 5	Yes	No	4/1/2025	
Chapter 2024-246, s. 6	No	N/A	N/A	These requirements can be fulfilled by implementing the statute.
Chapter 2024-246 s. 11	No	N/A	N/A	These requirements can be fulfilled by implementing the statute.
Chapter 2024-247, s. 1	No	No	N/A	These requirements can be fulfilled by implementing the statute.
Chapter 2024-248	No	No	N/A	These requirements can be fulfilled by implementing the statute.
Chapter 2024-274	Yes	No	4/1/2025	N/A

Rules not listed pursuant to section 120.74(1)(a) for which the Department of Health expects to undergo rulemaking by July 1, 2025, except emergency rulemaking	(1)(b) Intent of the rulemaking (choose one, drop down box): simplify, clairfy, increase efficiency, improve coordination with other agencies, reduce regulatory costs, or delete obsolete, unnecessary or redundant rules
64-4.001 Definitions	Clarify
64-4.002 Initial Application Requirements for Dispensing Organizations	Delete obsolete rule
64-4.004 Revocation of Dispensing Organization Approval	Delete obsolete rule
64-4.005 Inspection and Authorization Procedures	Delete redundant rule
64-4.XXX Dosing and Supply Limits for Medical Marijuana	Clarify
64-4.009 Compassionate Use Registry	Clarify
64-4.011 Medical Marijuana Use Registry Identification Cards	Clarify
64-4.XXX Caregiver Background Screenings and Close Relative Status	Clarify
64-4.XXX Qualified Physician Medical Marijuana Use Registry Access Suspension and	Clarify
Revocation	
64-4.XXX Qualified Patient and Caregiver Suspension and Revocation	Clarify
64-4.023 Medical Marijuana Treatment Center Variance Procedure	Clarify
64-4.XXX Application for MMTC Licensure	Clarify
64-4.201 Renewal Application Requirements for MMTCs	Clarify
64-4.205 Standards for Production of Edibles	Clarify
64-4.206 Low-THC and Medical Marijuana Packaging and Labeling	Clarify
64-4.208 MMTC Background Screening	Clarify
64-4.209 MMTC Solvent-Based Extraction	Clarify
64-4.210 MMTC Fines, Suspension, and Revocation	Clarify
64-4.211 MMTC Supplemental Licensure Fee	Clarify
64-4.212 MMTC Regulatory Compliance Testing	Clarify
64-4.213 MMTC Remediation	Clarify
64-4.XXX MMTC Change of Ownership Application and Procedure	Clarify
64-4.XXX MMTC Advertising and Marketing	Clarify
64-4.XXX MMTC Marijuana Delivery Devices	Clarify
64-4.XXX MMTC Authorization Procedures	Clarify
64-4.XXX MMTC Financial Assurance	Clarify
64-4.XXX MMTC Harvest Failure and Wholesale Transfer Procedure	Clarify
64-4.XXX MMTC Seed-to-Sale Tracking System Procedures	Clarify
64-4.XXX CMTL Seed-to-Sale Tracking System Procedures	Clarify
64-4.XXX MMTC Seed-to-Sale Tracking System Integration	Clarify
64-4.XXX CMTL Seed-to-Sale Tracking System Integration	Clarify
64-4.XXX MMTC Procedure for Recalls and Destruction of Marijuana Failing CMTL	Clarify
Testing	
64-4.XXX Food Safety Good Manufacturing Practices Inspection Requirements and	Clarify
Renewal	

64-4.XXX MMTC Additional Facility Approval Procedure	Simplify
64-4.XXX MMTC Websites and Website Purchasing	Clarify
64-4.XXX MMTC Usable Product	Clarify
64-4.XXX MMTC Trade Name and Logo	Clarify
64-4.XXX MMTC Product Names	Clarify
64-4.XXX MMTC Transportation	Clarify
64-4.300 CMTL Definitions	Clarify
64-4.301 Requirements for CMTL Certification and Application	Clarify
64-4.302 Renewal Application Requirements for CMTLs	Clarify
64-4.303 CMTL Testing	Clarify
64-4.304 CMTL On-Site Inspection	Clarify
64-4.305 CMTL Standard Operating Procedures	Clarify
64-4.306 CMTL Testing Methods	Clarify
64-4.307 CMTL Submission for Product Testing	Clarify
64-4.308 CMTL Sample Testing	Clarify
64-4.309 CMTL Quality Control Samples	Clarify
64-4.310 CMTL Calibration Standards	Clarify
64-4.311 CMTL Certificate of Analysis	Clarify
64-4.312 CMTL Manual Integration	Clarify
64-4.313 CMTL Waste Management and Disposal	Clarify
64-4.314 CMTL Background Screening	Clarify
64-4.315 CMTL Fines, Suspension, and Revocation	Clarify
64B-1.005 Special Testing Accommodations	Increase efficiency
64B-4.003 Office Surgery Registration Requirements, Fees	Clarify
64B-9.003 Military Spouse Temporary License □	Clarify
64B-9.004 License Fee Waiver for Veterans and Spouses□	Clarify
64B-9.005 Active Duty Military, Spouse of Active Duty Military or Veteran Licensure	Clarify
64B-9.007 Temporary Certificate for Active Duty Military Health Care Practitioners	Clarify
Application□	
64B21-505.001 Use of Test Instruments	Clarify
64B24-2.001 Licensure to Practice Midwifery	Increase efficiency
64B24-2.002 Examination	Delete unnecessary rule
64B24-2.003 Licensure by Examination	Delete unnecessary rule
64B24-2.004 Licensure by Endorsement	Delete unnecessary rule
64B24-2.XXX Temporary Certification of Midwives in Areas of Critical Need	Clarify
64B24-4.001 Definitions	Clarify
64B24-4.002 Approval of Training Program	Clarify
64B24-4.003 Acceptance into Training Program	Clarify
64B24-4.005 Faculty	Delete unnecessary rule
64B24-4.006 Curriculum Guidelines and Educational Objectives	Increase efficiency
64B24-4.007 Clinical Training	Increase efficiency

64B24-4.008 Administrative Procedures	Increase efficiency
64B24-4.010 Four-Month Pre-Licensure Course	Delete unnecessary rule
64B24-7.001 Definitions	Delete unnecessary rule
64B24-7.004 Risk Assessment; Emergency Care; Consultation, Referral and Transfer	Clarify
64B24-7.005 Informed Consent for Licensed Midwifery Services	Clarify
64B24-7.006 Planned Out-of-Hospital Births Occurring at Home	Clarify
64B24-7.007 Responsibilities During the Antepartum Period	Clarify
64B24-7.008 Responsibilities During the Intrapartum Period	Clarify
64B24-7.009 Responsibilities During the Postpartum Period	Clarify
64B24-7.010 Collaborative Management for Prenatal and Postpartal Care	Clarify
64B24-7.011 Administration of Medicinal and Prescription Drugs	Clarify
64B24-7.013 Requirement for Insurance; Financial Responsibility of Midwives	Increase efficiency
64B24-7.014 Records and Reports	Clarify
64B24-8.002 Disciplinary Guidelines	Clarify
64B34-XXXX Disciplinary Guidelines	Clarify
64C-2.004 Safety Net Program	Increase efficiency
64C-7.002 Collection Procedures for Newborn Screening	Increase efficiency
64C-6.001 Regional Perinatal Intensive Care Centers Program	Increase efficiency
64C-6.002 Regional Perinatal Intensive Care Centers Program	Increase efficiency
64C-6.003 Regional Perinatal Intensive Care Centers Program	Increase efficiency
64C-10.001 Florida KidCare Quality Assurance and Access Standards	Delete obsolete rule
64D-3.028 Definitions	Clarify
64D-3.029 Diseases or Conditions to Be Reported	Clarify
64D-3.030 Notification by Practitioners	Clarify
64D-3.031 Notification by Laboratories	Clarify
64D-3.032 Notification by Medical Facilities	Clarify
64D-3.033 Notification by Others	Clarify
64D-3.036 Notifiable Disease Case Report Content Is Confidential	Clarify
64D-3.037 Authority of the DOH County Health Department Director or Administrator and	Clarify
State Health Officer	
64D-3.038 Quarantine Orders and Requirements	Clarify
64D-3.040, Procedures for Control of Specific Communicable Diseases	Clarify
64D-3.041, Epidemiological Investigations	Clarify
64E-3.001 Fees	Clarify
64E-3.002 Definitions	Clarify
64E-3.003 Qualifications for Examination	Clarify & improve coordination with other agencies
64E-3.0032 Radiologist Assistant Duties and Supervision	Clarify & improve coordination with other agencies
64E-3.0033 Positron Emission Tomography-Computed Tomography (PET-CT) by	Clarify & improve coordination with other agencies
Nuclear Medicine Technologists	
64E-3.0034 Specialty Technologists	Clarify & improve coordination with other agencies

64E-3.004 Practice of Radiologic Technology by Applicants for Certification by	Clarify
Examination	ciamy
64E-3.006 Certification by Endorsement	Clarify & improve coordination with other agencies
64E-3.007 Bone Densitometry	Clarify & improve coordination with other agencies
64E-3.008 Continuing Education Requirements	Clarify & improve coordination with other agencies
64E-3.009 Standards for Continuing Education Courses	Clarify & improve coordination with other agencies
64E-3.010 Reactivation of Inactive Certificates	Clarify
64E-3.011 Disciplinary Guidelines	Clarify & improve coordination with other agencies
64E-4 Control of Nonionizing Radiation Hazards	Clarify & improve coordination with other agencies
64E-5.XXXX New	New
64E-5.101 Definitions	Improve coordination with other agencies
64E-5.102 Exemptions	Improve coordination with other agencies
64E-5.103 Records	Improve coordination with other agencies
64E-5.1001 Standards	Clarify
64E-5.1003 Monitoring Requirements	Improve coordination with other agencies
64E-5.1112 Personnel Monitoring	Improve coordination with other agencies
64E-5.1310 Personnel Monitoring	Clarify
64E-5.1319 Contamination Control Program	Clarify
64E-5.1320 Bioassay Program	Clarify
64E-5.1418 Personnel Monitoring	Improve coordination with other agencies
64E-5.1423 Attendance During Operation	Improve coordination with other agencies
64E-5.1501 Purpose and Scope	Improve coordination with other agencies
64E-5.1502 Transportation of Radioactive Material	Improve coordination with other agencies
64E-5.1503 Exemptions	Improve coordination with other agencies
64E-5.1504 General Licenses for Carriers	Improve coordination with other agencies
64E-5.1505 Routine Determinations	Improve coordination with other agencies
64E-5.1506 Advance Notification of Shipment of Certain Quantities of Radioactive Waste	,
64E-5.1507 Designation of Routes for Shipment of Radioactive Waste Requiring	Improve coordination with other agencies
Advance Notification	
64E-5.1508 Inspection of Low-Level Radioactive Waste Shipments	Clarify
64E-5.1509 Permit Requirements	Clarify
64E-5.1510 Air Transport of Plutonium	Clarify
64E-5.1511 Notification in the Event of Suspected or Real Breach of Containment	Clarify
64E-5.1512 Inspections	Clarify
64E-5.1513 Communications	Clarify
64E-5.1601 Definitions	Clarify
64E-5.1602 Administrative Requirements	Clarify
64E-5.1603 Training and Education	Clarify
64E-5.1604 General Technical Requirements for Electronic Brachytherapy Facilities	Improve coordination with other agencies
64E-5.201 Licensing of Radioactive Material	Improve coordination with other agencies
64E-5.202 Source Material - Exemptions	Improve coordination with other agencies

EdE-5.204 Types of Licenses Improve coordination with other agencies	64E-5.203 Radioactive Material Other Than Source Material - Exemptions	Improve coordination with other agencies
64E-5.205 General Licenses - Source Material 64E-5.206 General Licenses - Radioactive Material Other Than Source Material 64E-5.208 General Licenses - Radioactive Material Other Than Source Material 64E-5.208 General Requirements for Specific Licenses 64E-5.208 General Requirements for the Issuance of Specific Licenses 64E-5.208 General Requirements for Specific Licenses of Broad Scope 64E-5.210 Special Requirements for a Specific Licenses of Broad Scope 64E-5.210 Special Requirements for a Specific Licenses of Broad Scope 64E-5.213 Specific Terms and Conditions of Devices Which Contain Radioactive Material 64E-5.213 Specific Terms and Conditions of License 64E-5.213 Specific Terms and Conditions of Licenses 64E-5.215 Transfer of Material 64E-5.217 Bonding of Persons Licensed Pursuant to Subpart II C 64E-5.217 Bonding of Persons Licensed Pursuant to Subpart II C 64E-5.221 Radiological criteria for License Termination 64E-5.223 Criteria for License Termination Under Restricted Conditions 64E-5.224 Alternate Criteria for License Termination 64E-5.237 Procedures for Receiving and Opening Packages 64E-5.337 Procedures for Receiving and Opening Packages 64E-5.347 Form of Receiving and Opening Packages 64E-5.348 Form of Receiving and Opening Packages 64E-5.349 Form of Receiving and Opening Packages 64E-5.340 Notification of Incidents 64E-5.341 Notification of Incidents 64E-5.342 Form of Reports of Transactions Involving Nationally Tracked Sources of Improve coordination with other agencies 64E-5.343 Personel Monitoroin 64E-5.343 Personnel Monitoroing 64E-5.343 Personnel Monitoroing 64E-5.343 Personnel Monitoroing 64E-5.340 Personnel Monitoroing 64E-5.340 Personnel Monitoroing 64E-5.341 Personnel Monitoroing 64E-5.343 Personnel Monitoroing 64E-5.347 Personnel Monitoroing 64E-5.348 Personnel Monitoroing 64E-5.349 Personnel Monitoroing 64E-5.340 Personnel Monitoroing 64E-5.347 Personnel Monitoroing		
64E-5.206 General Licenses - Radioactive Material Other Than Source Material 64E-5.207 Filing Application for Specific Licenses 64E-5.208 General Requirements for the Issuance of Specific Licenses 64E-5.209 Special Requirements for Specific Licenses of Broad Scope 64E-5.209 Special Requirements for Specific Licenses of Broad Scope 64E-5.210 Special Requirements for a Specific License to Manufacture, Assemble, Repair or Distribute Commodities, Products or Devices Which Contain Radioactive Material 64E-5.213 Specific Terms and Conditions of License 64E-5.214 Expiration and Termination of Licenses and Decommissioning of Sites and 64E-5.215 Transfer of Material 64E-5.215 Transfer of Material 64E-5.216 Reciprocal Recognition of Licenses for Byproduct, Source, Naturally Occurring and Accelerator Produced Radioactive Material, and Special Nuclear Material in Quantities Not Sufficient to Form a Critical Mass 64E-5.221 Radiological criteria for License termination 64E-5.222 Radiological criteria for License termination 64E-5.223 Richitaria for License Termination Under Restricted Conditions improve coordination with other agencies 64E-5.224 Minmizing Contamination 64E-5.225 Minmizing Contamination 64E-5.226 Minmizing Contamination 64E-5.237 Procedures for Receiving and Opening Packages 64E-5.337 Procedures for Receiving and Opening Packages 64E-5.343 Reports of Stolen, Lost, or Missing Licensed or Registered Sources of Red-5.343 Reports of Stolen, Lost, or Missing Licensed or Registered Sources of Ref-5.343 Nationally Tracked Source Thresholds 64E-5.343 Perports of Stolen, Lost, or Missing Licensed or Registered Sources 64E-5.343 Perports of Stolen, Lost, or Missing Licensed or Registered Sources 64E-5.343 Perports of Transactions Involving Nationally Tracked Sources 64E-5.343 Perports of Transactions Involving Nationally Tracked Sources 64E-5.343 Perports of Transactions Involving Nationally Tracked Sources 64E-5.340 Perports of Transactions Involving Nationally Tracked Sources 64E-5.340 P		<u> </u>
64E-5.207 Filing Application for Specific Licenses 64E-5.208 General Requirements for the Issuance of Specific Licenses 64E-5.209 Special Requirements for Specific Licenses of Broad Scope 64E-5.210 Special Requirements for a Specific License to Manufacture, Assemble, Repair or Distribute Commodities, Products or Devices Which Contain Radioactive Material 64E-5.213 Specific Terms and Conditions of License 64E-5.213 Specific Terms and Conditions of Licenses 64E-5.215 Specific Terms and Conditions of Licenses 64E-5.215 Specific Terms and Conditions of Licenses 64E-5.216 Reciprocal Recognition of Licenses and Decommissioning of Sites and Separate Buildings or Outdoor Areas 64E-5.216 Reciprocal Recognition of Licenses for Byproduct, Source, Naturally 64E-5.216 Reciprocal Recognition of Licenses for Byproduct, Source, Naturally 64E-5.217 Bonding of Persons Licensed Pursuant to Subpart II C 64E-5.217 Bonding of Persons Licensed Pursuant to Subpart II C 64E-5.224 Alternate Criteria for License termination 64E-5.224 Alternate Criteria for License Termination Clarify 64E-5.224 Criteria for License Termination Under Restricted Conditions Improve coordination with other agencies 64E-5.235 Trosedures for Receiving and Opening Packages Improve coordination with other agencies 64E-5.314 General Improve coordination with other agencies 64E-5.327 Trosedures for Receiving and Opening Packages Improve coordination with other agencies 64E-5.328 Transfer for Disposal Manifests Improve coordination with other agencies 64E-5.332 Transfer for Disposal Manifests Improve coordination with other agencies 64E-5.344 Notification of Incidents Improve coordination with other agencies 64E-5.351 Nationally Tracked Source Tresholds Improve coordination with other agencies 64E-5.351 Nationally Tracked Source Tresholds Improve coordination with other agencies 64E-5.351 Nationally Tracked Source Thresholds Improve coordination with other agencies 64E-5.351 Nationally Tracked Source Thresholds Improve coordination with other agencies 64E-5.351 Nati		
64E-5.208 General Requirements for the Issuance of Specific Licenses Improve coordination with other agencies 64E-5.209 Special Requirements for Specific Licenses of Broad Scope Improve coordination with other agencies Improve coord		
Improve coordination with other agencies Improve coordination with other agencies Repair or Distribute Commodities, Products or Devices Which Contain Radioactive Improve coordination with other agencies Repair or Distribute Commodities, Products or Devices Which Contain Radioactive Improve coordination with other agencies Repair or Distribute Commodities, Products or Devices Which Contain Radioactive Improve coordination with other agencies Reference Clarify Reference		· ·
Improve coordination with other agencies Improve coordination with other agencies Repair or Distribute Commodities, Products or Devices Which Contain Radioactive Material		
Repair or Distribute Commodities, Products or Devices Which Contain Radioactive Material Material Material Met-5.213 Specific Terms and Conditions of Licenses G4E-5.214 Expiration and Termination of Licenses and Decommissioning of Sites and Separate Buildings or Outdoor Areas G4E-5.215 Transfer of Material G4E-5.216 Reciprocal Recognition of Licenses for Byproduct, Source, Naturally Occurring and Accelerator Produced Radioactive Material, and Special Nuclear Material in Quantities Not Sufficient to Form a Critical Mass G4E-5.217 Bonding of Persons Licensed Pursuant to Subpart II C Improve coordination with other agencies G4E-5.221 Radiological criteria for license termination G4E-5.223 Criteria for License Termination Under Restricted Conditions Improve coordination with other agencies G4E-5.224 Alternate Criteria for License Termination Improve coordination with other agencies G4E-5.224 Miternate Criteria for License Termination Improve coordination with other agencies G4E-5.314 General Improve coordination with other agencies G4E-5.327 Procedures for Receiving and Opening Packages Improve coordination with other agencies G4E-5.327 Improve coordination with other agencies G4E-5.328 Form of Records Improve coordination with other agencies G4E-5.349 Reports of Stolen, Lost, or Missing Licensed or Registered Sources of G4E-5.340 Reports of Stolen, Lost, or Missing Licensed or Registered Sources of G4E-5.344 Notification of Incidents Improve coordination with other agencies Improve coordinat		
Material 64E-5.213 Specific Terms and Conditions of License 64E-5.213 Specific Terms and Conditions of Licenses 64E-5.214 Expiration and Termination of Licenses and Decommissioning of Sites and Separate Buildings or Outdoor Areas 64E-5.215 Transfer of Material 64E-5.215 Transfer of Material 64E-5.216 Reciprocal Recognition of Licenses for Byproduct, Source, Naturally Cocurring and Accelerator Produced Radioactive Material, and Special Nuclear Material in Quantities Not Sufficient to Form a Critical Mass 64E-5.217 Bonding of Persons Licensed Pursuant to Subpart II C Improve coordination with other agencies 64E-5.221 Radiological criteria for license termination 64E-5.221 Radiological criteria for License termination 64E-5.224 Alternate Criteria for License Termination 64E-5.226 Minimizing Contamination 64E-5.226 Minimizing Contamination 64E-5.326 Minimizing Contamination 64E-5.327 Procedures for Receiving and Opening Packages 64E-5.327 Procedures for Receiving and Opening Packages 64E-5.332 Transfer for Disposal Manifests 64E-5.333 Reports of Stolen, Lost, or Missing Licensed or Registered Sources of Radiation 64E-5.348 Reports of Stolen, Lost, or Missing Licensed or Registered Sources of Improve coordination with other agencies 64E-5.349 Reports of Stolen, Lost, or Missing Licensed or Registered Sources of Improve coordination with other agencies 64E-5.349 Reports of Stolen, Lost, or Missing Licensed or Registered Sources of Improve coordination with other agencies 64E-5.349 Reports of Transactions Involving Nationally Tracked Sources 64E-5.351 Nationally Tracked Source Thresholds 64E-5.351 Nationally Tracked Source Thresholds 64E-5.342 Requirements for Industrial Radiography Equipment Using Sealed Sources 64E-5.431 Permanent Radiographic Installations. 64E-5.437 Personnel Monitoroing 64E-5.437 Personnel Monitoroing 64E-5.437 Personnel Monitoroing 64E-5.530 General Requirements 64E-5.540 Clarify		Improve coordination with other agencies
64E-5.213 Specific Terms and Conditions of Licenses 64E-5.214 Expiration and Termination of Licenses and Decommissioning of Sites and Separate Buildings or Outdoor Areas 64E-5.215 Transfer of Material 64E-5.216 Reciprocal Recognition of Licenses for Byproduct, Source, Naturally Cocurring and Accelerator Produced Radioactive Material, and Special Nuclear Material in Quantities Not Sufficient to Form a Critical Mass 64E-5.217 Bonding of Persons Licensed Pursuant to Subpart II C Improve coordination with other agencies 64E-5.221 Radiological criteria for license termination Clarify 64E-5.223 Criteria for License Termination Under Restricted Conditions 64E-5.224 Alternate Criteria for License Termination 64E-5.224 Alternate Criteria for License Termination 64E-5.234 Niminizing Contamination Improve coordination with other agencies 64E-5.314 General Improve coordination with other agencies 64E-5.327 Procedures for Receiving and Opening Packages Improve coordination with other agencies 64E-5.327 Procedures for Receiving and Opening Packages Improve coordination with other agencies 64E-5.342 Form of Records 64E-5.343 Reports of Stolen, Lost, or Missing Licensed or Registered Sources of 64E-5.344 Notification of Incidents 64E-5.345 Exceeding the Constraints or Limits, Medical Events and Dose to an Improve coordination with other agencies 64E-5.350 Reports of Transactions Involving Nationally Tracked Sources 64E-5.350 Reports of Transactions Involving Nationally Tracked Sources 64E-5.431 Personnel Monitoring 64E-5.432 Personnel Monitoring 64E-5.437 Personnel Monitoring 64E-5.437 Personnel Monitoring 64E-5.437 Personnel Monitoring 64E-5.437 Personnel Monitoring 64E-5.500 Ceneral Requirements 64E-5.500 Ceneral Requirements		
64E-5.214 Expiration and Termination of Licenses and Decommissioning of Sites and Separate Buildings or Outdoor Areas 64E-5.216 Transfer of Material 64E-5.216 Reciprocal Recognition of Licenses for Byproduct, Source, Naturally Occurring and Accelerator Produced Radioactive Material, and Special Nuclear Material in Quantities Not Sufficient to Form a Critical Mass 64E-5.217 Bonding of Persons Licensed Pursuant to Subpart II C 64E-5.221 Radiological criteria for license termination 64E-5.223 Criteria for License Termination Under Restricted Conditions 64E-5.223 Criteria for License Termination Under Restricted Conditions 64E-5.226 Minimizing Contamination 64E-5.226 Minimizing Contamination 64E-5.314 General 64E-5.317 Procedures for Receiving and Opening Packages 64E-5.332 Transfer for Disposal Manifests 64E-5.332 Transfer for Disposal Manifests 64E-5.342 Reports of Stolen, Lost, or Missing Licensed or Registered Sources of Radiation 64E-5.348 Notification of Incidents 64E-5.348 Notification of Incidents 64E-5.348 Notification of Incidents 64E-5.348 Reports of Transactions Involving Nationally Tracked Sources 64E-5.350 Reports of Transactions Involving Nationally Tracked Sources 64E-5.350 Reports of Transactions Involving Nationally Tracked Sources 64E-5.428 Requirements for Industrial Radiography Equipment Using Sealed Sources 64E-5.438 Requirements for Industrial Radiography Equipment Using Sealed Sources 64E-5.438 Requirements for Industrial Radiography Equipment Using Sealed Sources 64E-5.438 Requirements for Industrial Radiography Equipment Using Sealed Sources 64E-5.437 Personnel Monitoroing 64E-5.437 Personnel Monitoroing 64E-5.500 Ceneral Requirements		Clarify
Separate Buildings or Outdoor Areas G4E-5.215 Transfer of Material Clarify Improve Coordination with other agencies Clarify Improve Coordination with other agencies Clarify Cocurring and Accelerator Produced Radioactive Material, and Special Nuclear Material in Quantities Not Sufficient to Form a Critical Mass Coloridation With other agencies Clarify Improve Coordination with other agencies G4E-5.217 Radiological criteria for Licensed Pursuant to Subpart II C Improve Coordination with other agencies G4E-5.228 Criteria for License Termination Under Restricted Conditions Improve Coordination with other agencies G4E-5.229 Criteria for License Termination Improve Coordination with other agencies G4E-5.229 Minimizing Contamination Improve Coordination with other agencies G4E-5.229 Minimizing Contamination Improve Coordination with other agencies G4E-5.314 General Improve Coordination with other agencies G4E-5.314 General Improve Coordination with other agencies G4E-5.327 Procedures for Receiving and Opening Packages Improve Coordination with other agencies G4E-5.332 Transfer for Disposal Manifests Improve Coordination with other agencies G4E-5.342 Form of Records Improve Coordination with other agencies G4E-5.344 Reports of Stolen, Lost, or Missing Licensed or Registered Sources of Improve Coordination with other agencies G4E-5.344 Notification of Incidents Improve Coordination with other agencies G4E-5.345 Exceeding the Constraints or Limits, Medical Events and Dose to an Improve Coordination with other agencies Embryo/Fetus or a Nursing Child Improve Coordination with other agencies Improve Coordin		y
64E-5.216 Reciprocal Recognition of Licenses for Byproduct, Source, Naturally Occurring and Accelerator Produced Radioactive Material, and Special Nuclear Material in Quantities Not Sufficient to Form a Critical Mass 64E-5.217 Bonding of Persons Licensed Pursuant to Subpart II C Improve coordination with other agencies 64E-5.221 Radiological criteria for license termination Clarify 64E-5.223 Criteria for License Termination Under Restricted Conditions Improve coordination with other agencies 64E-5.224 Alternate Criteria for License Termination G4E-5.224 Alternate Criteria for License Termination Improve coordination with other agencies 64E-5.225 Minimizing Contamination Improve coordination with other agencies 64E-5.237 Procedures for Receiving and Opening Packages Improve coordination with other agencies 64E-5.332 Transfer for Disposal Manifests Improve coordination with other agencies 64E-5.343 Reports of Stolen, Lost, or Missing Licensed or Registered Sources of Radiation 64E-5.344 Notification of Incidents Improve coordination with other agencies 64E-5.345 Exceeding the Constraints or Limits, Medical Events and Dose to an Embryo/Fetus or a Nursing Child 64E-5.350 Reports of Transactions Involving Nationally Tracked Sources 64E-5.340 Definitions Improve coordination with other agencies 64E-5.424 Requirements for Industrial Radiography Equipment Using Sealed Sources Improve coordination with other agencies 64E-5.437 Personnel Monitororig Clarify 64E-5.437 Personnel Monitororig Clarify 64E-5.501 Definitions Clarify 64E-5.501 Definitions Clarify	· ·	Ciarity
64E-5.216 Reciprocal Recognition of Licenses for Byproduct, Source, Naturally Occurring and Accelerator Produced Radioactive Material, and Special Nuclear Material in Quantities Not Sufficient to Form a Critical Mass 64E-5.217 Bonding of Persons Licensed Pursuant to Subpart II C 64E-5.221 Radiological criteria for License termination 64E-5.223 Criteria for License Termination Under Restricted Conditions 64E-5.224 Alternate Criteria for License Termination Under Restricted Conditions 64E-5.225 Minimizing Contamination 64E-5.226 Minimizing Contamination 64E-5.314 General 64E-5.314 General 64E-5.327 Procedures for Receiving and Opening Packages 64E-5.328 Form of Records 64E-5.343 Reports of Stolen, Lost, or Missing Licensed or Registered Sources of Radiation 64E-5.344 Notification of Incidents 64E-5.345 Exceeding the Constraints or Limits, Medical Events and Dose to an Embryo/Fetus or a Nursing Child 64E-5.351 Nationally Tracked Source Thresholds 64E-5.351 Nationally Tracked Source Thresholds 64E-5.423 Definitions 64E-5.424 Requirements for Industrial Radiography Equipment Using Sealed Sources 64E-5.433 Radiation Safety Officer 64E-5.437 Personnel Monitoroing 64E-5.437 Personnel Monitoroing 64E-5.501 Definitions Clarify 64E-5.501 Clarify 64E-5.501 Definitions Clarify		Ol wife
Occurring and Accelerator Produced Radioactive Material, and Special Nuclear Material in Quantities Not Sufficient to Form a Critical Mass 64E-5.217 Bonding of Persons Licensed Pursuant to Subpart II C 64E-5.221 Radiological criteria for license termination 64E-5.223 Criteria for License Termination Under Restricted Conditions 64E-5.223 Criteria for License Termination Under Restricted Conditions 64E-5.224 Alternate Criteria for License Termination 64E-5.225 Minimizing Contamination 64E-5.226 Minimizing Contamination 64E-5.314 General 64E-5.317 Procedures for Receiving and Opening Packages 64E-5.327 Procedures for Receiving and Opening Packages 64E-5.327 Procedures for Receiving and Opening Packages 64E-5.332 Transfer for Disposal Manifests 64E-5.342 Form of Records 64E-5.343 Reports of Stolen, Lost, or Missing Licensed or Registered Sources of Radiation 64E-5.344 Notification of Incidents 64E-5.345 Exceeding the Constraints or Limits, Medical Events and Dose to an Improve coordination with other agencies 64E-5.351 Nationally Tracked Source Transactions Involving Nationally Tracked Sources 64E-5.423 Definitions 64E-5.423 Definitions 64E-5.424 Requirements for Industrial Radiography Equipment Using Sealed Sources 64E-5.433 Reparts of Stolen Industrial Radiography Equipment Using Sealed Sources 64E-5.433 Radiation Safety Officer 64E-5.437 Personnel Monitoroing 64E-5.502 General Requirements 64E-5.502 General Requirements 64E-5.502 General Requirements		y
in Quantities Not Sufficient to Form a Critical Mass 64E-5.217 Bonding of Persons Licensed Pursuant to Subpart II C 64E-5.221 Radiological criteria for license termination 64E-5.223 Criteria for License Termination Under Restricted Conditions 64E-5.224 Alternate Criteria for License Termination Under Restricted Conditions 64E-5.226 Minimizing Contamination 64E-5.226 Minimizing Contamination 64E-5.226 Minimizing Contamination 64E-5.314 General 64E-5.314 General 64E-5.315 Procedures for Receiving and Opening Packages 64E-5.327 Procedures for Receiving and Opening Packages 64E-5.332 Transfer for Disposal Manifests 64E-5.342 Form of Records 64E-5.343 Reports of Stolen, Lost, or Missing Licensed or Registered Sources of Radiation 64E-5.344 Notification of Incidents 64E-5.345 Exceeding the Constraints or Limits, Medical Events and Dose to an Embryo/Fetus or a Nursing Child 64E-5.350 Reports of Transactions Involving Nationally Tracked Sources 64E-5.351 Nationally Tracked Source Thresholds 64E-5.433 Definitions 64E-5.433 Definitions 64E-5.433 Radiation Safety Officer 64E-5.437 Personnel Monitoroing 64E-5.437 Personnel Monitoroing 64E-5.430 Requirements 64E-5.430 Requirements 64E-5.430 Requirements 64E-5.431 Permanent Radiographic Installations 64E-5.432 Personnel Monitoroing 64E-5.433 Requirements 64E-5.430 Requirements 64E-5.437 Personnel Monitoroing 64E-5.430 Requirements 64E-5.430 Requirements 64E-5.431 Permanent Requirements 64E-5.432 Definitions 64E-5.433 Requirements 64E-5.530 Requirements 64E-5.530 Requirements 64E-5.530 Requirements 64E-5.530 Requirements 64E-5.433 Requirements 64E-5.433 Requirements 64E-5.433 Requirements 64E-5.433 Requirements 64E-5.530 Requirements 64E		Improve coordination with other agencies
64E-5.217 Bonding of Persons Licensed Pursuant to Subpart II C 64E-5.221 Radiological criteria for license termination 64E-5.222 Radiological criteria for license termination 64E-5.223 Criteria for License Termination Under Restricted Conditions 64E-5.224 Alternate Criteria for License Termination 64E-5.224 Alternate Criteria for License Termination 64E-5.226 Minimizing Contamination 64E-5.226 Minimizing Contamination 64E-5.314 General 64E-5.317 Procedures for Receiving and Opening Packages 64E-5.317 Procedures for Receiving and Opening Packages 64E-5.327 Procedures for Receiving and Opening Packages 64E-5.332 Transfer for Disposal Manifests 64E-5.332 Form of Records 64E-5.342 Form of Records 64E-5.343 Reports of Stolen, Lost, or Missing Licensed or Registered Sources of 84E-6.344 Notification of Incidents 64E-5.345 Exceeding the Constraints or Limits, Medical Events and Dose to an Improve coordination with other agencies 84E-5.350 Reports of Transactions Involving Nationally Tracked Sources 84E-5.351 Nationally Tracked Source Thresholds 84E-5.351 Nationally Tracked Source Thresholds 84E-5.432 Requirements for Industrial Radiography Equipment Using Sealed Sources 84E-5.431 Permanent Radiographic Installations. 84E-5.433 Radiation Safety Officer 84E-5.437 Personnel Monitoring 84E-5.501 Definitions 84E-5.502 General Requirements		
64E-5.221 Radiological criteria for license termination 64E-5.223 Criteria for License Termination Under Restricted Conditions 64E-5.224 Alternate Criteria for License Termination 64E-5.224 Alternate Criteria for License Termination 64E-5.226 Minimizing Contamination 64E-5.226 Minimizing Contamination 64E-5.314 General 64E-5.314 General 64E-5.327 Procedures for Receiving and Opening Packages 64E-5.327 Procedures for Receiving and Opening Packages 64E-5.328 Transfer for Disposal Manifests 64E-5.329 Form of Records 64E-5.342 Form of Records 64E-5.343 Reports of Stolen, Lost, or Missing Licensed or Registered Sources of Radiation 64E-5.344 Notification of Incidents 64E-5.345 Exceeding the Constraints or Limits, Medical Events and Dose to an Improve coordination with other agencies 64E-5.350 Reports of Transactions Involving Nationally Tracked Sources 64E-5.351 Nationally Tracked Source Thresholds 64E-5.423 Definitions 64E-5.424 Requirements for Industrial Radiography Equipment Using Sealed Sources 64E-5.431 Permanent Radiographic Installations. 64E-5.433 Radiation Safety Officer 64E-5.437 Personnel Monitoroing 64E-5.437 Personnel Monitoroing 64E-5.437 Personnel Monitoroing 64E-5.502 General Requirements		
64E-5.223 Criteria for License Termination Under Restricted Conditions Improve coordination with other agencies 64E-5.224 Alternate Criteria for License Termination Improve coordination with other agencies 64E-5.226 Minimizing Contamination Improve coordination with other agencies Improve coordination with other agencies 64E-5.314 General Improve coordination with other agencies 64E-5.315 Procedures for Receiving and Opening Packages Improve coordination with other agencies 64E-5.327 Procedures for Disposal Manifests Improve coordination with other agencies 64E-5.342 Form of Records Improve coordination with other agencies 64E-5.342 Form of Records Improve coordination with other agencies 64E-5.343 Reports of Stolen, Lost, or Missing Licensed or Registered Sources of Radiation Improve coordination with other agencies 64E-5.344 Notification of Incidents Improve coordination with other agencies 64E-5.345 Exceeding the Constraints or Limits, Medical Events and Dose to an Improve coordination with other agencies 64E-5.350 Reports of Transactions Involving Nationally Tracked Sources Improve coordination with other agencies 64E-5.351 Nationally Tracked Source Thresholds Improve coordination with other agencies 64E-5.423 Definitions Improve coordination with other agencies 64E-5.431 Permanent Radiography Equipment Using Sealed Sources Improve coordination with other agencies 64E-5.431 Permanent Radiographic Installations. Improve coordination with other agencies 64E-5.437 Personnel Monitoroing Clarify 64E-5.501 Definitions Clarify 64E-5.502 General Requirements		
64E-5.224 Alternate Criteria for License Termination Improve coordination with other agencies 64E-5.226 Minimizing Contamination Improve coordination with other agencies 64E-5.314 General Improve coordination with other agencies 64E-5.327 Procedures for Receiving and Opening Packages Improve coordination with other agencies 64E-5.332 Transfer for Disposal Manifests Improve coordination with other agencies 64E-5.342 Form of Records Improve coordination with other agencies 64E-5.343 Reports of Stolen, Lost, or Missing Licensed or Registered Sources of Radiation Improve coordination with other agencies 64E-5.344 Notification of Incidents Improve coordination with other agencies 64E-5.345 Exceeding the Constraints or Limits, Medical Events and Dose to an Improve coordination with other agencies 64E-5.350 Reports of Transactions Involving Nationally Tracked Sources Improve coordination with other agencies 64E-5.351 Nationally Tracked Source Thresholds Improve coordination with other agencies 64E-5.423 Definitions Improve coordination with other agencies 64E-5.424 Requirements for Industrial Radiography Equipment Using Sealed Sources Improve coordination with other agencies 64E-5.431 Permanent Radiographic Installations. Improve coordination with other agencies 64E-5.433 Radiation Safety Officer Clarify 64E-5.501 Definitions Clarify 64E-5.502 General Requirements		· ·
64E-5.226 Minimizing Contamination G4E-5.314 General Improve coordination with other agencies G4E-5.314 General Improve coordination with other agencies G4E-5.327 Procedures for Receiving and Opening Packages Improve coordination with other agencies G4E-5.332 Transfer for Disposal Manifests G4E-5.342 Form of Records G4E-5.343 Reports of Stolen, Lost, or Missing Licensed or Registered Sources of Radiation G4E-5.344 Notification of Incidents G4E-5.345 Exceeding the Constraints or Limits, Medical Events and Dose to an Embryo/Fetus or a Nursing Child G4E-5.350 Reports of Transactions Involving Nationally Tracked Sources G4E-5.423 Definitions G4E-5.424 Requirements for Industrial Radiography Equipment Using Sealed Sources G4E-5.437 Personnel Monitoroing G4E-5.437 Personnel Monitoroing Clarify G4E-5.502 General Requirements Clarify G4E-5.502 General Requirements Clarify G4E-5.502 General Requirements		
Improve coordination with other agencies		
64E-5.327 Procedures for Receiving and Opening Packages 64E-5.332 Transfer for Disposal Manifests 64E-5.342 Form of Records 64E-5.343 Reports of Stolen, Lost, or Missing Licensed or Registered Sources of Radiation 64E-5.344 Notification of Incidents 64E-5.345 Exceeding the Constraints or Limits, Medical Events and Dose to an Improve coordination with other agencies 64E-5.350 Reports of Transactions Involving Nationally Tracked Sources 64E-5.423 Definitions 64E-5.424 Requirements for Industrial Radiography Equipment Using Sealed Sources 64E-5.437 Personnel Monitoroing 64E-5.501 Definitions Clarify 64E-5.502 General Requirements Improve coordination with other agencies Clarify 64E-5.437 Personnel Monitoroing Clarify 64E-5.502 General Requirements	64E-5.226 Minimizing Contamination	Improve coordination with other agencies
64E-5.332 Transfer for Disposal Manifests 64E-5.342 Form of Records 64E-5.343 Reports of Stolen, Lost, or Missing Licensed or Registered Sources of Radiation 64E-5.344 Notification of Incidents 64E-5.345 Exceeding the Constraints or Limits, Medical Events and Dose to an Improve coordination with other agencies Embryo/Fetus or a Nursing Child 64E-5.350 Reports of Transactions Involving Nationally Tracked Sources 64E-5.423 Definitions 64E-5.424 Requirements for Industrial Radiography Equipment Using Sealed Sources 64E-5.431 Permanent Radiographic Installations. 64E-5.433 Radiation Safety Officer 64E-5.501 Definitions Clarify 64E-5.502 General Requirements Clarify Clarify Clarify		
64E-5.342 Form of Records 64E-5.343 Reports of Stolen, Lost, or Missing Licensed or Registered Sources of Radiation 64E-5.344 Notification of Incidents 64E-5.345 Exceeding the Constraints or Limits, Medical Events and Dose to an Embryo/Fetus or a Nursing Child 64E-5.350 Reports of Transactions Involving Nationally Tracked Sources 64E-5.423 Definitions 64E-5.424 Requirements for Industrial Radiography Equipment Using Sealed Sources 64E-5.431 Permanent Radiographic Installations. 64E-5.437 Personnel Monitoroing 64E-5.500 General Requirements 64E-5.502 General Requirements 64E-5.502 General Requirements 64E-5.502 General Requirements 64E-5.502 General Requirements	64E-5.327 Procedures for Receiving and Opening Packages	Improve coordination with other agencies
64E-5.343 Reports of Stolen, Lost, or Missing Licensed or Registered Sources of Radiation 64E-5.344 Notification of Incidents 64E-5.345 Exceeding the Constraints or Limits, Medical Events and Dose to an Embryo/Fetus or a Nursing Child 64E-5.350 Reports of Transactions Involving Nationally Tracked Sources 64E-5.351 Nationally Tracked Source Thresholds 64E-5.423 Definitions 64E-5.424 Requirements for Industrial Radiography Equipment Using Sealed Sources 64E-5.431 Permanent Radiographic Installations. 64E-5.437 Personnel Monitoroing 64E-5.501 Definitions 6Clarify 64E-5.502 General Requirements 6Clarify 6Clarify 6Clarify 6Clarify	64E-5.332 Transfer for Disposal Manifests	Improve coordination with other agencies
Radiation 64E-5.344 Notification of Incidents 64E-5.345 Exceeding the Constraints or Limits, Medical Events and Dose to an Improve coordination with other agencies Embryo/Fetus or a Nursing Child 64E-5.350 Reports of Transactions Involving Nationally Tracked Sources Improve coordination with other agencies 64E-5.351 Nationally Tracked Source Thresholds Improve coordination with other agencies 64E-5.423 Definitions Improve coordination with other agencies 64E-5.424 Requirements for Industrial Radiography Equipment Using Sealed Sources Improve coordination with other agencies 64E-5.431 Permanent Radiographic Installations. Improve coordination with other agencies 64E-5.433 Radiation Safety Officer Clarify 64E-5.437 Personnel Monitoroing Clarify 64E-5.501 Definitions Clarify 64E-5.502 General Requirements	64E-5.342 Form of Records	clarify
64E-5.344 Notification of Incidents 64E-5.345 Exceeding the Constraints or Limits, Medical Events and Dose to an Embryo/Fetus or a Nursing Child 64E-5.350 Reports of Transactions Involving Nationally Tracked Sources 64E-5.351 Nationally Tracked Source Thresholds 64E-5.423 Definitions 64E-5.424 Requirements for Industrial Radiography Equipment Using Sealed Sources 64E-5.431 Permanent Radiographic Installations. 64E-5.433 Radiation Safety Officer 64E-5.437 Personnel Monitoroing 64E-5.501 Definitions 61E-5.502 General Requirements 61E-5.502 General Requirements 61E-5.502 General Requirements 62E-5.501 Definitions 63E-5.502 General Requirements 64E-5.502 General Requirements 64E-5.503 Improve coordination with other agencies 65E-5.601 Definitions 65E-5.602 General Requirements 65E-5.603 Improve coordination with other agencies 65E-5.604 Clarify 66E-5.505 Clarify 66E-5.505 Clarify	64E-5.343 Reports of Stolen, Lost, or Missing Licensed or Registered Sources of	Improve coordination with other agencies
64E-5.345 Exceeding the Constraints or Limits, Medical Events and Dose to an Embryo/Fetus or a Nursing Child 64E-5.350 Reports of Transactions Involving Nationally Tracked Sources 64E-5.351 Nationally Tracked Source Thresholds 64E-5.423 Definitions 64E-5.424 Requirements for Industrial Radiography Equipment Using Sealed Sources 64E-5.431 Permanent Radiographic Installations. 64E-5.433 Radiation Safety Officer 64E-5.437 Personnel Monitoroing 64E-5.501 Definitions Clarify 64E-5.502 General Requirements Clarify Clarify	Radiation	
Embryo/Fetus or a Nursing Child 64E-5.350 Reports of Transactions Involving Nationally Tracked Sources 64E-5.351 Nationally Tracked Source Thresholds 64E-5.423 Definitions 64E-5.424 Requirements for Industrial Radiography Equipment Using Sealed Sources 64E-5.431 Permanent Radiographic Installations. 64E-5.433 Radiation Safety Officer 64E-5.437 Personnel Monitoroing 64E-5.501 Definitions Clarify 64E-5.502 General Requirements Coordination with other agencies Clarify Clarify Clarify Clarify	64E-5.344 Notification of Incidents	Improve coordination with other agencies
Embryo/Fetus or a Nursing Child 64E-5.350 Reports of Transactions Involving Nationally Tracked Sources 64E-5.351 Nationally Tracked Source Thresholds 64E-5.423 Definitions 64E-5.424 Requirements for Industrial Radiography Equipment Using Sealed Sources 64E-5.431 Permanent Radiographic Installations. 64E-5.433 Radiation Safety Officer 64E-5.437 Personnel Monitoroing 64E-5.501 Definitions Clarify 64E-5.502 General Requirements Coordination with other agencies Clarify Clarify Clarify Clarify	64E-5.345 Exceeding the Constraints or Limits, Medical Events and Dose to an	Improve coordination with other agencies
64E-5.350 Reports of Transactions Involving Nationally Tracked Sources 64E-5.351 Nationally Tracked Source Thresholds 64E-5.423 Definitions 64E-5.424 Requirements for Industrial Radiography Equipment Using Sealed Sources 64E-5.431 Permanent Radiographic Installations. 64E-5.433 Radiation Safety Officer 64E-5.437 Personnel Monitoroing 64E-5.501 Definitions 64E-5.502 General Requirements Clarify Clarify Clarify Clarify Clarify Clarify Clarify Clarify	Embryo/Fetus or a Nursing Child	
64E-5.351 Nationally Tracked Source Thresholds 64E-5.423 Definitions 64E-5.424 Requirements for Industrial Radiography Equipment Using Sealed Sources 64E-5.431 Permanent Radiographic Installations. 64E-5.433 Radiation Safety Officer 64E-5.437 Personnel Monitoroing 64E-5.501 Definitions 64E-5.502 General Requirements Clarify Clarify Clarify Clarify Clarify Clarify	64E-5.350 Reports of Transactions Involving Nationally Tracked Sources	Improve coordination with other agencies
64E-5.424 Requirements for Industrial Radiography Equipment Using Sealed Sources Improve coordination with other agencies Improve coordination with other agencies Improve coordination with other agencies Clarify 64E-5.437 Personnel Monitoroing Clarify 64E-5.501 Definitions Clarify Clarify Clarify Clarify		Improve coordination with other agencies
64E-5.424 Requirements for Industrial Radiography Equipment Using Sealed Sources Improve coordination with other agencies Improve coordination with other agencies Improve coordination with other agencies Clarify 64E-5.437 Personnel Monitoroing Clarify 64E-5.501 Definitions Clarify Clarify Clarify Clarify		
64E-5.431 Permanent Radiographic Installations. 64E-5.433 Radiation Safety Officer 64E-5.437 Personnel Monitoroing 64E-5.501 Definitions Clarify 64E-5.502 General Requirements Clarify Clarify	64E-5.424 Requirements for Industrial Radiography Equipment Using Sealed Sources	
64E-5.433 Radiation Safety Officer Clarify 64E-5.437 Personnel Monitoroing Clarify 64E-5.501 Definitions Clarify 64E-5.502 General Requirements Clarify		
64E-5.437 Personnel Monitoroing Clarify 64E-5.501 Definitions Clarify 64E-5.502 General Requirements Clarify		
64E-5.501 Definitions Clarify 64E-5.502 General Requirements Clarify		
64E-5.502 General Requirements Clarify		J
		· ·
	64E-5.503 General Requirements for All Diagnostic X-Ray Systems	Clarify

64E-5.504 Fluoroscopic X-Ray Systems	Clarify
64E-5.505 Diagnostic Radiography Systems, Other than Fluoroscopic, Mammographic,	Clarify
Dental Intraoral or Veterinary Systems	J,
64E-5.506 Intraoral Dental Radiographic Systems	Clarify
64E-5.507 Therapeutic X-Ray Systems of Less Than 1 MeV	Clarify
64E-5.508 X-Ray and Electron Therapy Systems with Energies of 1 MeV and Above	Clarify
64E-5.509 Veterinary Medicine X-Ray Operations	Clarify
64E-5.510 Mammographic Systems	Clarify
64E-5.511 Registration of Radiation Machines	Clarify
64E-5.601 License Required	Improve coordination with other agencies
64E-5.602 License Amendments	Improve coordination with other agencies
64E-5.603 Notification	Improve coordination with other agencies
64E-5.604 ALARA Program	Improve coordination with other agencies
64E-5.605 Radiation Safety Officer	Improve coordination with other agencies
64E-5.606 Radiation Safety Committee	Improve coordination with other agencies
64E-5.607 Authority and Responsibilities	Improve coordination with other agencies
64E-5.608 Supervision	Improve coordination with other agencies
64E-5.609 Visiting Authorized User, Visiting Authorized Medical Physicist, or Visiting	Improve coordination with other agencies
64E-5.610 Mobile Medical Service Requirements	Improve coordination with other agencies
64E-5.6011 Definitions	Improve coordination with other agencies
64E-5.611 Quality Management Program and Notifications, Records and Reports of	Improve coordination with other agencies
Medical Events	
64E-5.612 Suppliers	Improve coordination with other agencies
64E-5.613 Quality Control of Diagnostic Instrumentation	Improve coordination with other agencies
64E-5.614 Possession, Use, Calibration, and Check of Dose Calibrators in the Use of	Improve coordination with other agencies
Unsealed Radiopharmaceuticals	
64E-5.615 Use, Calibration and Check of Survey Instruments	Improve coordination with other agencies
64E-5.616 Determination of Dosages of Unsealed Radioactive Material for Medical Use	Improve coordination with other agencies
64E-5.618 Requirements for Possession of Sealed Sources and Brachytherapy Sources	Improve coordination with other agencies
64E-5.619 Syringe Shields and Labels	Improve coordination with other agencies
64E-5.620 Vial Shields and Labels	Improve coordination with other agencies
64E-5.621 Surveys for Contamination and Ambient Radiation Dose Rate	Improve coordination with other agencies
64E-5.622 Release of Patients or Human Research Subjects Treated with	Improve coordination with other agencies
Radiopharmaceuticals, Implants or Remote Afterloader Units	
64E-5.623 Storage of Volatiles and Gases	Improve coordination with other agencies
64E-5.624 Decay in Storage	Improve coordination with other agencies
64E-5.625 Safety Instructions and Precautions for Liquid Iodine, Radiopharmaceutical	Improve coordination with other agencies
Therapy, Manual Brachytherapy, Remote Afterloader Units, Teletherapy Units and	
Gamma Stereotactic Radiosurgery.	
64E-5.6251 Manual Brachytherapy Therapy Related Computer Systems	Improve coordination with other agencies
64E-5.626 Use of Radiopharmaceuticals for Uptake, Dilution, or Excretion Studies	Improve coordination with other agencies

Imaging and Localization Studies 64E-5.628 Generators 54E-5.629 Control of Aerosols and Gases. 54E-5.630 Use of Radiopharmaceuticals for Therapy 54E-5.630 Use of Radiopharmaceuticals for Therapy 54E-5.630 Use of Sealed Sources for Diagnosis 64E-5.632 Use of Sources for Manual Brachytherapy 54E-5.632 Use of Sources for Manual Brachytherapy 64E-5.632 Use of Sources for Manual Brachytherapy 64E-5.632 Use of Sources for Manual Brachytherapy 64E-5.6331 Calibration Measurements of Manual Brachytherapy Sources 64E-5.6331 Calibration Measurements of Manual Brachytherapy Sources 64E-5.6332 Decay of Strontium-90 Sources for Ophthalmic Treatments 64E-5.6332 Safety Procedures and Instructions for Remote Afterloader Unit, Teletherapy Unit, or Improve coordination with other agencies 64E-5.636 Safety Procedures and Instructions for Remote Afterloader Units, Teletherapy 10ntls, and Gamma Stereotactic Radiosurgery Units 64E-5.639 Viewing Systems 10mprove coordination with other agencies 10mprove coordinatio	64E-5.627 Use of Unsealed Radiopharmaceuticals, Generators, and Reagent Kits for	Improve coordination with other agencies
B4E-5.628 Generators	·	improve coordination with other agencies
64E-5.630 Use of Saciopharmaceuticals for Therapy 64E-5.631 Use of Sealed Sources for Diagnosis 64E-5.632 Use of Sources for Manual Brachytherapy 64E-5.632 Use of Sources for Manual Brachytherapy 64E-5.6331 Calibration Measurements of Manual Brachytherapy Sources 64E-5.6331 Calibration Measurements of Manual Brachytherapy Sources 64E-5.6332 Decay of Strontium-90 Sources for Ophthalmic Treatments 64E-5.6332 Use of Sources for Manual Brachytherapy Sources 64E-5.6332 Decay of Strontium-90 Sources for Ophthalmic Treatments 64E-5.635 Safety Procedures and Instructions for Remote Afterloader Unit, Teletherapy Unit, or Gamma Stereotactic Radiosurgery Units 64E-5.636 Safety Procedures and Instructions for Remote Afterloader Units, Teletherapy 10 Improve coordination with other agencies 10 Imp		Improve coordination with other agencies
64E-5.630 Use of Radiopharmaceuticals for Therapy 64E-5.631 Use of Sealed Sources for Diagnosis 64E-5.631 Use of Sealed Sources for Manual Brachytherapy 64E-5.633 Manual Brachytherapy Sources Inventory and Surveys 64E-5.633 Manual Brachytherapy Sources Inventory and Surveys 64E-5.633 Decay of Strontium-90 Sources for Ophthalmic Treatments 64E-5.633 Decay of Strontium-90 Sources for Ophthalmic Treatments 64E-5.634 Use of a Sealed Source in a Remote Afterloader Unit, Teletherapy Unit, or Improve coordination with other agencies 64E-5.635 Installation, Adjustment, Maintenance and Repair Restrictions. 64E-5.635 Installation, Adjustment, Maintenance and Repair Restrictions. 64E-5.637 Safety Procedures and Instructions for Remote Afterloader Units, Teletherapy 10 Improve coordination with other agencies 64E-5.637 Safety Procedures and Instructions for Remote Afterloader Units, Teletherapy 10 Improve coordination with other agencies 10 Improve c		
64E-5.631 Use of Sealed Sources for Diagnosis 64E-5.632 Use of Sources for Manual Brachytherapy 64E-5.633 Manual Brachytherapy Sources Improve coordination with other agencies 64E-5.633 Manual Brachytherapy Sources Improve coordination with other agencies 64E-5.633 Calibration Measurements of Manual Brachytherapy Sources 64E-5.633 Calibration Measurements of Manual Brachytherapy Sources 64E-5.633 Lose of a Sealed Source in a Remote Afterloader Unit, Teletherapy Unit, or Gamma Stereotactic Radiosurgery Unit. 64E-5.634 Use of a Sealed Source in a Remote Afterloader Unit, Teletherapy Unit, or Gamma Stereotactic Radiosurgery Unit. 64E-5.636 Safety Procedures and Instructions for Remote Afterloader Units, Teletherapy 10 Improve coordination with other agencies 64E-5.636 Safety Procedures and Instructions for Remote Afterloader Units, Teletherapy 10 Improve coordination with other agencies 10 Im		
64E-5.632 Use of Sources for Manual Brachytherapy 64E-5.633 Manual Brachytherapy Sources Inventory and Surveys 64E-5.6331 Calibration Measurements of Manual Brachytherapy Sources 64E-5.6332 Decay of Strontium-90 Sources for Ophthalmic Treatments 64E-5.6332 Labs of a Sealed Source in a Remote Afterloader Unit, Teletherapy Unit, or Gamma Stereotactic Radiosurgery Unit. 64E-5.635 Installation, Adjustment, Maintenance and Repair Restrictions. 64E-5.636 Safety Procedures and Instructions for Remote Afterloader Units, Teletherapy Improve coordination with other agencies Units, and Gamma Stereotactic Radiosurgery Units 64E-5.638 Radiation Monitoring Devices. 64E-5.638 Radiation Monitoring Devices. 64E-5.638 Radiation Monitoring Devices. 64E-5.640 Dosimetry Equipment Used With Remote Afterloading Units, Teletherapy Improve coordination with other agencies of 64E-5.641 Full Calibration Measurements on Teletherapy Units. 64E-5.641 Full Calibration Measurements on Remote Afterloader Units 64E-5.641 Full Calibration Measurements on Gamma Stereotactic Radiosurgery Units 64E-5.642 Periodic Spot-Checks of Teletherapy Units 64E-5.6432 Periodic Spot-Checks for Remote Afterloader Units 64E-5.642 Periodic Spot-Checks for Gamma Stereotactic Radiosurgery Units 64E-5.643 Additional Technical Requirements for Mobile Remote Afterloader Units 64E-5.643 Additional Technical Requirements for Mobile Remote Afterloader Units 64E-5.642 Remote Afterloader, Gamma Stereotactic, and Teletherapy Therapy-Related 64E-5.648 Remote Afterloader, Gamma Stereotactic, and Teletherapy Therapy-Related 64E-5.648 Remote Afterloader, Gamma Stereotactic, and Measurements 64E-5.648 Remote Afterloader, Gamma Stereotactic, and Measurements 64E-5.648 Remote Afterloader, Gamma Stereotactic, and Measurements 64E-5.648 Remote Afterloader, Gamm		
64E-5.633 Manual Brachytherapy Sources Inventory and Surveys 64E-5.6331 Calibration Measurements of Manual Brachytherapy Sources 64E-5.6332 Decay of Strontium-90 Sources for Ophthalmic Treatments 64E-5.6332 Decay of Strontium-90 Sources for Ophthalmic Treatments 64E-5.6332 Use of a Sealed Source in a Remote Afterloader Unit, Teletherapy Unit, or Camma Stereotactic Radiosurgery Unit. 64E-5.635 Installation, Adjustment, Maintenance and Repair Restrictions. 64E-5.636 Safety Procedures and Instructions for Remote Afterloader Units, Teletherapy Improve coordination with other agencies 64E-5.637 Safety Procedures and Instructions for Remote Afterloader Units, Teletherapy Improve coordination with other agencies 64E-5.637 Safety Precautions for Remote Afterloader Units, Teletherapy Units, and Gamma Stereotactic Radiosurgery Units 64E-5.639 Viewing Systems 64E-5.639 Viewing Systems 64E-5.640 Dosimetry Equipment Used With Remote Afterloading Units, Teletherapy Units, or Gamma Stereotactic Radiosurgery Units 64E-5.641 Full Calibration Measurements on Remote Afterloader Units 64E-5.642 Periodic Spot-Checks of Teletherapy Units 64E-5.642 Periodic Spot-Checks for Remote Afterloader Units 64E-5.6422 Periodic Spot-Checks for Gamma Stereotactic Radiosurgery Units 64E-5.6422 Periodic Spot-Checks for Gamma Stereotactic Radiosurgery Units 64E-5.6422 Periodic Spot-Checks for Gamma Stereotactic Radiosurgery Units 64E-5.6423 Additional Technical Requirements for Mobile Remote Afterloader Units 64E-5.6423 Radiation Surveys for Teletherapy Facilities 64E-5.643 Radiation Surveys for Remote Afterloader and Gamma Stereotactic 64E-5.644 Radiation Surveys for Remote Afterloader and Gamma Stereotactic 64E-5.648 Radiation Surveys for Teletherapy Facilities 64E-5.648 Radiation Surveys for Teletherapy Agencies 64E-5.649 Radiation Surveys for Teletherapy Agencies 64E-5.648 Radiation Surveys for Teletherapy Agencies 64E-5.648 Radiation Safety Officer 1mprove coordination with other agencies 64E-5.648 Radiation Safe	<u> </u>	
64E-5.6331 Calibration Measurements of Manual Brachytherapy Sources 64E-5.6332 Decay of Strontium-90 Sources for Ophthalmic Treatments 64E-5.6332 Use of a Sealed Source in a Remote Afterloader Unit, Teletherapy Unit, of Gamma Stereotactic Radiosurgery Unit. 64E-5.635 Installation, Adjustment, Maintenance and Repair Restrictions. 64E-5.635 Installation, Adjustment, Maintenance and Repair Restrictions. 64E-5.636 Safety Procedures and Instructions for Remote Afterloader Units, Teletherapy 64E-5.637 Safety Procedures and Instructions for Remote Afterloader Units, Teletherapy 64E-5.637 Safety Procautions for Remote Afterloader Units, Teletherapy 64E-5.638 Radiation Monitoring Devices. 64E-5.638 Radiation Monitoring Devices. 64E-5.639 Viewing Systems 64E-5.639 Viewing Systems 64E-5.640 Dosimetry Equipment Used With Remote Afterloading Units, Teletherapy 05E-5.6411 Full Calibration Measurements on Teletherapy Units. 64E-5.6412 Full Calibration Measurements on Remote Afterloader Units 64E-5.6412 Full Calibration Measurements on Remote Afterloader Units 64E-5.6421 Periodic Spot-Checks of Teletherapy Units 64E-5.6422 Periodic Spot-Checks for Remote Afterloader Units 64E-5.6422 Periodic Spot-Checks for Remote Afterloader Units 64E-5.6423 Radiation Surveys for Remote Afterloader Units 64E-5.643 Radiation Surveys for Remote Afterloader Units 64E-5.644 Radiation Surveys for Remote Afterloader Afterloader Units 64E-5.648 Radiation Surveys for Remote Afterloader and Gamma Stereotactic 64E-5.648 Radiation Surveys for Remote Afterloader and Gamma Stereotactic 64E-5.648 Radiation Safety Officer 64E-5.649 Radiation Safety Officer 64E-5.649 Radiation Safety Officer 64E-5.649 Radiation Safety Officer 64E-5.649 Radiation Safety Officer 64E-5.650 Training for Uptake, Dilution, or Excretion Studies for Which a Written Directive Is 64E-5.650 Training for Inpaging and Localization Studies for Which a Written Directive Is 64E-5.650 Training for Imaging and Localization Studies for Which a Written Directive Is		·
64E-5.6332 Decay of Strontium-90 Sources for Ophthalmic Treatments Improve coordination with other agencies 64E-5.634 Use of a Sealed Source in a Remote Afterloader Unit, Teletherapy Unit, or Idel-5.635 Installation, Adjustment, Maintenance and Repair Restrictions. Improve coordination with other agencies 64E-5.636 Safety Procedures and Instructions for Remote Afterloader Units, Teletherapy Improve coordination with other agencies 104E-5.637 Safety Procedures and Instructions for Remote Afterloader Units, Teletherapy Units, and Gamma Stereotactic Radiosurgery Units Improve coordination with other agencies 104E-5.6387 Safety Precautions for Remote Afterloader Units, Teletherapy Units, and Gamma Stereotactic Radiosurgery Units Improve coordination with other agencies 104E-5.638 Radiation Monitoring Devices. Improve coordination with other agencies 104E-5.639 Viewing Systems Improve coordination with other agencies 104E-5.641 Puil Calibration Measurements on Remote Afterloader Units Improve coordination with other agencies 104E-5.641 Puil Calibration Measurements on Remote Afterloader Units Improve coordination with other agencies 104E-5.6412 Puil Calibration Measurements on Remote Afterloader Units Improve coordination with other agencies 104E-5.6412 Puil Calibration Measurements on Remote Afterloader Units Improve coordination with other agencies 104E-5.6412 Periodic Spot-Checks for Remote Afterloader Units Improve coordination with other agencies 104E-5.6421 Periodic Spot-Checks for Remote Afterloader Units Improve coordination with other agencies 104E-5.6422 Periodic Spot-Checks for Gamma Stereotactic Radiosurgery Units Improve coordination with other agencies 104E-5.6423 Additional Technical Requirements for Mobile Remote Afterloader Units Improve coordination with other agencies 104E-5.643 Radiation Surveys for Teletherapy Facilities Improve coordination with other agencies 104E-5.644 Remote Afterloader, Gamma Stereotactic, and Teletherapy Therapy-Related Improve coordinatio		
64E-5.634 Use of a Sealed Source in a Remote Afterloader Unit, Teletherapy Unit, or Improve coordination with other agencies Gamma Stereotactic Radiosurgery Unit. 64E-5.635 Installation, Adjustment, Maintenance and Repair Restrictions. 64E-5.636 Safety Procedures and Instructions for Remote Afterloader Units, Teletherapy Improve coordination with other agencies Units, and Gamma Stereotactic Radiosurgery Units 64E-5.637 Safety Precautions for Remote Afterloader Units, Teletherapy Units, and Gamma Stereotactic Radiosurgery Units 64E-5.638 Radiation Monitoring Devices. 64E-5.638 Radiation Monitoring Devices. 64E-5.640 Dosimetry Equipment Used With Remote Afterloading Units, Teletherapy Units, or Gamma Stereotactic Radiosurgery Units 64E-5.641 Full Calibration Measurements on Teletherapy Units. 64E-5.6411 Full Calibration Measurements on Remote Afterloader Units 64E-5.6411 Full Calibration Measurements on Remote Afterloader Units 64E-5.6412 Periodic Spot-Checks of Teletherapy Units 64E-5.6422 Periodic Spot-Checks for Remote Afterloader Units 64E-5.6422 Periodic Spot-Checks for Remote Afterloader Units 64E-5.6422 Periodic Spot-Checks for Remote Afterloader Units 64E-5.643 Additional Technical Requirements for Mobile Remote Afterloader Units 64E-5.642 Rediation Surveys for Teletherapy Enlitties 64E-5.643 Radiation Surveys for Teletherapy Facilities 64E-5.644 Radiation Surveys for Remote Afterloader and Gamma Stereotactic 64E-5.648 Radiation Surveys for Remote Afterloader and Gamma Stereotactic 64E-5.648 Radiation Surveys for Remote Afterloader and Gamma Stereotactic 64E-5.648 Radiation Safety Officer 1 Improve coordination with other agencies 1 Impr		
Gamma Stereotactic Radiosurgery Unit. 64E-5.635 Installation, Adjustment, Maintenance and Repair Restrictions. 64E-5.635 Installation, Adjustment, Maintenance and Repair Restrictions. Improve coordination with other agencies Met-5.637 Safety Procedures and Instructions for Remote Afterloader Units, Teletherapy Units, and Gamma Stereotactic Radiosurgery Units 64E-5.637 Safety Precautions for Remote Afterloader Units, Teletherapy Units, and Gamma Stereotactic Radiosurgery Unitis 64E-5.638 Radiation Monitoring Devices. Improve coordination with other agencies 64E-5.639 Viewing Systems 64E-5.639 Viewing Systems 64E-5.640 Dosimetry Equipment Used With Remote Afterloading Units, Teletherapy Units, or Gamma Stereotactic Radiosurgery Units 64E-5.641 Full Calibration Measurements on Teletherapy Units. 64E-5.641 Full Calibration Measurements on Gamma Stereotactic Radiosurgery Units 64E-5.6421 Periodic Spot-Checks of Teletherapy Units 64E-5.6422 Periodic Spot-Checks for Gamma Stereotactic Radiosurgery Units 64E-5.6421 Periodic Spot-Checks for Gamma Stereotactic Radiosurgery Units 64E-5.643 Radiation Surveys for Teletherapy Facilities 64E-5.643 Radiation Surveys for Teletherapy Facilities 64E-5.645 Radiation Surveys for Teletherapy Facilities 64E-5.646 Reports of Teletherapy Surveys, Checks, Tests, and Measurements 64E-5.646 Reports of Teletherapy Surveys, Checks, Tests, and Measurements 64E-5.648 Radiation Surveys for Remote Afterloader Afterloader Units 64E-5.648 Radiation Surveys for Remote Afterloader Afterloader Units 64E-5.648 Radiation Surveys for Remote Afterloader and Gamma Stereotactic 64E-5.648 Radiation Surveys for Remote Afterloader and Gamma Stereotactic 64E-5.648 Radiation Surveys for Remote Afterloader and Gamma Stereotactic 64E-5.648 Radiation Surveys for Remote Afterloader and Gamma Stereotactic 64E-5.648 Radiation Surveys for Remote Afterloader and Gamma Stereotactic 64E-5.648 Radiation Surveys for Remote Afterloader Inference Improve coordination with other agencies 64E-5		
64E-5.636 Safety Procedures and Instructions for Remote Afterloader Units, Teletherapy Umits and Gamma Stereotactic Radiosurgery Units (AE-5.637 Safety Precautions for Remote Afterloader Units, Teletherapy Units, and Gamma Stereotactic Radiosurgery Units (AE-5.637 Safety Precautions for Remote Afterloader Units, Teletherapy Units, and Improve coordination with other agencies Gamma Stereotactic Radiosurgery Units (AE-5.638 Radiation Monitoring Devices. (AE-5.639 Viewing Systems (AE-5.639 Viewing Systems (AE-5.640 Dosimetry Equipment Used With Remote Afterloading Units, Teletherapy (AE-5.641 Full Calibration Measurements on Teletherapy Units (AE-5.641 Full Calibration Measurements on Remote Afterloader Units (AE-5.641 Full Calibration Measurements on Remote Afterloader Units (AE-5.6421 Full Calibration Measurements on Remote Afterloader Units (AE-5.6422 Periodic Spot-Checks of Teletherapy Units (AE-5.6422 Periodic Spot-Checks for Remote Afterloader Units (AE-5.6422 Periodic Spot-Checks for Remote Afterloader Units (AE-5.6423 Additional Technical Requirements for Mobile Remote Afterloader Units (AE-5.6433 Radiation Surveys for Teletherapy Facilities (AE-5.6434 Radiation Surveys for Remote Afterloader and Gamma Stereotactic (AE-5.6445 Remote Afterloader, Gamma Stereotactic, and Teletherapy Therapy-Related (Computer Systems (AE-5.648 Remote Afterloader, Gamma Stereotactic, and Teletherapy Therapy-Related (Computer Systems (AE-5.648 Radiation Safety Officer (AE-5.649 Radi	·	improve coordination with other agencies
64E-5.636 Safety Procedures and Instructions for Remote Afterloader Units, Teletherapy Units, and Gamma Stereotactic Radiosurgery Units 64E-5.637 Safety Precautions for Remote Afterloader Units, Teletherapy Units, and GAE-5.638 Radiation Monitoring Devices. Improve coordination with other agencies 64E-5.638 Radiation Monitoring Devices. Improve coordination with other agencies 64E-5.639 Viewing Systems Improve coordination with other agencies 04E-5.640 Dosimetry Equipment Used With Remote Afterloading Units, Teletherapy Units, or Gamma Stereotactic Radiosurgery Units 04E-5.641 Full Calibration Measurements on Teletherapy Units. 04E-5.641 Full Calibration Measurements on Remote Afterloader Units 04E-5.642 Periodic Spot-Checks of Teletherapy Units 04E-5.642 Periodic Spot-Checks of Remote Afterloader Units 04E-5.642 Periodic Spot-Checks of Remote Afterloader Units 04E-5.642 Periodic Spot-Checks for Remote Afterloader Units 04E-5.642 Periodic Spot-Checks for Remote Afterloader Units 04E-5.6422 Periodic Spot-Checks for Remote Afterloader Units 04E-5.6423 Additional Technical Requirements for Mobile Remote Afterloader Units 04E-5.643 Additional Technical Requirements for Mobile Remote Afterloader Units 04E-5.643 Radiation Surveys for Remote Afterloader and Gamma Stereotactic 04E-5.644 Radiation Surveys for Remote Afterloader and Gamma Stereotactic 04E-5.645 Remote Afterloader, Gamma Stereotactic, and Teletherapy Therapy-Related 04E-5.646 Reports of Teletherapy Surveys, Checks, Tests, and Measurements 04E-5.646 Reports of Teletherapy Surveys, Checks, Tests, and Measurements 04E-5.648 Radiation Safety Officer 04E-5.649 Training for Uptake, Dilution, or Excretion Studies 04E-5.649 Training for Uptake, Dilution, or Excretion Studies 04E-5.650 Training for Imaging and Localization Studies for Which a Written Directive Is 04E-5.650 Training for Imaging and Localization Studies for Which a Written Directive Is 04E-5.650 Training for Imaging and Localization Studies for Which a Written Directive Is 04E-5.650 Training for		Improve coordination with other agencies
Units, and Gamma Stereotactic Radiosurgery Units 64E-5.637 Safety Precautions for Remote Afterloader Units, Teletherapy Units, and Gamma Stereotactic Radiosurgery Units 64E-5.638 Radiation Monitoring Devices. Improve coordination with other agencies 64E-5.639 Viewing Systems Improve coordination with other agencies 64E-5.640 Dosimetry Equipment Used With Remote Afterloading Units, Teletherapy Units, or Gamma Stereotactic Radiosurgery Units 64E-5.641 Full Calibration Measurements on Teletherapy Units. Improve coordination with other agencies 64E-5.6411 Full Calibration Measurements on Remote Afterloader Units 64E-5.6412 Full Calibration Measurements on Remote Afterloader Units 64E-5.6412 Full Calibration Measurements on Gamma Stereotactic Radiosurgery Units 64E-5.6421 Periodic Spot-Checks of Teletherapy Units 64E-5.6422 Periodic Spot-Checks for Remote Afterloader Units 64E-5.6422 Periodic Spot-Checks for Gamma Stereotactic Radiosurgery Units 64E-5.6423 Radiation Surveys for Teletherapy Facilities 64E-5.643 Radiation Surveys for Teletherapy Facilities 64E-5.644 Radiation Surveys for Remote Afterloader and Gamma Stereotactic 64E-5.645 Remote Afterloader, Gamma Stereotactic, and Teletherapy Therapy-Related Computer Systems 64E-5.646 Reports of Teletherapy Surveys, Checks, Tests, and Measurements 64E-5.647 In Prove coordination with other agencies 64E-5.648 Radiation Safety Officer 64E-5.648 Radiation Safety Officer 64E-5.648 Radiation Safety Officer 64E-5.649 Training for Uptake, Dilution, or Excretion Studies 64E-5.648 Improve coordination with other agencies 64E-5.648 Improve coordination with other agencies 64E-5.648 Radiation Safety Officer 64E-5.649 Training for Uptake, Dilution, or Excretion Studies for Which a Written Directive Is 80E-5.650 Training for Imaging and Localization Studies for Which a Written Directive Is 80E-5.650 Training for Imaging and Localization Studies for Which a Written Directive Is 80E-5.650 Training for Imaging and Localization Studies for Which a Written Directive Is 80E-5.650 Tr		
G4E-5.637 Safety Precautions for Remote Afterloader Units, Teletherapy Units, and Gamma Stereotactic Radiosurgery Units G4E-5.638 Radiation Monitoring Devices. G4E-5.639 Viewing Systems Improve coordination with other agencies G4E-5.640 Dosimetry Equipment Used With Remote Afterloading Units, Teletherapy Units, or Gamma Stereotactic Radiosurgery Units G4E-5.641 Full Calibration Measurements on Teletherapy Units. G4E-5.641 Full Calibration Measurements on Remote Afterloader Units G4E-5.641 Full Calibration Measurements on Gamma Stereotactic Radiosurgery Units G4E-5.641 Periodic Spot-Checks of Teletherapy Units G4E-5.642 Periodic Spot-Checks for Remote Afterloader Units G4E-5.643 Radiation Surveys for Teletherapy Facilities G4E-5.644 Radiation Surveys for Remote Afterloader and Gamma Stereotactic G4E-5.644 Radiation Surveys for Remote Afterloader and Gamma Stereotactic Radiosurgery Facilities G4E-5.645 Remote Afterloader, Gamma Stereotactic, and Teletherapy Therapy-Related Computer Systems G4E-5.646 Reports of Teletherapy Surveys, Checks, Tests, and Measurements G4E-5.647 Five Year Inspection for Teletherapy and Gamma Stereotactic Radiosurgery Improve coordination with other agencies G4E-5.648 Radiation Safety Officer Improve coordination with other agencies Improve coordin	· ·	improve coordination with other agencies
Gamma Stereotactic Radiosurgery Units 64E-5.638 Radiation Monitoring Devices. 64E-5.639 Viewing Systems 64E-5.640 Dosimetry Equipment Used With Remote Afterloading Units, Teletherapy Units, or Gamma Stereotactic Radiosurgery Units 64E-5.641 Full Calibration Measurements on Teletherapy Units. 64E-5.641 Full Calibration Measurements on Remote Afterloader Units 64E-5.6412 Full Calibration Measurements on Gamma Stereotactic Radiosurgery Units 64E-5.642 Periodic Spot-Checks of Teletherapy Units 64E-5.642 Periodic Spot-Checks for Remote Afterloader Units 64E-5.6421 Periodic Spot-Checks for Gamma Stereotactic Radiosurgery Units 64E-5.6423 Additional Technical Requirements for Mobile Remote Afterloader Units 64E-5.643 Radiation Surveys for Teletherapy Facilities 64E-5.644 Radiation Surveys for Remote Afterloader and Gamma Stereotactic 64E-5.644 Radiation Surveys for Remote Afterloader and Gamma Stereotactic 64E-5.645 Remote Afterloader, Gamma Stereotactic, and Teletherapy Therapy-Related 64E-5.646 Reports of Teletherapy Surveys, Checks, Tests, and Measurements 64E-5.647 Five Year Inspection for Teletherapy and Gamma Stereotactic Radiosurgery Units 64E-5.648 Radiation Safety Officer 64E-5.649 Training for Uptake, Dilution, or Excretion Studies 64E-5.640 Training for Imaging and Localization Studies for Which a Written Directive Is Not Required		Improve coordination with other agencies
64E-5.638 Radiation Monitoring Devices. 64E-5.639 Viewing Systems 64E-5.640 Dosimetry Equipment Used With Remote Afterloading Units, Teletherapy Units, or Gamma Stereotactic Radiosurgery Units 64E-5.641 Full Calibration Measurements on Teletherapy Units. 64E-5.641 Full Calibration Measurements on Remote Afterloader Units 64E-5.6412 Full Calibration Measurements on Gamma Stereotactic Radiosurgery Units 64E-5.6412 Full Calibration Measurements on Gamma Stereotactic Radiosurgery Units 64E-5.642 Periodic Spot-Checks of Teletherapy Units 64E-5.642 Periodic Spot-Checks for Remote Afterloader Units 64E-5.6421 Periodic Spot-Checks for Remote Afterloader Units 64E-5.6422 Periodic Spot-Checks for Gamma Stereotactic Radiosurgery Units 64E-5.6423 Additional Technical Requirements for Mobile Remote Afterloader Units 64E-5.643 Radiation Surveys for Teletherapy Facilities 64E-5.644 Radiation Surveys for Remote Afterloader and Gamma Stereotactic 64E-5.645 Remote Afterloader, Gamma Stereotactic, and Teletherapy Therapy-Related Computer Systems 64E-5.646 Reports of Teletherapy Surveys, Checks, Tests, and Measurements 64E-5.647 Five Year Inspection for Teletherapy and Gamma Stereotactic Radiosurgery Units 64E-5.648 Radiation Safety Officer 64E-5.649 Training for Uptake, Dilution, or Excretion Studies 64E-5.650 Training for Imaging and Localization Studies for Which a Written Directive Is Not Required		improve coordination with other agencies
64E-5.640 Dosimetry Equipment Used With Remote Afterloading Units, Teletherapy Units, or Gamma Stereotactic Radiosurgery Units 64E-5.641 Full Calibration Measurements on Teletherapy Units. 64E-5.641 Full Calibration Measurements on Remote Afterloader Units 64E-5.641 Full Calibration Measurements on Remote Afterloader Units 64E-5.6412 Full Calibration Measurements on Gamma Stereotactic Radiosurgery Units 64E-5.6421 Full Calibration Measurements on Gamma Stereotactic Radiosurgery Units 64E-5.6421 Feriodic Spot-Checks of Teletherapy Units 64E-5.6421 Periodic Spot-Checks for Remote Afterloader Units 64E-5.6421 Periodic Spot-Checks for Remote Afterloader Units 64E-5.6422 Periodic Spot-Checks for Gamma Stereotactic Radiosurgery Units 64E-5.6423 Additional Technical Requirements for Mobile Remote Afterloader Units 64E-5.643 Radiation Surveys for Teletherapy Facilities 64E-5.644 Radiation Surveys for Remote Afterloader and Gamma Stereotactic 64E-5.645 Remote Afterloader, Gamma Stereotactic, and Teletherapy Therapy-Related Computer Systems 64E-5.646 Reports of Teletherapy Surveys, Checks, Tests, and Measurements 64E-5.647 Five Year Inspection for Teletherapy and Gamma Stereotactic Radiosurgery Units 64E-5.648 Radiation Safety Officer 64E-5.649 Training for Uptake, Dilution, or Excretion Studies 64E-5.650 Training for Imaging and Localization Studies for Which a Written Directive Is Not Required		Improve coordination with other agencies
G4E-5.640 Dosimetry Equipment Used With Remote Afterloading Units, Teletherapy Units, or Gamma Stereotactic Radiosurgery Units G4E-5.641 Full Calibration Measurements on Teletherapy Units. G4E-5.6411 Full Calibration Measurements on Remote Afterloader Units G4E-5.6412 Full Calibration Measurements on Gamma Stereotactic Radiosurgery Units G4E-5.6412 Periodic Spot-Checks of Teletherapy Units G4E-5.642 Periodic Spot-Checks for Remote Afterloader Units G4E-5.6421 Periodic Spot-Checks for Remote Afterloader Units G4E-5.6422 Periodic Spot-Checks for Gamma Stereotactic Radiosurgery Units G4E-5.6423 Radiation Surveys for Teletherapy Facilities G4E-5.6424 Radiation Surveys for Teletherapy Facilities G4E-5.643 Radiation Surveys for Remote Afterloader and Gamma Stereotactic Radiosurgery Facilities G4E-5.645 Remote Afterloader, Gamma Stereotactic, and Teletherapy Therapy-Related G4E-5.646 Reports of Teletherapy Surveys, Checks, Tests, and Measurements G4E-5.648 Radiation Safety Officer G4E-5.648 Radiation Safety Officer G4E-5.648 Radiation Safety Officer G4E-5.649 Training for Uptake, Dilution, or Excretion Studies for Which a Written Directive Is Not Required		
Units, or Gamma Stereotactic Radiosurgery Units 64E-5.641 Full Calibration Measurements on Teletherapy Units. Improve coordination with other agencies 64E-5.6411 Full Calibration Measurements on Remote Afterloader Units Improve coordination with other agencies 64E-5.6412 Full Calibration Measurements on Gamma Stereotactic Radiosurgery Units Improve coordination with other agencies 64E-5.642 Periodic Spot-Checks of Teletherapy Units Improve coordination with other agencies 64E-5.6421 Periodic Spot-Checks for Remote Afterloader Units Improve coordination with other agencies 64E-5.6422 Periodic Spot-Checks for Gamma Stereotactic Radiosurgery Units Improve coordination with other agencies 64E-5.6423 Additional Technical Requirements for Mobile Remote Afterloader Units Improve coordination with other agencies 64E-5.643 Radiation Surveys for Teletherapy Facilities Improve coordination with other agencies 64E-5.644 Radiation Surveys for Remote Afterloader and Gamma Stereotactic Radiosurgery Facilities 64E-5.645 Remote Afterloader, Gamma Stereotactic, and Teletherapy Therapy-Related Computer Systems 64E-5.646 Reports of Teletherapy Surveys, Checks, Tests, and Measurements Improve coordination with other agencies 64E-5.647 Five Year Inspection for Teletherapy and Gamma Stereotactic Radiosurgery Units 64E-5.648 Radiation Safety Officer Improve coordination with other agencies 64E-5.649 Training for Uptake, Dilution, or Excretion Studies 64E-5.650 Training for Imaging and Localization Studies for Which a Written Directive Is Not Required		
64E-5.641 Full Calibration Measurements on Teletherapy Units. 64E-5.6411 Full Calibration Measurements on Remote Afterloader Units 64E-5.6412 Full Calibration Measurements on Gamma Stereotactic Radiosurgery Units 64E-5.642 Periodic Spot-Checks of Teletherapy Units 64E-5.6421 Periodic Spot-Checks for Remote Afterloader Units 64E-5.6421 Periodic Spot-Checks for Remote Afterloader Units 64E-5.6422 Periodic Spot-Checks for Gamma Stereotactic Radiosurgery Units 64E-5.6423 Periodic Spot-Checks for Gamma Stereotactic Radiosurgery Units 64E-5.6423 Additional Technical Requirements for Mobile Remote Afterloader Units 64E-5.643 Radiation Surveys for Teletherapy Facilities 64E-5.644 Radiation Surveys for Remote Afterloader and Gamma Stereotactic 64E-5.645 Remote Afterloader, Gamma Stereotactic, and Teletherapy Therapy-Related 64E-5.646 Reports of Teletherapy Surveys, Checks, Tests, and Measurements 64E-5.647 Five Year Inspection for Teletherapy and Gamma Stereotactic Radiosurgery 901 Units 101 Improve coordination with other agencies 102 Improve coordination with other agencies 103 Improve coordination with other agencies 104 Improve coordination with other agencies 105 Improve coord		improve coordination with other agencies
64E-5.6411 Full Calibration Measurements on Remote Afterloader Units 64E-5.6412 Full Calibration Measurements on Gamma Stereotactic Radiosurgery Units 64E-5.642 Periodic Spot-Checks of Teletherapy Units 64E-5.6421 Periodic Spot-Checks for Remote Afterloader Units 64E-5.6422 Periodic Spot-Checks for Remote Afterloader Units 64E-5.6423 Additional Technical Requirements for Mobile Remote Afterloader Units 64E-5.6428 Additional Technical Requirements for Mobile Remote Afterloader Units 64E-5.643 Radiation Surveys for Teletherapy Facilities 64E-5.644 Radiation Surveys for Remote Afterloader and Gamma Stereotactic 64E-5.645 Remote Afterloader, Gamma Stereotactic, and Teletherapy Therapy-Related Computer Systems 64E-5.646 Reports of Teletherapy Surveys, Checks, Tests, and Measurements 64E-5.647 Five Year Inspection for Teletherapy and Gamma Stereotactic Radiosurgery Units 64E-5.648 Radiation Safety Officer 64E-5.649 Training for Uptake, Dilution, or Excretion Studies 64E-5.650 Training for Imaging and Localization Studies for Which a Written Directive Is Not Required		Improve coordination with other agencies
64E-5.6412 Full Calibration Measurements on Gamma Stereotactic Radiosurgery Units Improve coordination with other agencies 64E-5.642 Periodic Spot-Checks of Teletherapy Units Improve coordination with other agencies 64E-5.6421 Periodic Spot-Checks for Remote Afterloader Units Improve coordination with other agencies 64E-5.6422 Periodic Spot-Checks for Gamma Stereotactic Radiosurgery Units Improve coordination with other agencies 64E-5.6423 Additional Technical Requirements for Mobile Remote Afterloader Units Improve coordination with other agencies 64E-5.6423 Radiation Surveys for Teletherapy Facilities Improve coordination with other agencies 64E-5.644 Radiation Surveys for Remote Afterloader and Gamma Stereotactic Radiosurgery Facilities 64E-5.645 Remote Afterloader, Gamma Stereotactic, and Teletherapy Therapy-Related Computer Systems 64E-5.646 Reports of Teletherapy Surveys, Checks, Tests, and Measurements 64E-5.647 Five Year Inspection for Teletherapy and Gamma Stereotactic Radiosurgery Units 64E-5.648 Radiation Safety Officer 64E-5.649 Training for Uptake, Dilution, or Excretion Studies 64E-5.640 Training for Imaging and Localization Studies for Which a Written Directive Is Not Required		·
64E-5.642 Periodic Spot-Checks of Teletherapy Units 64E-5.6421 Periodic Spot-Checks for Remote Afterloader Units 64E-5.6422 Periodic Spot-Checks for Gamma Stereotactic Radiosurgery Units 64E-5.6423 Additional Technical Requirements for Mobile Remote Afterloader Units 64E-5.643 Radiation Surveys for Teletherapy Facilities 64E-5.644 Radiation Surveys for Remote Afterloader and Gamma Stereotactic 64E-5.645 Remote Afterloader, Gamma Stereotactic, and Teletherapy Therapy-Related Computer Systems 64E-5.646 Reports of Teletherapy Surveys, Checks, Tests, and Measurements 64E-5.647 Five Year Inspection for Teletherapy and Gamma Stereotactic Radiosurgery Units 64E-5.648 Radiation Safety Officer 64E-5.649 Training for Uptake, Dilution, or Excretion Studies 64E-5.650 Training for Imaging and Localization Studies for Which a Written Directive Is Not Required		
64E-5.6421 Periodic Spot-Checks for Remote Afterloader Units 64E-5.6422 Periodic Spot-Checks for Gamma Stereotactic Radiosurgery Units 64E-5.6423 Additional Technical Requirements for Mobile Remote Afterloader Units 64E-5.643 Radiation Surveys for Teletherapy Facilities 64E-5.644 Radiation Surveys for Remote Afterloader and Gamma Stereotactic Radiosurgery Facilities 64E-5.645 Remote Afterloader, Gamma Stereotactic, and Teletherapy Therapy-Related Computer Systems 64E-5.646 Reports of Teletherapy Surveys, Checks, Tests, and Measurements 64E-5.647 Five Year Inspection for Teletherapy and Gamma Stereotactic Radiosurgery Units 64E-5.648 Radiation Safety Officer 64E-5.649 Training for Uptake, Dilution, or Excretion Studies 64E-5.650 Training for Imaging and Localization Studies for Which a Written Directive Is Not Required		
64E-5.6422 Periodic Spot-Checks for Gamma Stereotactic Radiosurgery Units Improve coordination with other agencies 64E-5.6423 Additional Technical Requirements for Mobile Remote Afterloader Units Improve coordination with other agencies 64E-5.643 Radiation Surveys for Teletherapy Facilities Improve coordination with other agencies 64E-5.644 Radiation Surveys for Remote Afterloader and Gamma Stereotactic Radiosurgery Facilities 64E-5.645 Remote Afterloader, Gamma Stereotactic, and Teletherapy Therapy-Related Computer Systems 64E-5.646 Reports of Teletherapy Surveys, Checks, Tests, and Measurements Improve coordination with other agencies 64E-5.647 Five Year Inspection for Teletherapy and Gamma Stereotactic Radiosurgery Units 64E-5.648 Radiation Safety Officer Improve coordination with other agencies 64E-5.649 Training for Uptake, Dilution, or Excretion Studies Improve coordination with other agencies 64E-5.650 Training for Imaging and Localization Studies for Which a Written Directive Is Not Required		<u> </u>
64E-5.6423 Additional Technical Requirements for Mobile Remote Afterloader Units 64E-5.643 Radiation Surveys for Teletherapy Facilities 64E-5.644 Radiation Surveys for Remote Afterloader and Gamma Stereotactic Radiosurgery Facilities 64E-5.645 Remote Afterloader, Gamma Stereotactic, and Teletherapy Therapy-Related Computer Systems 64E-5.646 Reports of Teletherapy Surveys, Checks, Tests, and Measurements 64E-5.647 Five Year Inspection for Teletherapy and Gamma Stereotactic Radiosurgery Units 64E-5.648 Radiation Safety Officer 64E-5.649 Training for Uptake, Dilution, or Excretion Studies 64E-5.650 Training for Imaging and Localization Studies for Which a Written Directive Is Not Required Improve coordination with other agencies		
64E-5.643 Radiation Surveys for Teletherapy Facilities 64E-5.644 Radiation Surveys for Remote Afterloader and Gamma Stereotactic Radiosurgery Facilities 64E-5.645 Remote Afterloader, Gamma Stereotactic, and Teletherapy Therapy-Related Computer Systems 64E-5.646 Reports of Teletherapy Surveys, Checks, Tests, and Measurements 64E-5.647 Five Year Inspection for Teletherapy and Gamma Stereotactic Radiosurgery Units 64E-5.648 Radiation Safety Officer 64E-5.649 Training for Uptake, Dilution, or Excretion Studies 64E-5.650 Training for Imaging and Localization Studies for Which a Written Directive Is Not Required		
64E-5.644 Radiation Surveys for Remote Afterloader and Gamma Stereotactic Radiosurgery Facilities 64E-5.645 Remote Afterloader, Gamma Stereotactic, and Teletherapy Therapy-Related Computer Systems 64E-5.646 Reports of Teletherapy Surveys, Checks, Tests, and Measurements 64E-5.647 Five Year Inspection for Teletherapy and Gamma Stereotactic Radiosurgery Units 64E-5.648 Radiation Safety Officer 64E-5.649 Training for Uptake, Dilution, or Excretion Studies 64E-5.650 Training for Imaging and Localization Studies for Which a Written Directive Is Not Required		
Radiosurgery Facilities 64E-5.645 Remote Afterloader, Gamma Stereotactic, and Teletherapy Therapy-Related Computer Systems 64E-5.646 Reports of Teletherapy Surveys, Checks, Tests, and Measurements 64E-5.647 Five Year Inspection for Teletherapy and Gamma Stereotactic Radiosurgery Units 64E-5.648 Radiation Safety Officer 64E-5.649 Training for Uptake, Dilution, or Excretion Studies 64E-5.650 Training for Imaging and Localization Studies for Which a Written Directive Is Not Required Improve coordination with other agencies		
64E-5.645 Remote Afterloader, Gamma Stereotactic, and Teletherapy Therapy-Related Computer Systems 64E-5.646 Reports of Teletherapy Surveys, Checks, Tests, and Measurements 64E-5.647 Five Year Inspection for Teletherapy and Gamma Stereotactic Radiosurgery Units 64E-5.648 Radiation Safety Officer 64E-5.649 Training for Uptake, Dilution, or Excretion Studies 64E-5.650 Training for Imaging and Localization Studies for Which a Written Directive Is Not Required Improve coordination with other agencies		
Computer Systems 64E-5.646 Reports of Teletherapy Surveys, Checks, Tests, and Measurements 64E-5.647 Five Year Inspection for Teletherapy and Gamma Stereotactic Radiosurgery Units 64E-5.648 Radiation Safety Officer 64E-5.649 Training for Uptake, Dilution, or Excretion Studies 64E-5.650 Training for Imaging and Localization Studies for Which a Written Directive Is Not Required Improve coordination with other agencies		Improve coordination with other agencies
64E-5.646 Reports of Teletherapy Surveys, Checks, Tests, and Measurements 64E-5.647 Five Year Inspection for Teletherapy and Gamma Stereotactic Radiosurgery Units 64E-5.648 Radiation Safety Officer Improve coordination with other agencies 64E-5.649 Training for Uptake, Dilution, or Excretion Studies 64E-5.650 Training for Imaging and Localization Studies for Which a Written Directive Is Not Required Improve coordination with other agencies Improve coordination with other agencies Improve coordination with other agencies		
64E-5.647 Five Year Inspection for Teletherapy and Gamma Stereotactic Radiosurgery Units 64E-5.648 Radiation Safety Officer Improve coordination with other agencies 64E-5.649 Training for Uptake, Dilution, or Excretion Studies 64E-5.650 Training for Imaging and Localization Studies for Which a Written Directive Is Not Required Improve coordination with other agencies Improve coordination with other agencies Improve coordination with other agencies		Improve coordination with other agencies
Units 64E-5.648 Radiation Safety Officer Improve coordination with other agencies 64E-5.649 Training for Uptake, Dilution, or Excretion Studies 64E-5.650 Training for Imaging and Localization Studies for Which a Written Directive Is Not Required Improve coordination with other agencies Improve coordination with other agencies		
64E-5.648 Radiation Safety Officer 64E-5.649 Training for Uptake, Dilution, or Excretion Studies 64E-5.650 Training for Imaging and Localization Studies for Which a Written Directive Is Not Required Improve coordination with other agencies Improve coordination with other agencies Improve coordination with other agencies	, , , , , , , , , , , , , , , , , , , ,	i i
64E-5.649 Training for Uptake, Dilution, or Excretion Studies 64E-5.650 Training for Imaging and Localization Studies for Which a Written Directive Is Not Required Improve coordination with other agencies Improve coordination with other agencies		Improve coordination with other agencies
64E-5.650 Training for Imaging and Localization Studies for Which a Written Directive Is Not Required		
Not Required		
		ı .
	64E-5.652 Training for Use of Manual Brachytherapy Sources	Improve coordination with other agencies

64E-5.654 Training for Use of Sealed Sources for Diagnosis Stereotactic Radiosurgery Units 64E-5.655 Training for Use of Remote Afterloader Units, Teletherapy Units, and Gamma Stereotactic Radiosurgery Units 64E-5.656 Training for and Authorized Medical Physicist 64E-5.656 Training for and Authorized Medical Physicist 64E-5.656 Training for sperienced RSO, Teletherapy or Medical Physicist, Authorized Medical Physicist, Authorized User, Nuclear Pharmacist, and Authorized Nuclear Pharmacist 64E-5.658 Recentness of Training 64E-5.658 Recentness of Training for an Authorized Nuclear Pharmacist 64E-5.659 Training for an Authorized Nuclear Pharmacist 64E-5.659 Training for an Authorized Nuclear Pharmacist 64E-5.659 Training for Ise of Unsealed Radioactive Material for Which A Written Directive is Required in Rule 63E-5.626, 64E-5.627 or 64E-5.630, F.A.C. 64E-5.661 Training for the Oral Administration of Sodium Iodide I-131 Requiring A Written Directive in Quantities Less Than or Equal to 1.22 Gigabecquerels (33 Millicuries) 64E-5.662 Training for the Oral Administration of Sodium Iodide I-131 Requiring A Written Directive in Quantities Greater Than 1.22 Gigabecquerels (33 Millicuries) 64E-5.664 Other Medical Uses of Radioactive Material or Radiation From Radioactive Material Requiring a Written Directive in Quantities Greater Than 1.22 Gigabecquerels (33 Millicuries) 64E-5.701 Equipment Requirements 64E-5.701 Equipment Requirements 64E-5.703 Operating Requirements 64E-5.704 Personnel Requirements 64E-5.704 Personnel Requirements 64E-5.802 General Requirements 64E-5.803 Particle Accelerators for Therapeutic Use on Humans 64E-5.808 Derating Material and Safety Design Requirements 64E-5.808 Derating Administration and Interlock Systems 64E-5.808 Deraticle Accelerators Controls and Interlock Systems 64E-5.809 Notice to Workers Improve coordination with other agencies 10E-5.900 Notice to Workers 10E-5.900 Notice to Workers 10E-5.900 Notice to Workers 10E-5.900 Notice to Workers 10E-5.900 Noti	64E-5.653 Training for Ophthalmic Use of Strontium 90	Improve coordination with other agencies
Stereotactic Radiosurgery Units 64E-5.656 Training for and Authorized Medical Physicist 64E-5.656 Training for Experienced RSO, Teletherapy or Medical Physicist, Authorized Medical Physicist, Authorized User, Nuclear Pharmacist, and Authorized Nuclear Pharmacist 64E-5.658 Recentness of Training 64E-5.658 Recentness of Training 64E-5.659 Training for an Authorized Nuclear Pharmacist 64E-5.659 Training for the oral Administration of Sodium lodide I-131 Requiring A Written Directive in Rule 63E-5.626, 64E-5.627 or 64E-5.630, F.A.C. 64E-5.661 Training for the Oral Administration of Sodium lodide I-131 Requiring A Written Directive in Quantities Less Than or Equal to 1.22 Gigabecquerels (33 Millicuries) 64E-5.663 Training for the Oral Administration of Unsealed Radioactive Material Authorized Nuclear Pharmacist Clarify 64E-5.664 Other Medical Uses of Radioactive Material or Radiation From Radioactive Material 64E-5.700 Area Requirements Clarify 64E-5.700 Area Requirements Clarify 64E-5.701 Equipment Requirements Clarify 64E-5.801 Registration Requirements Clarify 64E-5.801 Registration Requirements Clarify 64E-5.803 Particle Accelerators for Therapeutic Use on Humans Clarify 64E-5.803 Particle Accelerators for Therapeutic Use on Humans Clarify 64E-5.804 Limitations Clarify 64E-5.805 Shielding and Safety Design Requirements Clarify 64E-5.807 Warning Devices Improve coordination with other agencies Improve coo		
MedE-5.656 Training for and Authorized Medical Physicist Improve coordination with other agencies	64E-5.655 Training for Use of Remote Afterloader Units, Teletherapy Units, and Gamma	Improve coordination with other agencies
Medical Physicist, Authorized User, Nuclear Pharmacist, and Authorized Nuclear Pharmacist Improve coordination with other agencies Medical Physicist, Authorized User, Nuclear Pharmacist, and Authorized Nuclear Pharmacist Improve coordination with other agencies MeE-5.688 Recentness of Training Improve coordination with other agencies MeE-5.680 Training for Use of Unsealed Radioactive Material for Which A Written Improve coordination with other agencies Mirrory of Mirrory	Stereotactic Radiosurgery Units	
Medical Physicist, Authorized User, Nuclear Pharmacist, and Authorized Nuclear Pharmacist 64E-5.658 Recentness of Training 64E-5.659 Training for an Authorized Nuclear Pharmacist 64E-5.659 Training for Use of Unsealed Radioactive Material for Which A Written Directive is Required in Rule 63E-5.626, 64E-5.627 or 64E-5.630, F.A.C. 64E-5.661 Training for the Oral Administration of Sodium Iodide I-131 Requiring A Written Directive in Quantities Less Than or Equal to 1.22 Gigabecquerels (33 Millicuries) 64E-5.662 Training for the Oral Administration of Sodium Iodide I-131 Requiring A Written Directive in Quantities Greater Than 1.22 Gigabecquerels (33 Millicuries) 64E-5.663 Training for the Parenteral Administration of Unsealed Radioactive Material Requiring a Written Directive 64E-5.664 Other Medical Uses of Radioactive Material or Radiation From Radioactive Material 64E-5.701 Equipment Requirements Clarify 64E-5.702 Area Requirements Clarify 64E-5.703 Operating Requirements Clarify 64E-5.704 Personnel Requirements Clarify 64E-5.802 General Requirements or the Issuance of a Registration Certificate for Particle Accelerators 64E-5.803 Particle Accelerators for Therapeutic Use on Humans Improve coordination with other agencies Clarify 64E-5.805 Shielding and Safety Design Requirements Clarify 64E-5.805 Particle Accelerator Controls and Interlock Systems Clarify 64E-5.807 Warning Devices 64E-5.808 Operating Procedures 64E-5.809 Radiation Monitoring Requirements Improve coordination with other agencies 64E-5.809 Radiation Monitoring Requirements Improve coordination with other agencies 64E-5.901 Posting of Notices to Workers Improve coordination with other agencies 64E-5.903 Notification and Reports to Individuals Improve coordination with other agencies 1 Impr	64E-5.656 Training for and Authorized Medical Physicist	Improve coordination with other agencies
Pharmacist Improve coordination with other agencies 64E-5.658 Recentness of Training Improve coordination with other agencies 64E-5.658 Training for an Authorized Nuclear Pharmacist Improve coordination with other agencies 64E-5.660 Training for Use of Unsealed Radioactive Material for Which A Written Improve coordination with other agencies Directive is Required in Rule 63E-5.626, 64E-5.627 or 64E-5.630, F.A.C. Improve coordination with other agencies Directive is Required in Rule 63E-5.626, 64E-5.627 or 64E-5.630, F.A.C. Improve coordination with other agencies Written Directive in Quantities Less Than or Equal to 1.22 Gigabecquerels (33 Millicuries) 64E-5.662 Training for the Oral Administration of Sodium Iodide I-131 Requiring A Improve coordination with other agencies Written Directive in Quantities Greater Than 1.22 Gigabecquerels (33 Millicuries) 64E-5.662 Training for the Parenteral Administration of Unsealed Radioactive Material Clarify 64E-5.664 Other Medical Uses of Radioactive Material or Radiation From Radioactive Clarify 64E-5.701 Equipment Requirements Clarify 64E-5.702 Area Requirements Clarify 64E-5.703 Operating Requirements Clarify 64E-5.801 Registration Requirements Clarify 64E-5.802 General Requirements Clarify 64E-5.803 Particle Accelerators for Therapeutic Use on Humans Improve coordination with other agencies 64E-5.804 Limitations Clarify 64E-5.805 Shielding and Safety Design Requirements Clarify 64E-5.807 Warning Devices Clarify 64E-5.808 Operating Procedures Improve coordination with other agencies 64E-5.809 Notification and Reports to Individuals Improve coordination with other agencies 64E-5.901 Posting of Notices to Workers Improve coordination with other agencies 64E-5.901 Posting of Notices to Workers Improve coordination with other agencies 64E-5.903 Notification and Reports to Individuals Improve coordination with other agencies 64E-5.903 Notification and Reports to	64E-5.657 Training for Experienced RSO, Teletherapy or Medical Physicist, Authorized	Improve coordination with other agencies
64E-5.658 Recentness of Training 64E-5.669 Training for an Authorized Nuclear Pharmacist 64E-5.669 Training for Lose of Unsealed Radioactive Material for Which A Written Directive is Required in Rule 63E-5.626, 64E-5.627 or 64E-5.630, F.A.C. 64E-5.661 Training for the Oral Administration of Sodium lodide I-131 Requiring A Written Directive in Quantities Less Than or Equal to 1.22 Gigabecquerels (33 Millicuries) 64E-5.662 Training for the Oral Administration of Sodium Indide I-131 Requiring A Written Directive in Quantities Greater Than 1.22 Gigabecquerels (33 Millicuries) 64E-5.663 Training for the Parenteral Administration of Unsealed Radioactive Material Requiring a Written Directive 64E-5.663 Training for the Parenteral Administration of Unsealed Radioactive Material Requiring a Written Directive 64E-5.701 Equipment Requirements Clarify 64E-5.701 Equipment Requirements Clarify 64E-5.703 Operating Requirement 64E-5.703 Operating Requirements Clarify 64E-5.802 General Requirements for the Issuance of a Registration Certificate for Parentel Registration Requirements 64E-5.802 General Requirements for the Issuance of a Registration Certificate for Parentel Registration Registration Registration Service Accelerators 64E-5.803 Particle Accelerators for Therapeutic Use on Humans Improve coordination with other agencies 64E-5.805 Shielding and Safety Design Requirements Clarify 64E-5.807 Warning Devices Clarify 64E-5.808 Operating Procedures Improve coordination with other agencies Improve coo	Medical Physicist, Authorized User, Nuclear Pharmacist, and Authorized Nuclear	
64E-5.660 Training for an Authorized Nuclear Pharmacist 64E-5.660 Training for Use of Unsealed Radioactive Material for Which A Written Directive is Required in Rule 63E-5.626, 64E-5.627 or 64E-5.630, F.A.C. 64E-5.661 Training for the Oral Administration of Sodium Iodide I-131 Requiring A Written Directive in Quantities Less Than or Equal to 1.22 Gigabecquerels (33 Millicuries) 64E-5.662 Training for the Oral Administration of Sodium Iodide I-131 Requiring A Written Directive in Quantities Cereater Than 1.22 Gigabecquerels (33 Millicuries) 64E-5.663 Training for the Parenteral Administration of Unsealed Radioactive Material Requiring a Written Directive in Quantities Greater Than 1.22 Gigabecquerels (33 Millicuries) 64E-5.663 Training for the Parenteral Administration of Unsealed Radioactive Material Requiring a Written Directive 64E-5.664 Other Medical Uses of Radioactive Material or Radiation From Radioactive Material 64E-5.701 Equipment Requirements 64E-5.702 Area Requirements 64E-5.703 Operating Requirements 64E-5.703 Operating Requirements 64E-5.704 Personnel Requirements 64E-5.705 Apersonnel Requirements 64E-5.805 General Requirements for the Issuance of a Registration Certificate for Particle Accelerators 64E-5.807 Sparticle Accelerators for Therapeutic Use on Humans 64E-5.808 Particle Accelerators For Therapeutic Use on Humans 64E-5.809 Particle Accelerator Controls and Interlock Systems 64E-5.807 Warning Devices 64E-5.808 Particle Accelerator Controls and Interlock Systems 64E-5.809 Radiation Monitoring Requirements 64E-5.809 Radiation Monitoring Requirements 64E-5.809 Radiation Monitoring Requirements 64E-5.901 Posting of Notices to Workers 64E-5.903 Notification and Reports to Individuals Improve coordination with other agencies 64E-5.901 Definitions Improve coordination with other agencies 64E-5.901 Definitions	Pharmacist	
64E-5.660 Training for Use of Unsealed Radioactive Material for Which A Written Directive is Required in Rule 63E-5.626, 64E-5.627 or 64E-5.630, F.A.C. 64E-5.661 Training for the Oral Administration of Sodium Iodide I-131 Requiring A Written Directive in Quantities Less Than or Equal to 1.22 Gigabecquerels (33 Millicuries) 64E-5.662 Training for the Oral Administration of Sodium Iodide I-131 Requiring A Written Directive in Quantities Greater Than 1.22 Gigabecquerels (33 Millicuries) 64E-5.663 Training for the Parenteral Administration of Unsealed Radioactive Material Requiring a Written Directive 64E-5.663 Training for the Parenteral Administration of Unsealed Radioactive Material Requiring a Written Directive 64E-5.664 Other Medical Uses of Radioactive Material or Radiation From Radioactive Material 64E-5.701 Equipment Requirements 64E-5.702 Area Requirements 64E-5.703 Operating Requirements 64E-5.703 Operating Requirements 64E-5.801 Registration Requirements 64E-5.802 General Requirements or the Issuance of a Registration Certificate for Particle Accellerators 64E-5.803 Particle Accelerators for Therapeutic Use on Humans 64E-5.804 Limitations 64E-5.805 Particle Accelerator Controls and Interlock Systems 64E-5.807 Warning Devices 64E-5.808 Operating Procedures 1 Improve coordination with other agencies 1 Improve coordination with other agencies	64E-5.658 Recentness of Training	Improve coordination with other agencies
Directive is Required in Rule 63E-5.626, 64E-5.627 or 64E-5.630, F.A.C. 64E-5.661 Training for the Oral Administration of Sodium Iodide I-131 Requiring A Written Directive in Quantities Less Than or Equal to 1.22 Gigabecquerels (33 Millicuries) 64E-5.662 Training for the Oral Administration of Sodium Iodide I-131 Requiring A Written Directive in Quantities Greater Than 1.22 Gigabecquerels (33 Millicuries) 64E-5.663 Training for the Parenteral Administration of Unsealed Radioactive Material Requiring a Written Directive 64E-5.664 Other Medical Uses of Radioactive Material or Radiation From Radioactive Material 64E-5.701 Equipment Requirements 64E-5.702 Area Requirements 64E-5.702 Area Requirements 64E-5.704 Personnel Requirements 64E-5.801 Registration Requirements 64E-5.801 Registration Requirements 64E-5.802 General Requirements or the Issuance of a Registration Certificate for Particle Accellerators 64E-5.803 Particle Accelerators for Therapeutic Use on Humans 64E-5.804 Limitations 64E-5.805 Shielding and Safety Design Requirements 64E-5.807 Warning Devices 64E-5.807 Warning Devices 64E-5.808 Radiation Monitoring Requirements 64E-5.809 Radiation Monitoring Requirements 64E-5.809 Radiation Monitoring Requirements 64E-5.809 Radiation Monitoring Requirements 64E-5.809 Rodication and Reports to Individuals 64E-5.901 Definitions Update and clarify	64E-5.659 Training for an Authorized Nuclear Pharmacist	Improve coordination with other agencies
64E-5.661 Training for the Oral Administration of Sodium Iodide I-131 Requiring A Written Directive in Quantities Less Than or Equal to 1.22 Gigabecquerels (33 Millicuries) 64E-5.662 Training for the Oral Administration of Sodium Iodide I-131 Requiring A Written Directive in Quantities Greater Than 1.22 Gigabecquerels (33 Millicuries) 64E-5.663 Training for the Parenteral Administration of Unsealed Radioactive Material Requiring a Written Directive 64E-5.664 Other Medical Uses of Radioactive Material or Radiation From Radioactive Material 64E-5.701 Equipment Requirements Clarify 64E-5.702 Area Requirements Clarify 64E-5.703 Operating Requirements Clarify 64E-5.704 Personnel Requirements Clarify 64E-5.802 General Requirements for the Issuance of a Registration Certificate for Particle Accelerators or Therapeutic Use on Humans Cla-E-5.803 Particle Accelerators for Therapeutic Use on Humans Clarify 64E-5.805 Shielding and Safety Design Requirements Clarify 64E-5.806 Particle Accelerator Controls and Interlock Systems Clarify 64E-5.807 Warning Devices Clarify 64E-5.808 Operating Procedures Improve coordination with other agencies Clarify 64E-5.809 Radiation Monitoring Requirements Improve coordination with other agencies Clarify Clar	64E-5.660 Training for Use of Unsealed Radioactive Material for Which A Written	Improve coordination with other agencies
Written Directive in Quantities Less Than or Equal to 1.22 Gigabecquerels (33 Millicuries) 64E-5.662 Training for the Oral Administration of Sodium Iodide I-131 Requiring A Written Directive in Quantities Greater Than 1.22 Gigabecquerels (33 Millicuries) 64E-5.663 Training for the Parenteral Administration of Unsealed Radioactive Material Requiring a Written Directive 64E-5.664 Other Medical Uses of Radioactive Material or Radiation From Radioactive Material 64E-5.701 Equipment Requirements Clarify 64E-5.702 Area Requirements Clarify 64E-5.703 Operating Requirements Clarify 64E-5.704 Personnel Requirements Clarify 64E-5.801 Registration Requirements Clarify 64E-5.802 General Requirements for the Issuance of a Registration Certificate for Particle Accellerators 64E-5.803 Particle Accelerators for Therapeutic Use on Humans Improve coordination with other agencies 64E-5.804 Limitations Clarify 64E-5.805 Shielding and Safety Design Requirements Clarify 64E-5.806 Particle Accelerator Controls and Interlock Systems Clarify 64E-5.807 Warning Devices Clarify 64E-5.808 Operating Procedures Improve coordination with other agencies 64E-5.809 Radiation Monitoring Requirements Improve coordination with other agencies 64E-5.809 Radiation Monitoring Requirements Improve coordination with other agencies 64E-5.801 Notification and Reports to Individuals Improve coordination with other agencies 64E-5.803 Notification and Reports to Individuals Improve coordination with other agencies 64E-5.801 Definitions Update and clarify	Directive is Required in Rule 63E-5.626, 64E-5.627 or 64E-5.630, F.A.C.	
64E-5.662 Training for the Oral Administration of Sodium Iodide I-131 Requiring A Written Directive in Quantities Greater Than 1.22 Gigabecquerels (33 Millicuries) 64E-5.663 Training for the Parenteral Administration of Unsealed Radioactive Material Requiring a Written Directive 64E-5.664 Other Medical Uses of Radioactive Material or Radiation From Radioactive Material Requirements Clarify 64E-5.701 Equipment Requirements 64E-5.702 Area Requirements 64E-5.703 Operating Requirement 64E-5.703 Operating Requirements 64E-5.801 Registration Requirements 64E-5.802 General Requirements Clarify 64E-5.802 General Requirements for the Issuance of a Registration Certificate for Particle Accellerators 64E-5.803 Particle Accelerators for Therapeutic Use on Humans Improve coordination with other agencies 64E-5.804 Limitations 64E-5.805 Shielding and Safety Design Requirements 64E-5.807 Warning Devices 64E-5.808 Operating Procedures 64E-5.809 Radiation Monitoring Requirements 64E-5.809 Radiation Monitoring Requirements 64E-5.901 Posting of Notices to Workers 64E-5.901 Definitions Update and clarify Update and clarify	64E-5.661 Training for the Oral Administration of Sodium Iodide I-131 Requiring A	Improve coordination with other agencies
Written Directive in Quantities Greater Than 1.22 Gigabecquerels (33 Millicuries) 64E-5.663 Training for the Parenteral Administration of Unsealed Radioactive Material Requiring a Written Directive 64E-5.664 Other Medical Uses of Radioactive Material or Radiation From Radioactive Material 64E-5.701 Equipment Requirements 64E-5.702 Area Requirements 64E-5.703 Operating Requirement 64E-5.704 Personnel Requirement 64E-5.704 Personnel Requirements 64E-5.801 Registration Requirements 64E-5.802 General Requirements or the Issuance of a Registration Certificate for Particle Accellerators 64E-5.803 Particle Accelerators for Therapeutic Use on Humans 64E-5.804 Limitations 64E-5.805 Shielding and Safety Design Requirements 64E-5.805 Shielding and Safety Design Requirements 64E-5.806 Particle Accelerator Controls and Interlock Systems 64E-5.808 Operating Procedures 64E-5.809 Radiation Monitoring Requirements 64E-5.809 Radiation Monitoring Requirements 64E-5.809 Radiation Monitoring Requirements 64E-5.801 Definitions 64E-5.901 Definitions	Written Directive in Quantities Less Than or Equal to 1.22 Gigabecquerels (33 Millicuries)	
Written Directive in Quantities Greater Than 1.22 Gigabecquerels (33 Millicuries) 64E-5.663 Training for the Parenteral Administration of Unsealed Radioactive Material Requiring a Written Directive 64E-5.664 Other Medical Uses of Radioactive Material or Radiation From Radioactive Material 64E-5.701 Equipment Requirements 64E-5.702 Area Requirements 64E-5.703 Operating Requirement 64E-5.704 Personnel Requirement 64E-5.704 Personnel Requirements 64E-5.801 Registration Requirements 64E-5.802 General Requirements or the Issuance of a Registration Certificate for Particle Accellerators 64E-5.803 Particle Accelerators for Therapeutic Use on Humans 64E-5.804 Limitations 64E-5.805 Shielding and Safety Design Requirements 64E-5.805 Shielding and Safety Design Requirements 64E-5.806 Particle Accelerator Controls and Interlock Systems 64E-5.808 Operating Procedures 64E-5.809 Radiation Monitoring Requirements 64E-5.809 Radiation Monitoring Requirements 64E-5.809 Radiation Monitoring Requirements 64E-5.801 Definitions 64E-5.901 Definitions		
64E-5.663 Training for the Parenteral Administration of Unsealed Radioactive Material Requiring a Written Directive 64E-5.664 Other Medical Uses of Radioactive Material or Radiation From Radioactive Material 64E-5.701 Equipment Requirements 64E-5.702 Area Requirements 64E-5.703 Operating Requirement 64E-5.704 Personnel Requirements 64E-5.704 Personnel Requirements 64E-5.801 Registration Requirements 64E-5.802 General Requirements or the Issuance of a Registration Certificate for Particle Accellerators 64E-5.803 Particle Accelerators for Therapeutic Use on Humans 64E-5.804 Limitations 64E-5.805 Shielding and Safety Design Requirements 64E-5.805 Shielding and Safety Design Requirements 64E-5.806 Particle Accelerator Controls and Interlock Systems 64E-5.807 Warning Devices 64E-5.808 Operating Procedures 64E-5.809 Radiation Monitoring Requirements 64E-5.809 Radiation Monitoring Requirements 64E-5.901 Posting of Notices to Workers 64E-5.901 Definitions 0 Update and clarify 0 Update and clarify 0 Update and clarify	64E-5.662 Training for the Oral Administration of Sodium Iodide I-131 Requiring A	Improve coordination with other agencies
Requiring a Written Directive 64E-5.664 Other Medical Uses of Radioactive Material or Radiation From Radioactive Material 64E-5.701 Equipment Requirements 64E-5.702 Area Requirements 64E-5.703 Operating Requirement 64E-5.703 Operating Requirement 64E-5.704 Personnel Requirements 64E-5.801 Registration Requirements 64E-5.802 General Requirements 6 Clarify 64E-5.802 General Requirements for the Issuance of a Registration Certificate for Particle Accellerators 64E-5.803 Particle Accelerators for Therapeutic Use on Humans 64E-5.804 Limitations 64E-5.805 Shielding and Safety Design Requirements 64E-5.805 Shielding and Safety Design Requirements 64E-5.806 Particle Accelerator Controls and Interlock Systems 64E-5.807 Warning Devices 64E-5.808 Operating Procedures 64E-5.808 Radiation Monitoring Requirements 64E-5.809 Radiation Monitoring Requirements 64E-5.901 Posting of Notices to Workers 64E-5.901 Definitions 0 Update and clarify	Written Directive in Quantities Greater Than 1.22 Gigabecquerels (33 Millicuries)	
64E-5.664 Other Medical Uses of Radioactive Material or Radiation From Radioactive Material 64E-5.701 Equipment Requirements 64E-5.702 Area Requirements 64E-5.703 Operating Requirement 64E-5.703 Operating Requirement 64E-5.704 Personnel Requirements 64E-5.801 Registration Requirements 64E-5.802 General Requirements 64E-5.802 General Requirements for the Issuance of a Registration Certificate for Particle Accellerators 64E-5.803 Particle Accelerators for Therapeutic Use on Humans 64E-5.804 Limitations 64E-5.805 Shielding and Safety Design Requirements 64E-5.806 Particle Accelerator Controls and Interlock Systems 64E-5.807 Warning Devices 64E-5.808 Operating Procedures 64E-5.809 Radiation Monitoring Requirements 64E-5.809 Radiation Monitoring Requirements 64E-5.901 Posting of Notices to Workers 64E-5.903 Notification and Reports to Individuals 64E-6.001 Definitions 64E-6.001 Definitions 64E-6.001 Definitions Clarify 64E-6.00	64E-5.663 Training for the Parenteral Administration of Unsealed Radioactive Material	Clarify
Material 64E-5.701 Equipment Requirements 64E-5.702 Area Requirements 64E-5.703 Operating Requirement 64E-5.703 Operating Requirement 64E-5.704 Personnel Requirements 64E-5.801 Registration Requirements 64E-5.802 General Requirements 61E-5.802 General Requirements for the Issuance of a Registration Certificate for Particle Accellerators 64E-5.803 Particle Accelerators for Therapeutic Use on Humans Improve coordination with other agencies 64E-5.804 Limitations 64E-5.805 Shielding and Safety Design Requirements 64E-5.806 Particle Accelerator Controls and Interlock Systems 64E-5.807 Warning Devices 64E-5.808 Operating Procedures 64E-5.809 Radiation Monitoring Requirements 64E-5.809 Radiation Monitoring Requirements 64E-5.809 Robition of Notices to Workers 64E-5.901 Posting of Notices to Workers 64E-5.903 Notification and Reports to Individuals 64E-8.001 Definitions Clarify Cla	Requiring a Written Directive	·
64E-5.701 Equipment Requirements Clarify 64E-5.702 Area Requirements Clarify 64E-5.703 Operating Requirement Clarify 64E-5.704 Personnel Requirements Clarify 64E-5.801 Registration Requirements Clarify 64E-5.801 Registration Requirements Clarify 64E-5.802 General Requirements for the Issuance of a Registration Certificate for Particle Accellerators Clarify 64E-5.803 Particle Accelerators for Therapeutic Use on Humans Improve coordination with other agencies 64E-5.804 Limitations Clarify 64E-5.805 Shielding and Safety Design Requirements Clarify 64E-5.806 Particle Accelerator Controls and Interlock Systems Clarify 64E-5.807 Warning Devices Clarify 64E-5.808 Operating Procedures Clarify 64E-5.809 Radiation Monitoring Requirements Improve coordination with other agencies 64E-5.801 Posting of Notices to Workers Improve coordination with other agencies	64E-5.664 Other Medical Uses of Radioactive Material or Radiation From Radioactive	Clarify
64E-5.702 Area Requirements Clarify 64E-5.703 Operating Requirement Clarify 64E-5.704 Personnel Requirements Clarify 64E-5.801 Registration Requirements Clarify 64E-5.802 General Requirements for the Issuance of a Registration Certificate for Particle Accellerators 64E-5.803 Particle Accelerators for Therapeutic Use on Humans Improve coordination with other agencies 64E-5.804 Limitations Clarify 64E-5.805 Shielding and Safety Design Requirements Clarify 64E-5.806 Particle Accelerator Controls and Interlock Systems Clarify 64E-5.807 Warning Devices Clarify 64E-5.808 Operating Procedures Clarify 64E-5.809 Radiation Monitoring Requirements Improve coordination with other agencies Clarify 64E-5.809 Radiation Monitoring Requirements Improve coordination with other agencies Clarify Cla	Material	
64E-5.703 Operating Requirement 64E-5.704 Personnel Requirements Clarify 64E-5.801 Registration Requirements Clarify 64E-5.802 General Requirements for the Issuance of a Registration Certificate for Particle Accellerators 64E-5.803 Particle Accelerators for Therapeutic Use on Humans 64E-5.804 Limitations Clarify 64E-5.805 Shielding and Safety Design Requirements Clarify 64E-5.805 Particle Accelerator Controls and Interlock Systems Clarify 64E-5.807 Warning Devices Clarify 64E-5.808 Operating Procedures 64E-5.809 Radiation Monitoring Requirements Improve coordination with other agencies 64E-5.901 Posting of Notices to Workers Improve coordination with other agencies 64E-5.903 Notification and Reports to Individuals Improve coordination with other agencies Update and clarify	64E-5.701 Equipment Requirements	Clarify
64E-5.704 Personnel Requirements 64E-5.801 Registration Requirements 64E-5.802 General Requirements for the Issuance of a Registration Certificate for Particle Accellerators 64E-5.803 Particle Accelerators for Therapeutic Use on Humans 64E-5.804 Limitations 64E-5.805 Shielding and Safety Design Requirements 64E-5.806 Particle Accelerator Controls and Interlock Systems 64E-5.807 Warning Devices 64E-5.808 Operating Procedures 64E-5.809 Radiation Monitoring Requirements 64E-5.809 Radiation Monitoring Requirements 64E-5.901 Posting of Notices to Workers 64E-5.903 Notification and Reports to Individuals 64E-8.001 Definitions Clarify C		Clarify
64E-5.704 Personnel Requirements 64E-5.801 Registration Requirements 64E-5.802 General Requirements for the Issuance of a Registration Certificate for Particle Accellerators 64E-5.803 Particle Accelerators for Therapeutic Use on Humans 64E-5.804 Limitations 64E-5.805 Shielding and Safety Design Requirements 64E-5.806 Particle Accelerator Controls and Interlock Systems 64E-5.807 Warning Devices 64E-5.808 Operating Procedures 64E-5.809 Radiation Monitoring Requirements 64E-5.809 Radiation Monitoring Requirements 64E-5.901 Posting of Notices to Workers 64E-5.903 Notification and Reports to Individuals 64E-8.001 Definitions Clarify C	64E-5.703 Operating Requirement	Clarify
64E-5.802 General Requirements for the Issuance of a Registration Certificate for Particle Accellerators 64E-5.803 Particle Accelerators for Therapeutic Use on Humans 64E-5.804 Limitations 64E-5.805 Shielding and Safety Design Requirements 64E-5.806 Particle Accelerator Controls and Interlock Systems 64E-5.807 Warning Devices 64E-5.808 Operating Procedures 64E-5.808 Radiation Monitoring Requirements 64E-5.809 Radiation Monitoring Requirements 64E-5.901 Posting of Notices to Workers 64E-5.903 Notification and Reports to Individuals 64E-8.001 Definitions Clarify Clarify Clarify Clarify 6Improve coordination with other agencies Improve coordination with other agencies Improve coordination with other agencies Update and clarify		Clarify
Particle Accellerators 64E-5.803 Particle Accelerators for Therapeutic Use on Humans 64E-5.804 Limitations 64E-5.805 Shielding and Safety Design Requirements 64E-5.806 Particle Accelerator Controls and Interlock Systems 64E-5.807 Warning Devices 64E-5.808 Operating Procedures 64E-5.809 Radiation Monitoring Requirements 64E-5.809 Radiation Monitoring Requirements 64E-5.901 Posting of Notices to Workers 64E-5.903 Notification and Reports to Individuals 64E-8.001 Definitions Improve coordination with other agencies Update and clarify	64E-5.801 Registration Requirements	Clarify
64E-5.803 Particle Accelerators for Therapeutic Use on Humans 64E-5.804 Limitations 64E-5.805 Shielding and Safety Design Requirements 64E-5.806 Particle Accelerator Controls and Interlock Systems 64E-5.807 Warning Devices 64E-5.808 Operating Procedures 64E-5.809 Radiation Monitoring Requirements 64E-5.809 Radiation Monitoring Requirements 64E-5.901 Posting of Notices to Workers 64E-5.903 Notification and Reports to Individuals 64E-8.001 Definitions Improve coordination with other agencies Improve coordination with other agencies Improve coordination with other agencies Update and clarify	64E-5.802 General Requirements for the Issuance of a Registration Certificate for	Clarify
64E-5.805 Shielding and Safety Design Requirements 64E-5.806 Particle Accelerator Controls and Interlock Systems 64E-5.807 Warning Devices 64E-5.808 Operating Procedures 64E-5.809 Radiation Monitoring Requirements 64E-5.809 Radiation Monitoring Requirements 64E-5.901 Posting of Notices to Workers 64E-5.903 Notification and Reports to Individuals 64E-8.001 Definitions Clarify Clarify Clarify Clarify Clarify Improve coordination with other agencies Improve coordination with other agencies Improve coordination with other agencies Update and clarify	Particle Accellerators	·
64E-5.805 Shielding and Safety Design Requirements Clarify 64E-5.806 Particle Accelerator Controls and Interlock Systems Clarify 64E-5.807 Warning Devices Clarify 64E-5.808 Operating Procedures Improve coordination with other agencies 64E-5.809 Radiation Monitoring Requirements Improve coordination with other agencies 64E-5.901 Posting of Notices to Workers Improve coordination with other agencies 64E-5.903 Notification and Reports to Individuals Improve coordination with other agencies 64E-8.001 Definitions Update and clarify	64E-5.803 Particle Accelerators for Therapeutic Use on Humans	Improve coordination with other agencies
64E-5.806 Particle Accelerator Controls and Interlock Systems 64E-5.807 Warning Devices 64E-5.808 Operating Procedures 64E-5.809 Radiation Monitoring Requirements 64E-5.901 Posting of Notices to Workers 64E-5.903 Notification and Reports to Individuals 64E-8.001 Definitions Clarify Clarify Improve coordination with other agencies Improve coordination with other agencies Improve coordination with other agencies Update and clarify	64E-5.804 Limitations	Clarify
64E-5.807 Warning Devices Clarify 64E-5.808 Operating Procedures Improve coordination with other agencies 64E-5.809 Radiation Monitoring Requirements Improve coordination with other agencies 64E-5.901 Posting of Notices to Workers Improve coordination with other agencies 64E-5.903 Notification and Reports to Individuals Improve coordination with other agencies 64E-8.001 Definitions Update and clarify		Clarify
64E-5.807 Warning Devices Clarify 64E-5.808 Operating Procedures Improve coordination with other agencies 64E-5.809 Radiation Monitoring Requirements Improve coordination with other agencies 64E-5.901 Posting of Notices to Workers Improve coordination with other agencies 64E-5.903 Notification and Reports to Individuals Improve coordination with other agencies 64E-8.001 Definitions Update and clarify	64E-5.806 Particle Accelerator Controls and Interlock Systems	Clarify
64E-5.809 Radiation Monitoring Requirements 64E-5.901 Posting of Notices to Workers 64E-5.903 Notification and Reports to Individuals 64E-8.001 Definitions Improve coordination with other agencies Improve coordination with other agencies Update and clarify		Clarify
64E-5.901 Posting of Notices to Workers 64E-5.903 Notification and Reports to Individuals 64E-8.001 Definitions Improve coordination with other agencies Update and clarify	64E-5.808 Operating Procedures	Improve coordination with other agencies
64E-5.903 Notification and Reports to Individuals 64E-8.001 Definitions Improve coordination with other agencies Update and clarify		Improve coordination with other agencies
64E-5.903 Notification and Reports to Individuals 64E-8.001 Definitions Improve coordination with other agencies Update and clarify	64E-5.901 Posting of Notices to Workers	Improve coordination with other agencies
		Improve coordination with other agencies
	64E-8.001 Definitions	Update and clarify
	64E-8.002 Limited Use Public Water System Construction	Update and clarify
64E-8.003 Private and Multi-Family Water System Construction Update and clarify		Update and clarify

64E-8.004 Annual Operating Permits, Existing Systems, Systems Constructed on or after	Update and clarify	
1/1/93, Annual Inspections and Regulations	page and clarify	
64E-8.005 Operation and Maintenance	Update and clarify	
64E-8.006 Water Quality Standards and Monitoring for Limited Use Public Water	Update and clarify	
Systems	opusio and siamy	
64E-8.007 Corrective Actions	Update and clarify	
64E-8.009 Variances	Update and clarify	
64E-8.010 Prohibited Acts	Update and clarify	
64E-8.012 Schedule of Fines	Update and clarify	
64E-8.013 Cross-Connection Control	Update and clarify	
64E-8.014 Fees	Update and clarify	
64E-9.001 General	Update	
64E-9.004 Operational Requirements	Clarify and Update, Increase efficiency	
64E-9.008 Supervision and Safety	Clarify and Update	
64E-9.013 Public Bathing Places	Clarify and Update	
64E-9.015 Fee Schedule	Increase efficiency	
64E-9.016 Variance	Clarify and Update	
64E-9.017 Enforcement	Update	
64E-11.003 Food Hygiene Standards	Increase efficiency	
64E-11.012 Manager Certification	Clarify	
64E-11.013 Sanitation Certificate and Fees	Clarify	
64E-11.015 Afterschool Meal Program	Clarify	
64E-12.001 General	Increase efficiency	
64E-12.002 Definitions	Clarify	
64E-12.003 Water Supply	Clarify	
64E-12.004 Food Service: Tiers and Catering	Increase efficiency	
64E-12.005 Housing	Increase efficiency	
64E-12.006 Vector and Vermin Control	Increase efficiency	
64E-12.007 Bedding, Towels, Clothing and Personal Items	Increase efficiency	
64E-12.008 Laundry	Increase efficiency	
64E-12.009 Medications, Alcohol, Poisonous or Toxic Substances	Increase efficiency	
64E-12.010 Garbage and Rubbish	Increase efficiency	
64E-12.011 Recreational Areas	Increase efficiency	
64E-12.013 Animal Health and Safety	Increase efficiency	
64E-14.002 Definitions	Clarify	
64E-14.003 Construction Procedures, Variances	Clarify	
64E-14.004 Standards, Permits, Inspections, Violations, Complaints and Retaliation	Increase efficiency	
64E-14.005 Application and Variance Fees	Increase efficiency	
64E-14.006 Sites	Increase Efficiency	
64E-14.007 Buildings and Structures	Increase efficiency	
64E-14.008 Water Supply	Increase efficiency	

64E-14.009 Garbage and Refuse Disposal	Increase efficiency
64E-14.0095 Pesticide Use, Storage and Disposal	Increase efficiency
64E-14.010 Vermin Control	Clarify
64E-14.011 Heating	Clarify
64E-14.012 Lighting	Increase efficiency
64E-14.013 Sewage and Liquid Waste Disposal	Increase Efficiency
64E-14.014 Plumbing	Simplify
64E-14.015 Personal Hygiene Facilities	Simplify
64E-14.016 Field Sanitation Facilities	Simplify
64E-14.017 Food Service Facilities	Increase efficiency
64E-14.018 Sleeping Facilities, Beds and Bedding	Clarity
64E-14.020 Citations, Fines	Simplify
64E-14.021 Responsibility of Operator and Owners	Increase efficiency
64E-14.022 Supervision	Increase efficiency
64E-14.023 Enforcement	Clarify
64E-15.001 Definitions	Increase Efficiency
64E-15.002 Sites – Mobile Home, Lodging, and Recreational Vehicle Parks	Increase Efficiency
64E-15.003 Water Supply	Clarify
64E-15.004 Sewage Disposal	Increase Efficiency
64E-15.005 Sanitary Facilities	Clarify
64E-15.006 Plumbing	Increase Efficiency
64E-15.007 Garbage and Refuse Disposal	Increase Efficiency
64E-15.008 Insect and Rodent Control	Clarify
64E-15.009 Recreational Camp Standards	Clarify
64E-15.010 Permits and Fees	Increase Efficiency
64E-15.011 Owner's and Operator's Responsibility	Increase Efficiency
64E-16.001 General	Clarify
64E-16.002 Definitions	Clarify
64E-16.003 Facility Policies and Procedures	Clarify
64E-16.004 Storage and Containment	Clarify
64E-16.005 Labeling	Clarify
64E-16.006 Generator Requirements	Clarify
64E-16.007 Treatment	Clarify
64E-16.008 Transport	Clarify
64E-16.009 Registration of Transporters	Clarify
64E-16.010 Inspections	Clarify
64E-16.011 Permits	Clarify
64E-16.012 Fees	Clarify
64E-17.001 Definitions	Increase efficiency
64E-17.002 Design and Safety Requirements	Increase efficiency
64E-17.003 Requirements for Stand-up Booths	Simplify

64E-17.004 Operation and Training	Simplify
64E-17.005 Sanitary Facilities	Simplify
64E-17.006 Licenses and Fees	Clarify
64E-17.007 Inspection, Enforcement and Penalties	Simplify
64E-18.002 Definitions	Clarify
64E-18.003 Requirements for Certification	Clarify
64E-18.004 Issuance of Certificates and Renewals	Increase efficiency
64E-18.006 Suspension, Revocation, or Denial of Certifications	Increase efficiency
64E-18.007 Standards of Practice	Simplify
64E-18.008 Disciplinary Guidelines	Simplify
64E-18.010 Fees	Simplify
64E-18.011 Environmental Health Technician	Clarify
64E-19.002 Definitions	Clarify
64E-19.003 Forms	Repeal
64E-19.004 Requirements for Premises	Increase efficiency
64E-19.005 Requirements for Sterilizing Jewelry and Instruments	Increase efficiency
64E-19.006 Piercing Procedures	Increase efficiency
64E-19.007 Other Operations	Increase efficiency
64E-28.002 Definitions	Clarify
64E-28.003 Licensure Requirements for a Tattoo Artists	Simplify
64E-28.004 Registration Requirements for Guest Tattoo Artist	Simplify
64E-28.005 Licensure Requirements for a Tattoo Establishment	Simplify
64E-28.006 Education Course Requirements	Simplify
64E-28.007 Operational Requirements for a Tattoo Establishment	Increase efficiency
64E-28.008 Operational Requirements for a Temporary Tattoo Establishment	Increase efficiency
64E-28.009 Standards of Practice for a Tattoo Artist or Guest Tattoo Artist	Increase efficiency
64E-28.011 Fee Schedule	Increase efficiency
64F-3.002, County Health Department Responsibility	Clarify
64F-3.004, Healthy Start Care Coordination System	Clarify
64F-3.005, Care Coordination Services	Clarify
64F-6.002 School Health Services Plan	Clarify
64I-1.001 Definitions	Clarify
64I-1.002 Ineligibilty, Eligibilty and Closure	Clarify
64I-1.003 Services	Clarify
64I-1.005 Transitional Living Facility (TLF) Services	Clarify
64I-3.001 Rural Hospital Capital Improvement Grant Application Procedures	Clarify
64J-1.001 Definitions	Clarify
64J-1.002 Basic Life Support Service License - Ground	Clarify
64J-1.003 Advanced Life Support Service License – Ground	Clarify
64J-1.004 Medical Direction	Increase efficiency
64J-1.005 Air Ambulances	Clarify

64J-1.006 Neonatal Transports	rify
64J-1.007 Vehicle Permits Clar	rify
64J-1.008 Emergency Medical Technician Clar	rify
64J-1.009 Paramedic Clar	rify
64J-1.010 Voluntary Inactive Certification Clar	rify
64J-1.011 Involuntary Inactive Certification Clar	rify
64J-1.012 Examinations.	rify
64J-1.013 Drivers	rify
64J-1.014 Records and Reports Impi	prove coordination with other agencies
64J-1.015 Emergency Medical Services Grants Procedures. Sim	nplify
64J-1.017 Convicted Felons Applying for EMT or Paramedic Certification or Clar	rify
Recertification	
64J-1.018 Inspections Clar	rify
64J-1.019 Emergency Treatment of Insect Stings Sim	nplify
64J-1.020 Training Programs Clar	rify
64J-1.0201 EMS Instructor Qualifications Incre	rease efficiency
64J-1.0202 EMS Recertification Training Programs Sim	nplify
64J-1.021 Security of Medications	rify
64J-1.022 Cardiopulmonary and Advanced Cardiac Life Support Courses Clar	rify
64J-1.023 Guidelines for Automated External Defibrillators (AED) in State Owned or Impi	prove coordination with other agencies
Leased Facilities	
64J-2.001 Definitions Clar	rify
64J-2.002 Prehospital Requirements for Trauma Care Incre	rease efficiency
64J-2.003 Trauma Transport Protocols Approval and Denial Process Clar	rify
64J-2.004 Adult Trauma Scorecard Methodology Incre	rease efficiency
64J-2.005 Pediatric Trauma Scorecard Methodology Incre	rease efficiency
64J-2.006 Trauma Registry and Trauma Quality Improvement Program Incre	rease efficiency
64J-2.007 Trauma Agency Formation, Plan, Approval and Denial Process Sim	nplify
64J-2.009 Trauma Agency Implementation and Operation Requirements Dele	ete unnecessary rule
64J-2.011 Trauma Center Requirements Incre	rease efficiency
64J-2.012 Process for the Approval of Trauma Centers Incre	rease efficiency
64J-2.015 Process for Renewal of Trauma Centers Sim	nplify
64J-2.016 Site Visits and Approval	rease efficiency
64J-2.018 Do Not Resuscitate Order (DNRO) Form and Patient Identification Device Clar	rify
64J-2.019 Funding for Verified Trauma Centers Clar	rify
64J-2.020 Acute Care Hospital Trauma Registry Dele	ete redundant rule
64J-3.001 Certification of 911 Public Safety Telecommunicators Clar	rify
64J-3.002 Public Safety Telecommunication Course Equivalency Clar	rify
64J-3.003 Renewal of 911 Public Safety Telecommunicator Certification Clar	rify
64K-1.003 Accessing Database Clar	rify

Laws identified in the Department's last annual	Has a Notice of Rule Development been	If agency subsequently determined that
regulatory plan as requiring rulemaking for which	published? If yes, provide the Florida	rulemaking is not necessary, provide a concise
Notice of Proposed Rule has not been published.	Administrative Register citation.	explanation.
Chapter 2021-275	Yes, Vol. 48/250	These requirements can be fulfilled by implementing
		the statute.
Chapter 2022-050	Yes, Vol. 48/250	
Chapter 2022-051	Yes, Vol. 50/66	
Chapter 2022-071, ss. 12-16	No	
Chapter 2022-185	Yes, Vol. 48/60	
Chapter 2023-043, ss. 1-2	No	
Chapter 2023-071 ss. 2-3	No	
Chapter 2023-071, s. 11	No	These requirements can be fulfilled by implementing
		the statute.
Chapter 2023-071, s. 12	No	
Chapter 2023-071, s. 13	Yes, Vol. 49/121	
Chapter 2023-122	Yes, Vol. 50/66	
Chapter 2023-161, ss. 5-8	No	
Chapter 2023-258, s. 1	No	
Chapter 2023-292 ss. 1-2	No	These requirements can be fulfilled by implementing
		the statute.