










Alaska plaice , Bering Sea and Aleutian Islands






Arrowtooth flounder, Bering Sea and Aleutian Islands



Arrowtooth flounder, Gulf of Alaska






Atka mackerel , Bering Sea and Aleutian Islands






Cabazon , Northern California

Surplus production (1000 mt)




Cabazon , Southern California

Surplus production (1000 mt)






Dover sole , Gulf of Alaska

Surplus production (1000 mt)




Dusky rockfish , Gulf of Alaska






Flathead sole , Bering Sea and Aleutian Islands

Surplus production (1000 mt)






Flathead sole , Gulf of Alaska

Surplus production (1000 mt)






Greenland halibut , Bering Sea and Aleutian Islands






Northern rockfish , Bering Sea and Aleutian Islands

Surplus production (1000 mt)






Northern rockfish, Gulf of Alaska




Surplus production (1000 mt)



Northern rock sole, Eastern Bering Sea and Aleutian Islands




Pacific cod , Bering Sea and Aleutian Islands




Pacific cod , Gulf of Alaska

Surplus production (1000 mt)






Pacific ocean perch , Eastern Bering Sea and Aleutian Islands




Surplus production (1000 mt)






Pacific ocean perch , Gulf of Alaska






Rex sole , Gulf of Alaska






Rougheye rockfish , Bering Sea and Aleutian Islands



Rougheye rockfish , Gulf of Alaska






Red king crab, Bristol Bay



Sablefish , Eastern Bering Sea / Aleutian Islands / Gulf of Alaska


Surplus production (1000 mt)




Snow crab , Bering Sea

Surplus production (1000 mt)


a



b






c






Shortraker rockfish , Bering Sea and Aleutian Islands

Surplus production (1000 mt)






Tanner crab , Bering Sea and Aleutian Islands




Surplus production (1000 mt)




Walleye pollock , Aleutian Islands






Walleye pollock , Eastern Bering Sea






Walleye pollock , Gulf of Alaska






Yellowfin sole , Bering Sea and Aleutian Islands




Capelin, Barents Sea






Atlantic cod , North-East Arctic



Atlantic cod , North-East Arctic




Greenland halibut , North-East Arctic




Haddock, North-East Arctic

Surplus production (1000 mt)


a






b



c






Pollock, North-East Arctic






Northern shrimp, Gulf of Maine

Surplus production (1000 mt)




Southern bluefin tuna , Southern Oceans






Bight redfish , Southeast Australia

Surplus production (1000 mt)






Deepwater flathead , Southeast Australia

Surplus production (1000 mt)






common gemfish , Southeast Australia




Hawaiian monk seal, Southeast Australia

Surplus production (1000 mt)






New Zealand ling , Southeast Australia






New Zealand ling , Western half of Southeast Australia

Surplus production (1000 mt)






Orange roughy , Cascade Plateau

Surplus production (1000 mt)



Orange roughy , Southeast Australia


Surplus production (1000 mt)




Patagonian toothfish , Macquarie Island

Surplus_production (1000 mt)


a



b






c






Silverfish , Southeast Australia

Surplus production (1000 mt)






School whiting , Southeast Australia

Surplus production (1000 mt)




Tiger flathead , Southeast Australia

Surplus production (1000 mt)






whario , Eastern half of Southeast Australia

Surplus production (1000 mt)






whario , Western half of Southeast Australia

Surplus production (1000 mt)






Atlantic cod , Georges Bank

Surplus production (1000 mt)






Haddock, Georges Bank




Surplus production (1000 mt)



Haddock, Western Scotian Shelf, Bay of Fundy and Gulf of Maine




American plaice , Labrador – NE Newfoundland




Atlantic cod , St. Pierre Bank

Surplus production (1000 mt)


a



b






c






English sole , Hecate Strait

Surplus production (1000 mt)






Pacific herring , Central Coast

Surplus production (1000 mt)






Pacific herring , Prince Rupert District




Surplus production (1000 mt)






Pacific herring , Queen Charlotte Islands



Pacific herring , Strait of Georgia




Pacific herring , West Coast of Vancouver Island






Pacific cod , Hecate Strait

Surplus production (1000 mt)






Pacific cod , West Coast of Vancouver Island

Surplus production (1000 mt)






Rock sole , Hecate Strait




Surplus production (1000 mt)






Pollock, Scotian Shelf, Bay of Fundy and Georges Bank






Atlantic cod , Northern Gulf of St. Lawrence






Herring , NAFO division 4R






Atlantic cod , Southern Gulf of St. Lawrence






Herring , Southern Gulf of St. Lawrence






Herring , Southern Gulf of St. Lawrence






Herring , Irish Sea



Herring , North Sea






Herring , West of Scotland






Herring , Vla, VIlb and VIlc

Surplus production (1000 mt)



Albacore tuna , Northern Atlantic


Surplus production (1000 mt)




Atlantic bluefin tuna , Eastern Atlantic

Surplus production (1000 mt)


a



b






c






Swordfish , Northern Atlantic




Surplus production (1000 mt)






Yellowfin tuna , Atlantic






Argentine hake , Northern Argentina






Argentine hake , Southern Argentina






Patagonian grenadier , Southern Argentina






Southern blue whiting , Southern Argentina



Anchovy, South Africa






Shallow-water cape hake , South Africa






South African west coast rock lobster, South Africa Areas 1–2

Surplus production (1000 mt)






South African west coast rock lobster, South Africa Areas 3-4




South African west coast rock lobster, South Africa Areas 5–6

Surplus production (1000 mt)






South African west coast rock lobster, South Africa Area 7

Surplus production (1000 mt)




South African west coast rock lobster, South Africa Area 8

Surplus production (1000 mt)






Cape horse mackerel , South Africa South coast

Surplus production (1000 mt)






Deep-water cape hake , South Africa






South African abalone , South Africa

Surplus production (1000 mt)






Sardine , South Africa






Southern spiny lobster, South Africa South coast




Surplus production (1000 mt)






American plaice , Grand Banks






American plaice, Flemish Cap



Atlantic cod , Flemish Cap






Atlantic cod , Southern Grand Banks






Greenland halibut , Labrador Shelf – Grand Banks

Surplus production (1000 mt)






American plaice , Gulf of Maine / Georges Bank

Surplus production (1000 mt)






Bluefish , Atlantic Coast






Black sea bass , Mid-Atlantic Coast

Surplus production (1000 mt)






Atlantic cod , Gulf of Maine




Surplus production (1000 mt)






Haddock, Gulf of Maine



Haddock, Georges Bank






Monkfish , Gulf of Maine / Northern Georges Bank






Monkfish , Southern Georges Bank / Mid-Atlantic

Surplus production (1000 mt)






Ocean quahog , Atlantic Coast

Surplus production (1000 mt)






Sea scallop, Georges Bank

Surplus production (1000 mt)






Sea scallop , Mid-Atlantic Coast

Surplus production (1000 mt)






Summer flounder , Mid-Atlantic Coast

Surplus production (1000 mt)






Tilefish , Mid-Atlantic Coast

Surplus production (1000 mt)






White hake , Gulf of Maine / Georges Bank

Surplus production (1000 mt)




Winter flounder , Georges Bank

Surplus production (1000 mt)




Winter flounder , Southern New England /Mid Atlantic

Surplus production (1000 mt)






Yellowtail flounder , Cape Cod / Gulf of Maine

Surplus production (1000 mt)






Yellowtail flounder , Georges Bank






Yellowtail flounder , Southern New England /Mid Atlantic

Surplus production (1000 mt)






Australian salmon, New Zealand

Surplus production (1000 mt)






Atlantic menhaden , Atlantic






Arrowtooth flounder , Pacific Coast




Surplus production (1000 mt)



Blackgill rockfish, Pacific Coast




Black rockfish , Northern Pacific Coast






Black rockfish , Southern Pacific Coast

Surplus production (1000 mt)






Blue rockfish , California






Bocaccio , Southern Pacific Coast

Surplus production (1000 mt)






Chilipepper rockfish , Southern Pacific Coast

Surplus production (1000 mt)




Darkblotched rockfish , Pacific Coast






English sole , Pacific Coast




Surplus production (1000 mt)






Kelp greenling , Oregon Coast






Longnose skate , Pacific Coast



Longspine thornyhead , Pacific Coast






Pacific hake , Pacific Coast






Pacific ocean perch , Pacific Coast

Surplus production (1000 mt)






Petrale sole , Northern Pacific Coast

Surplus production (1000 mt)






Petrale sole , Southern Pacific Coast

Surplus production (1000 mt)






Sablefish , Pacific Coast






Shortspine thornyhead , Pacific Coast




Surplus production (1000 mt)



Widow rockfish , Pacific Coast




Yelloweye rockfish , Pacific Coast



Yellowtail rockfish , Northern Pacific Coast


Surplus production (1000 mt)




Capelin, Iceland Grounds

Surplus production (1900 mt)


a






b






c



Atlantic cod , Faroe Plateau




Atlantic cod , Iceland Grounds




Haddock, Faroe Plateau

Surplus production (1000 mt)


a






b






c



Haddock, Iceland Grounds






Pollock, Faroe Plateau






Black oreo , West end of Chatham Rise

Surplus production (1000 mt)






Smooth oreo , West end of Chatham Rise




Surplus production (1000 mt)



Hoki , Eastern New Zealand






Hoki, Western New Zealand






New Zealand snapper , New Zealand Area 8 (Auckland and Central West)

Surplus production (1000 mt)






Trevally , New Zealand Areas TRE 7

Surplus production (1000 mt)




Red rock lobster, New Zealand Area CRA1




Red rock lobster, New Zealand Area CRA2

Surplus production (1000 mt)






Red rock lobster, New Zealand Area CRA3




Surplus production (1000 mt)






Red rock lobster, New Zealand Area CRA4



Red rock lobster, New Zealand Area CRA5






Red rock lobster, New Zealand Area CRA7






Red rock lobster, New Zealand Area CRA8

Surplus production (1000 mt)






common gemfish , New Zealand

Surplus production (1000 mt)




New Zealand ling , New Zealand Areas LIN 3 and 4

Surplus production (1000 mt)




New Zealand ling , New Zealand Areas LIN 5 and 6

Surplus production (1000 mt)




New Zealand ling , New Zealand Areas LIN 6b

Surplus production (1000 mt)






New Zealand ling , New Zealand Areas LIN 7WC–WCSI

Surplus production (1000 mt)




Southern blue whiting , New Zealand – Campbell Island Rise

Surplus production (1000 mt)






Southern hake , Chatham Rise

Surplus production (1000 mt)






Southern hake , Sub-Antarctic




Surplus production (1000 mt)






Blackfoot abalone , New Zealand Area PAU 5A






Blackfoot abalone , New Zealand Area PAU 5B (Stewart Island)



Blackfoot abalone, New Zealand Area PAU 5D (Otago)






Blackfoot abalone , New Zealand Area PAU 7 (Marlborough)






American lobster, Rhode Island

Surplus production (1000 mt)






Tautog , Rhode Island






Winter flounder, Rhode Island

Surplus production (1000 mt)






Bonnethead shark, Atlantic






Blacktip shark , Gulf of Mexico




Surplus production (1000 mt)



Gag , Gulf of Mexico






Gulf menhaden , Gulf of Mexico






Red grouper , Gulf of Mexico




Surplus production (1000 mt)






Common seabream , Southern Atlantic coast



Sandbar shark , Atlantic






Snowy grouper , Southern Atlantic coast






Spanish mackerel , Southern Atlantic coast

Surplus production (1000 mt)






Vermilion snapper , Southern Atlantic coast

Surplus production (1000 mt)




Albacore tuna , South Pacific Ocean




Bigeye tuna , Western Pacific Ocean

Surplus production (1000 mt)


a






b



c






Skipjack tuna , Central Western Pacific






Striped marlin , Western Pacific Ocean

Surplus production (1000 mt)




Yellowfin tuna , Central Western Pacific




Chilean jack mackerel , Chilean EEZ and offshore

Surplus production (1000 mt)


a



b






c






Dover sole , Pacific Coast




Surplus production (1000 mt)



Gopher rockfish , Southern Pacific Coast






Shortbelly rockfish , Pacific Coast






Starry flounder , Southern Pacific Coast


Surplus production (1000 mt)



Atlantic cod, Western Baltic






Atlantic cod , Eastern Baltic






Atlantic cod , Kattegat and Skagerrak




Surplus production (1000 mt)






Herring , Eastern Baltic






Herring , Bothnian Sea



Herring , Bothnian Bay




Herring , Iceland Grounds




Herring , Gulf of Riga East of Gotland

Surplus production (1000 mt)






common European sole , Kattegat and Skagerrak

Surplus production (1000 mt)






Sprat , Baltic Areas 22–32






Fourspotted megrim, VIIIc-IXa




Surplus production (1000 mt)



Hake, IIIa-IV-VI-VII-VIIIabd






Megrim , VIIIc-IXa






common European sole , Bay of Biscay

Surplus production (1000 mt)






Mackerel , Ila-IIIabd-IV-Vb-VI-VII-VIIIabcde-XII-XIV-Ixa






Blue whiting , Northeast Atlantic

Surplus production (1000 mt)






Atlantic cod, Irish Sea






Atlantic cod , West of Scotland

Surplus production (1000 mt)






Haddock, West of Scotland






European Plaice , Irish Sea

Surplus production (1000 mt)






common European sole , Irish Sea




Surplus production (1000 mt)






Atlantic cod , North Sea




Haddock, Illa and North Sea






Norway Pout, North Sea



Pollock, IIIa, VI and North Sea






Sand eel , North Sea






common European sole , Eastern English Channel

Surplus production (1000 mt)






Whiting, IIIa, VIId and North Sea






European Plaice , Celtic Sea

Surplus production (1000 mt)






European Plaice , Western English Channel






common European sole , Celtic Sea

Surplus production (1000 mt)



common European sole , Western English Channel

Surplus production (1000 mt)



Whiting , Celtic Sea

Surplus production (1000 mt)

