

## Electronic Supporting Information


### Comparison of photocatalytic and transport properties of TiO<sub>2</sub> and ZnO nanostructures for solar-driven water splitting

Simelys Hernández <sup>a,b,\*</sup>, Diana Hidalgo <sup>a,b</sup>, Adriano Sacco <sup>a</sup>, Angelica Chiodoni <sup>a</sup>, Andrea Lamberti <sup>a,b</sup>, Valentina Cauda <sup>a</sup>, Elena Tresso <sup>a,b</sup>, Guido Saracco <sup>b</sup>


<sup>a</sup> Center for Space Human Robotics (IIT@POLITO), Istituto Italiano di Tecnologia, C.so Trento 21, 10129, Torino, Italy.

<sup>b</sup> Department of Applied Science and Technology (DISAT), Politecnico di Torino, C.so Duca degli Abruzzi 24, 10129, Torino, Italy.

\* Corresponding author: e-mail: [simelys.hernandez@polito.it](mailto:simelys.hernandez@polito.it), phone: (+39) 011.090.6664 / 3418.



**Figure S1.** Long-time *I-t* curves (12 h) at 0.3 V vs. Ag/AgCl under AM 1.5G simulated solar illumination (100 mW/cm<sup>2</sup>) of TiO<sub>2</sub> NTs and ZnO@TiO<sub>2</sub> photoelectrodes.



**Figure S2.** 45° tilted view FESEM images of the different nanostructures after PEC tests: a) TiO<sub>2</sub> NPs, b) TiO<sub>2</sub> NTs after additional 12h CA, c) ZnO NWs and d) ZnO@TiO<sub>2</sub> core shells after additional 12h CA. White circle put in evidence the early corrosion stage of the ZnO NWs